# The Growth Model: Discrete Time Dynamic Programming

Prof. Lutz Hendricks

Econ720

September 21, 2021

#### The Issue

We solved the growth model in sequence language.

the solution is a sequence of objects that satisfies a bunch of difference equations

An alternative: recursive formulation.

- dynamic programming
- the solution is a set of functions

# Dynamic Programming: An Informal Introduction

The basic idea of DP is to transform a many period optimization problem into a static problem.

To do so, we summarize the entire future by a value function.

The value function

- tells us the maximum utility obtainable from tomorrow onwards for any value of the state variables.
- an indirect utility function

## Simplest example

A household lives for two periods.

$$\max u(c) + \beta v(c_1', c_2') \tag{1}$$

subject to

$$s' = e + Rs - c \tag{2}$$

$$c_1' + pc_2' = Rs' \tag{3}$$

Notational convention: prime means tomorrow.

# Lagrangian

$$\mathscr{L} = u\left(e + Rs - s'\right) + \beta v\left(Rs' - pc_2', c_2'\right) \tag{4}$$

FOC:

$$u'(c) = \beta v_1(.')R \tag{5}$$

$$v_1\left(.'\right)p = v_2\left(.'\right) \tag{6}$$

Solution:  $c, c'_1, c'_2, s'$  that solve

- ▶ 2 FOCs
- ▶ 2 budget constraints

# Dynamic Programming

#### The idea:

- solve one period at a time
- summarize the entire future with a "value function" (an indirect utility function)

If I know the value of saving, I can solve the first period problem.

#### Backward Induction

We solve this **backwards**, starting from the last period ("backwards induction").

The last period problem is a simple static one:

$$\max v(Rs - pc_2, c_2) \tag{7}$$

► All we need to know about the past is saving s (assets at the start of this period)

#### FOC:

▶ The same as the static condition from the Lagrangian

$$v_1(c_1,c_2)p = v_2(c_1,c_2)$$
 (8)

## **Decision Rules**

The FOC implicitly defines two decision rules of the form  $c_j(s)$  Indirect utility is then also just a function of s:

$$W(s) = v(c_1(s), c_2(s))$$

$$= \max_{c_2} v(Rs - pc_2, c_2)$$
(10)

We call s the state variable and w the value function.

## Log utility

Assume log utility tomorrow:

$$v(c_1, c_2) = \alpha \ln c_1 + (1 - \alpha) \ln (c_2)$$
(11)

Then the static condition becomes

$$p\alpha/c_1 = (1-\alpha)/c_2 \tag{12}$$

or

$$pc_2 = \frac{1 - \alpha}{\alpha} c_1 \tag{13}$$

With log utility, expenditure shares are constant ( $\alpha$  for  $c_1$  and  $1 - \alpha$  for  $c_2$ ).

Consumption levels:

$$c_1 = \alpha R s \tag{14}$$

$$c_2 = (1 - \alpha)Rs/p \tag{15}$$

#### Value function

Then we can compute tomorrow's value function:

$$W(s) = \alpha \ln(\alpha R s) + (1 - \alpha) \ln((1 - \alpha) R s/p)$$
 (16)

with marginal utility of wealth

$$W'(s) = \alpha/s + (1-\alpha)/s = 1/s$$
 (17)

#### Solution:

- ▶ value function W(s) and policy functions  $c_i = f_i(s)$
- **policy** functions maximize W(s) point by point
- W is the max of the RHS

# Today's problem

We can now write today's problem as

$$V(s) = \max_{s'} u\left(s' - e\right) + \beta \underbrace{\left[\alpha \ln\left(\alpha R s'\right) + (1 - \alpha) \ln\left((1 - \alpha) R s'/p\right)\right]}_{W(s')}$$
(18)

with FOC

$$u'(c) = \beta W'(s') = \beta/s'$$
(19)

#### Solution:

- $\triangleright$  value function V(s) and policy function s' = g(s)
- ightharpoonup g maximizes Bellman equation given W
- ▶ V is the max of the RHS

## Cross check

Check against the Euler equation:

$$u'(c) = \beta v_1(.')R$$

$$= \beta R \frac{\alpha}{\alpha R s'} = \beta / s'$$
(20)

Both solutions given (of course) the same result.

#### Backward Induction I

Now consider a more general finite horizon problem

$$\max \sum_{t=1}^{T} u(c_t) \tag{22}$$

subject to  $k_{t+1} = Rk_t - c_t$  and  $k_{T+1} \ge 0$ .

We again solve it backwards, starting from the last period.

#### Last Period

Consider the last date t = T.

The household cannot save:  $k_{T+1} = 0$ 

Continuation value: V(k, T+1) = 0

▶ The problem is static: just eat all income

Terminal value:

$$V(k,T) = u(Rk) \tag{23}$$

#### Backward Induction

Now step back to t = T - 1

$$V(k,T-1) = \max u(Rk-k') + \beta \underbrace{u(Rk')}_{V(k',T)}$$
(24)

We can (in principle) solve for V(k, T-1)

Now step back to t = T - 2, etc.

Bellman equation for any period:

$$V(k,t) = \max u(Rk - k') + \beta V(k',t+1)$$
(25)

## Backward Induction

This is mainly useful for numerically solving the problem. Sometimes, one can solve finite horizon problems analytically (see Huggett et al. (2006) for an example).

## Infinite Horizon

Conceptually, we do exactly the same thing.

But now we don't have a last period that would solve for W(s') on the RHS of the Bellman equation.

Instead, we impose that tomorrow's value function is the same as today's:

$$V(s) = W(s) \tag{26}$$

#### Infinite Horizon Problem

Suppose we solve the planner's problem with starting date  $t^*$ :

$$V = \max_{\{c_t, k_t\}} \sum_{t=t^*}^{\infty} \beta^{t-t^*} u(c_t)$$
 (27)

subject to  $k_{t+1} = f(k_t) - c_t \ \forall t$ .

Call the optimal solution  $c_t^*, k_t^*$  and the implied lifetime utility V.

## Value function

Claim: The only fact that we need to know to figure out V is  $k_{t^*}$ 

- other past choices do not show up in preferences or constraints
- $ightharpoonup k_{t^*}$  is the state variable of the problem.

Therefore, we can define the **value function** (indirect utility function)

$$V(k_{t^*}) = \sum_{t=t^*}^{\infty} \beta^{t-t^*} u(c_{t^*})$$
 (28)

$$= \max \sum_{t=t^*}^{\infty} \beta^{t-t^*} u(f(k_t) - k_{t+1})$$
 (29)

## Stationarity

 $V(k_{t*})$  does not depend on  $t^*$ .

Compare the value functions obtained from the problems starting at  $t^*$  and at  $t^* + 1$ .

They are the same functions.

That is, solving the problem yields the same value function regardless of the starting date.

Such a problem is called stationary.

Not all optimization problems have this property.

For example, if the world ended at some finite date, then the problem at t\*+1 looks different from the problem at t\*.

## Time consistency

- ▶ What if we start the problem at  $t^* + 1$ ?
- ▶ Would the planner want to change his optimal choices of  $k_{t^*+2}, k_{t^*+3}$ , and so on?
- ► The answer is obviously "no," ... although I won't prove this just yet.
- A problem with this property is known as time consistent:
  - ► Give the decision maker a choice to change his mind at a later date and he will choose the same actions again.
- Not all optimization problems have this property.
  - For example, changing the specification of discounting easily destroys time consistency (self-control problems arise).

#### Recursive structure

#### Now comes the key insight:

$$V(k_{t^*}) = u(c_t^*) + \beta \left[ \sum_{t=t^*+1}^{\infty} \beta^{t-(t^*+1)} u(c_{t^*}) \right]$$
(30)

$$= u(c_t^*) + \beta V(k_{t^*+1})$$
 (31)

$$= \max_{k_{t^*+1}} u(f(k_{t^*}) - k_{t^*+1}) + \beta V(k_{t^*+1})$$
 (32)

#### We have

- one term reflecting current period utility
- ▶ a second term summarizing everything that happens in the future, given optimal behavior, as a function of  $k_{t^*+1}$ .

#### Recursive structure

Since this equation holds for any arbitrary start date, we may drop date subscripts.

Unfortunate convention in macro:

- ▶ no subscript = today
- ▶ prime = tomorrow:  $k' = k_{t+1}$

This yields a **Bellman equation**:

$$V(k) = \max_{k'} u(f(k) - k') + \beta V(k')$$

Claim: Solving the DP is equivalent to solving the original problem (the Lagrangian).

We will see conditions when this is true later.

#### Recursive structure

The convenient part of this is: we have transformed a multiperiod optimization problem into a two period (almost static) one.

If we knew the value function, solving this problem would be trivial.

The bad news is that we have transformed an algebraic equation into a **functional equation**.

The solution of the problem is a value function  $\emph{\textbf{V}}$  and an optimal policy function

$$c = \phi(k)$$

Note that c cannot depend on anything other than k, in particular not on k's at other dates, because these don't appear in the Bellman equation.

#### Solution

A solution to the planner's problem is now a pair of functions

$$[V(k), \phi(k)]$$

that solve the Bellman equation in the following sense.

- 1. Given V(k), setting  $c = \phi(k)$  solves the max part of the Bellman equation.
- 2. Given that  $c = \phi(k)$ , the value function solves

$$V(k) = u(\phi(k)) + \beta V(f(k) - \phi(k))$$

## Solution: Intuition

Given V(k), setting  $c = \phi(k)$  solves the max part of the Bellman equation.

This means:

Point by point, for each k:

$$\phi(k) = \arg\max_{c} u(c) + \beta V(f(k) - c)$$
(33)

 $\phi(k)$  simply collects all the optimal c's – one for each k.

## Solution: Intuition

$$V(k) = u(\phi(k)) + \beta V(f(k) - \phi(k))$$

Note that this uses the optimal policy function for c.

Think of the Bellman equation as a mapping in a function space:

$$V^{n+1} = T(V^n) = \max u(c) + \beta V^n(f(k) - c)$$

Given an input argument  $V^n$  the mapping produces an output arguments  $V^{n+1}$ .

The solution to the Bellman equation is the V that satisfies V = T(V).

a fixed point.

#### The Planner's Problem with DP

The Planner's Bellman equation is

$$V(k) = \max_{c} u(c) + \beta V(f(k) - c)$$

with state k and control c.

The FOC for c is

$$u'(c) = \beta \ V'(k')$$

Problem: we do not know V'.

#### The Planner's Problem with DP

Differentiate the Bellman equation to obtain the envelope condition

(aka Benveniste-Scheinkman equation):

$$V'(k) = \beta V'(k')f'(k) + \frac{\partial c}{\partial k} \underbrace{\left[u'(c) - \beta V'(k')\right]}_{=0}$$

## Key point:

in the envelope condition, we can always ignore that changing the state (k) affects the controls (c).

## The Planner's Problem with DP

Combine the FOC and the envelope condition to sub out all terms involving V':

$$\beta V'(k') = \beta \beta V'(k'') f'(k')$$
(34)

$$u'(c) = \beta u'(c')f'(k') \tag{35}$$

We obtain the same Euler equation as from the Lagrangian approach (of course).

DP also tells us that the optimal c is a function only of k.

Therefore k' also depends only on k:

$$k' = f(k) - \phi(k)$$
$$= h(k)$$

# Capital as control variable

There are other ways of setting up the Bellman equation.

With capital as the control:

$$V(k) = \max_{k'} u(f(k) - k') + \beta V(k')$$

FOC:

$$u'(c) = \beta V'(k')$$

Envelope condition

$$V'(k) = u'(c)f'(k)$$

The general point: We cannot choose the state variables, but we can choose the control variables.

# Characterizing the Planner's Solution

It is here where DP has serious advantages over the Lagrangean: one can use results from **functional analysis** to establish properties of the value function and the policy function.

In our example, it can be shown that the economy converges monotonically from any  $k_0$  to the steady state [Sargent (2009), p. 25, fn. 2]:

Note the difference relative to the OLG economy where much stronger assumptions are needed for this result.

## Nonstationary Dynamic Programming

#### What if time matters?

Case 1: Time matters because of a time-varying state variable.

- ▶ Example:  $f(k_t, A_t)$  where  $A_{t+1} = G(A_t)$ .
- $\triangleright$  Solution: Add  $A_t$  as a state variable to the value function.

#### Case 2: Finite horizon problems.

- **Example:** the household lives until date *T*.
- ▶ Solution: Add t as a state variable to the value function.
- We have one value function per date (see below).

#### Additional Constraints

Constraints are treated as in any optimization problem.

#### Example:

 $\max \sum_{t=0}^{\infty} \beta^t u(c_t)$  subject to

- $\triangleright k' = f(k) c$
- $k' \ge 0$

#### Bellman equation:

$$V(k) = \max_{c,k'} u(c) + \beta V(k') + \lambda \left( f(k) - c - k' \right) + \mu k'$$
 (36)

First-order conditions: Kuhn Tucker for k'.

Example: Non-separable Utility

## Example: Non-separable Utility

Consider the following growth economy, modified to include **habit persistence** in consumption.

The social planner solves

$$\max \sum_{t=0}^{\infty} \beta^t u(c_t, c_{t-1})$$

subject to the feasibility constraints

$$k_{t+1} + c_t = f(k_t) (37)$$

f satisfies Inada conditions.

Compute and interpret the first-order necessary conditions for the planner's problem.

## Sequential Solution

This problem does not fit the DP approach without some modification.

We first solve it using a Lagrangian:

$$\Gamma = \sum_{t=1}^{\infty} \beta^{t} u(f(\mathbf{k}_{t}) - \mathbf{k}_{t+1}, f(\mathbf{k}_{t-1}) - \mathbf{k}_{t})$$
(38)

First order conditions:

$$\beta^{t}u_{1}(t,t-1)f'(k_{t}) - \beta^{t-1}u_{1}(t-1,t-2) + \beta^{t+1}u_{2}(t+1,t)f'(k_{t}) - \beta^{t}u_{2}(t,t-1) = 0$$

# Sequential Solution

Define the total marginal utility of consumption as

$$U'(c_{t-1}) = \beta^{t-1}u_1(t-1,t-2) + \beta^t u_2(t,t-1)$$

The Euler Equation then becomes:

$$U'(c_{t-1}) = U'(c_t)f'(k_t)$$
(39)

### Interpretation

$$U'(c_{t-1}) = U'(c_t)f'(k_t)$$
(40)

- ▶ Give up one unit of  $c_{t-1}$ . This costs  $U'(c_{t-1})$ .
- ▶ We can increase  $x_{t-1}$  by 1 and raise  $k_t$  by 1.
- ▶ We eat the results next period at marginal utility  $U'(c_t)$ .
- ▶ We can eat
  - ▶ the additional output  $f'(k_t)$ ;
  - ▶ the undepreciated capital  $1 \delta$ ; (zero, in this case)

## Sequential Solution

A solution of the hh problem is:

Sequences  $\{c_t, k_t\}$  that satisfy

- 1. the EE
- 2. the flow budget constraint.
- 3. The boundary conditions  $k_1$  given and a TVC:

$$\lim_{t\to\infty}U'(c_t)k_t=0$$

#### **DP Solution**

For DP to work, it must be possible to write the problem as

$$V(s) = \max_{c} u(s,c) + \beta V(s')$$

subject to s' = g(s, c)

where s is the state and c is the control.

The current problem does not fit that pattern:

$$V(k) = \max u(c, c_{-1}) + \beta V(k')$$

subject to the law of motion

$$k' = f(k) - c$$

Nonseparable utility is the problem.

# Adding a State Variable

The solution is to define an additional state variable

$$z = c_{-1}$$

or

$$z' = c = f(k) - k'$$

$$\tag{41}$$

Then the Bellman equation is

$$V(k,z) = \max_{k'} u(f(k) - k', z) + \beta V(k', f(k) - k')$$

Note that this looks "wrong" b/c z appears only once on the RHS, but everything is fine...

**FOC** 

$$u_1(c,z) = \beta V_k(k',z') - \beta V_z(k',z')$$

## Adding a state variable

The envelope conditions are

$$V_z = u_2(c,z)$$
  

$$V_k = u_1(c,z)f'(k) + \beta V_z(.')f'(k)$$

Now define

$$U'(c) = u_1(c,z) + \beta u_2(c',z')$$

Then substitute out the  $V_z$  terms:

$$U'(c) = \beta V_k(.')$$

$$V_k = U'(c)f'(k)$$

Substitute out the  $V_k$  terms and we get the same EE as with the Lagrangean.

# The key point

If lagged variables occur in the problem, simply define new variables for date t:  $z_t = c_{t-1}$ .

# Guess and Verify

# Guess and Verify

In very special cases it is possible to solve for the value function in closed form.

A common case is

- ▶ log utility,  $u(c) = \ln(c)$ , and
- ► Cobb-Douglas technology with full depreciation:  $f(k) = Ak^{\theta}$ .

Then we can use the "guess and verify" method.

# Guess and Verify

#### The general approach is:

- 1. Guess a functional form for V. Stick this into the right-hand-side of the Bellman equation.
- 2. Solve the max problem given the guess for V. The result is on the left hand side a new value function,  $V^1$ .
- 3. If  $V = V^1$  the guess was correct.

This nicely illustrates what defines a solution to the Bellman equation.

## Guess and Verify: Example

Consider the growth model with log utility and Cobb-Douglas production / full depreciation.

The planner solves:

$$\max \sum_{t=0}^{\infty} \beta^{t} \ln(c_{t})$$
s.t.  $k_{t+1} = A k_{t}^{\theta} - c_{t}$ 

#### Guess

Guess

$$V(k) = E + F \ln(k)$$

This is inspired by the hope that V should inherit the form of u. Having capital stock k amounts to having output  $Ak^{\theta}$ , which would suggest

$$V(k) \cong \ln(Ak^{\theta})$$
  
=  $\ln(A) + \theta \ln(k)$ 

Note that the guess for V contains some unknown constants (E,F) which we determine as we go along.

### First-order Conditions

FOC:

$$u'(c) = \beta V'(k')$$

or

$$1/c = \beta F/k' \tag{42}$$

Envelope condition

$$V'(k) = u'(c)f'(k)$$

or

$$F/k = f'(k)/c \tag{43}$$

## Policy Function

We can use the FOC to obtain the policy function in terms of the unknown parameters.

$$Fc = k'/\beta = f'(k)k \tag{44}$$

Note that

$$f'(k)k = \theta f(k) \tag{45}$$

Here, we are lucky and the F drops out

$$k' = h(k) = \beta \,\theta f(k) \tag{46}$$

$$c = (1 - \beta \theta) f(k) \tag{47}$$

Result (as expected): the saving rate is constant.

#### Recover F

Now we need to recover  $\underline{E}$  and  $\underline{F}$  (and make sure they are indeed constants)

We know:

$$Fc = k'/\beta \tag{48}$$

$$c/k' = F/\beta \tag{49}$$

From the policy rules:

$$c/k' = (1 - \beta \theta)/\theta \tag{50}$$

Therefore

$$F = \frac{\theta}{1 - \theta B} \tag{51}$$

#### Recover E

Substitute everything we know into the Bellman equation:

$$E + F \ln(k) = \ln((1 - \beta \theta)f(k)) + \beta \left\{ E + F \ln(\beta \theta f(k)) \right\}$$
 (52)

Note that  $\ln(f(k)) = \ln(A) + \theta \ln(k)$ .

Collect all the constant terms to solve for E

$$E = \ln(1 - \theta\beta) + \ln(A) + \beta E + \beta F \ln(\theta\beta) + \beta FA$$
 (53)

# Summary: Guess and Verify

- 1. Guess a value function (including unknown parameters).
- 2. Write first-order and Envelope conditions using the guess.
- 3. Solve for policy function.
- 4. Substitute policy function into Bellman equation to recover unknown parameters (and check the guess).

## **Applications**

```
Examples where guess + verify is used:
Huggett et al. (2006), Huggett et al. (2011), Manuelli and Seshadri (2014)
(all models of human capital accumulation)
```

# DP vs Lagrangian

What does DP buy us compared with a Lagrangian?

- With uncertainty, DP tends to be more convenient than a Lagrangian.
- Results from functional analysis can often be used to find properties of the optimal policy function such as monotonicity, continuity, and existence.
- ▶ DP can have **computational** advantages. There are methods for numerically approximating policy functions.

# Reading

- Acemoglu (2009), ch. 6. Also ch. 5 for background material we will discuss in detail later on.
- ► Ljungqvist and Sargent (2004), ch. 3 (Dynamic Programming), ch. 7 (Recursive CE).
- ▶ Stokey et al. (1989), ch. 1 is a nice introduction.

#### References I

- Acemoglu, D. (2009): *Introduction to modern economic growth*, MIT Press.
- Huggett, M., G. Ventura, and A. Yaron (2006): "Human Capital and Earnings Distribution Dynamics," *Journal of Monetary Economics*, 53, 265–290.
- ——— (2011): "Sources of Lifetime Inequality," *American Economic Review*, 101, 2923–54.
- Ljungqvist, L. and T. J. Sargent (2004): Recursive macroeconomic theory, 2nd ed.
- Manuelli, R. E. and A. Seshadri (2014): "Human Capital and the Wealth of Nations," *The American Economic Review*, 104, 2736–2762.
- Sargent, T. J. (2009): *Dynamic macroeconomic theory*, Harvard University Press.
- Stokey, N., R. Lucas, and E. C. Prescott (1989): "Recursive Methods in Economic Dynamics," .