


Lecture Tutorial 1F: Fourier Analysis




- **Complex numbers** & revisiting **oscillations**
 - **Fourier series**: From **single frequencies** to **many frequencies**
 - **Fourier transform**: analyzing non-periodic signals
 - **Examples & applications**: Why the **frequency domain** is so powerful
- ⇒ Please download the **phyphox app** for some live demos



from **wikipedia**.gif), public domain

Reminder: Polar Coordinates

- Represent point by (r, θ) instead of (x, y) .
- Conversion:
 - $x = r \cos \theta,$
 $y = r \sin \theta$
- Inverse:
 - $r = \sqrt{x^2 + y^2}, \theta = \arctan(y/x)$



from wikipedia, Attribution-Share Alike 3.0 Unported


Complex Numbers — A Geometric View

- A complex number is **not mysterious**: it is a 2D quantity:

$$z = x + iy, \quad i^2 = -1$$

- Can be viewed as a **vector in a plane** with **real part** x on horizontal axis & **imaginary part** y on vertical axis
- Length (magnitude) & direction (phase)

$$|z| = \sqrt{x^2 + y^2} \quad \varphi = \tan^{-1}\left(\frac{y}{x}\right)$$



from [wikipedia](#), CC BY-SA 3.0

Complex numbers – Polar form

- Using Euler's formula $e^{i\theta} = \cos \theta + i \sin \theta$:




$$z = x + iy \quad \Leftrightarrow \quad z = r(\cos \theta + i \sin \theta) = re^{i\theta}$$

$\Rightarrow e^{i\theta} =$ **point at angle θ on the unit circle**

- Definitions of cosine and sine via complex exponentials:

$$\cos \theta = \frac{e^{i\theta} + e^{-i\theta}}{2}, \quad \sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}$$

- Essential for SHM, damping, resonance, waves, AC circuits, ...



*[left] from **wikipedia, Attribution-Share Alike 3.0 Unported** [middle] from **wikipedia,**
Attribution-Share Alike 3.0 Unported [right] from **wikipedia, Attribution-Share Alike 4.0**
International*

Complex conjugate & multiplication

Complex conjugate reflects the vector (mirror at the real axis):

$$z = x + iy \quad \Rightarrow \quad z^* = x - iy$$



Multiplication of complex numbers (rotation + scaling):

$$z_1 z_2 = r_1 r_2 e^{i(\varphi_1 + \varphi_2)}$$

Multiplication with the complex conjugate:

$$z = r e^{i\varphi}, \quad z^* = r e^{-i\varphi}$$

$$z z^* = (r e^{i\varphi}) (r e^{-i\varphi}) = r^2 e^{i\varphi - i\varphi} = r^2 e^0 = r^2 = x^2 + y^2 \in \mathbb{R}$$



[left] from **wikipedia, Attribution-Share Alike 3.0 Unported** [right] from **wikipedia, Attribution-Share Alike 4.0 International**

Complex Exponentials for Oscillations: How They Appear Naturally

- Equation of motion (real coefficients):

$$\ddot{x} = -\frac{k}{m}x$$

- Inserting **exponential trial solution** $x(t) = X e^{\lambda t}$ gives:

$$\lambda^2 X e^{\lambda t} = -\frac{k}{m} X e^{\lambda t}$$

- Cancel the common factor $X e^{\lambda t}$:

$$\lambda^2 = -\frac{k}{m}$$

- **Allowing complex solutions gives two eigenvalues:**

$$\lambda = \pm i\omega, \quad \omega = \sqrt{\frac{k}{m}}$$

From Complex Solutions to Real Oscillations

- **General solution as a linear combination of the two eigenmodes:**

$$x(t) = c_1 e^{i\omega t} + c_2 e^{-i\omega t}$$

- Real motion requires **complex conjugate coefficients**, $c_2 = c_1^*$:

$$x(t) = c_1 e^{i\omega t} + c_1^* e^{-i\omega t}$$

- Write the complex amplitude in polar form, $c_1 = |c_1| e^{i\phi}$:

$$x(t) = |c_1| e^{i\phi} e^{i\omega t} + |c_1| e^{-i\phi} e^{-i\omega t} = |c_1| \left(e^{i(\omega t + \phi)} + e^{-i(\omega t + \phi)} \right)$$

- Using Euler's identity, $\cos \theta = \frac{e^{i\theta} + e^{-i\theta}}{2}$, the motion becomes:

$$x(t) = 2|c_1| \cos(\omega t + \phi)$$

- Final physical solution with $A = 2|c_1|$:

$$x(t) = A \cos(\omega t + \phi)$$

The Superpower of Euler's Formula

- Exponentials reproduce themselves under differentiation:

$$\frac{d}{dt}e^{\lambda t} = \lambda e^{\lambda t}$$

- Allowing complex numbers unlocks a **larger solution space** (e.g. $\sqrt{-1}$ is permitted)
- Negative eigenvalues lead to imaginary exponents:

$$\lambda = \pm i\omega$$

- Imaginary exponents describe **periodic motion**:

$$e^{i\omega t}$$

- Euler's formula: $e^{i\omega t} = \cos(\omega t) + i \sin(\omega t)$

- **Dynamics reduces to complex-number algebra**

Wave synthesis – From single to many frequencies

sim – Wave Synthesis

- Single oscillation:

$$x(t) = A \cos(\omega t + \phi_n)$$

- Superposition:

$$x(t) = \sum_n A_n \cos(\omega_n t + \phi_n)$$

- Adding frequencies \rightarrow more complex signals

Fourier series – Building periodic signals

- Any **periodic signal** can be written as a sum of sine and cosine waves:

$$x(t) = a_0 + \sum_{n=1}^{\infty} [a_n \cos(n\omega_0 t) + b_n \sin(n\omega_0 t)]$$

- $\omega_0 = 2\pi/T$ is the **fundamental frequency**
- Higher terms ($n = 2, 3, \dots$) are **harmonics**
- Each harmonic contributes a **frequency** $n\omega_0$, a **phase**, an **amplitude**
- More terms \rightarrow better approximation



from **wikipedia**.gif), public domain

Fourier transform – Analyzing non-periodic signals

- Real signals are often **not periodic**
- Idea:
 - Fourier **series** → discrete frequencies (periodic signals)
 - Fourier **transform** → continuous frequencies (non-periodic signals)
- Time signal → frequency spectrum

$$X(\omega) = \int_{-\infty}^{\infty} x(t) e^{-i\omega t} dt$$

- Inverse transform (back to time domain):

$$x(t) = \frac{1}{2\pi} \int_{-\infty}^{\infty} X(\omega) e^{i\omega t} d\omega$$

- Reminder: Euler's formula $e^{i\omega t} = \cos(\omega t) + i \sin(\omega t)$

Fourier transform – Building intuition

md16 - Beibehaltung der Schwingungsebene - Foucaultpendel



sim - Winding Machine

$$X(\omega) = \int_{-\infty}^{\infty} x(t) e^{-i\omega t} dt$$

- **Idea:** Compare the signal with a **test oscillation** $e^{-i\omega t}$ to measure how strongly this oscillation is present in $x(t)$
- **Output: Complex frequency spectrum**
 - $|X(\omega)| \rightarrow$ strength (amplitude) of frequency ω
 - $\arg X(\omega) \rightarrow$ phase of that frequency
- **Key message:**
 - **Any signal = sum of many oscillations**

- Fourier transform reveals which frequencies are present and how strongly

Fourier transform – Frequency spectrum of bass guitar (A at 55 Hz)




[left] from [wikipedia.png](#), **Attribution-Share Alike 4.0 International** [right] from [wikipedia](#),
Attribution-Share Alike 4.0 International

Time-windowed Fourier transform & spectrograms

phyphox / ma19+ma05

- Real signals often change in time
- Apply Fourier transform on **short time windows**
- Reveals **how frequencies evolve over time**
- Result visualized as a **spectrogram** with the frequencies' amplitude encoded as **intensity** of the plot
- Key trade-off:
 - short window → good time resolution
 - long window → good frequency resolution




from **wikipedia**, public domain

Fourier in action

- Please open **phyphox** → **Acoustics** → **Tone generator**
- Set **frequency** to: Row number of your seat \times 100Hz
- **Press play** and maximize volume

⇒ **MRI frequency encoding** shows how spatial position is converted into frequency information — the same Fourier principles behind FT-NMR (Ernst, Nobel Chemistry 1991) and modern MRI imaging (Lauterbur & Mansfield, Nobel Medicine 2003).




from **wikipedia**, **Attribution-Share Alike 3.0 Unported**

2D Fourier transform – spatial frequencies

sim - 2D FT [link](#) and [github](#)


- Fourier analysis applied to images (space instead of time)
- Performed as **two 1D Fourier transforms**:
 - once in x -direction
 - once in y -direction
- Low spatial frequencies → smooth, large-scale structure
- High spatial frequencies → edges and fine detail




from [wikipedia](#), public domain

Why frequency space simplifies convolution

- Convolution in real space is computationally expensive
- In frequency space:
 - convolution → **multiplication**
- Filtering becomes simple and intuitive
 - low-pass → blur
 - high-pass → edge enhancement
- Core tool in signal and image processing







[left] from [wikipedia](#) by Tinos, **Attribution-Share Alike 3.0 Unported** [right] from [wikipedia](#), **Attribution-Share Alike 3.0 Unported**

Fourier Transform - Big picture

- Waves and oscillations all around us
- Complex signals become simple spectra → underlying patterns becomes visible
- Dynamics become algebra (differential → algebraic equations e.g. wave equation, heat equation, diffusion)
- Basis for/related to other transforms such as Laplace & Wavelet
- **Fourier analysis changes how we think about problems**





[left] from [wikipedia](#), **Attribution-Share Alike 3.0 Unported** [right] from [wikipedia](#),
Attribution-Share Alike 3.0 Unported