(/) Explore Problems(/problemset/all/) Interview New

(/contest/)

Discuss(/discuss/)

5752. Maximum Subarray Min-Product

My Submissions (/contest/weekly-contest-240/problems/maximum-subarray-min-product/submissions/)

Back to Contest (/contest/weekly-contest-240/)

The min-product of an array is equal to the minimum value in the array multiplied by the array's sum.

• For example, the array [3,2,5] (minimum value is 2) has a min-product of 2 * (3+2+5) = 2 * 10 = 20.

Given an array of integers nums, return the **maximum min-product** of any **non-empty subarray** of nums. Since the answer may be large, return it **modulo** $10^9 + 7$.

Note that the min-product should be maximized **before** performing the modulo operation. Testcases are generated such that the maximum min-product **without** modulo will fit in a **64-bit signed integer**.

A subarray is a contiguous part of an array.

Difficulty:	(Medium)
Total Submissions:	0
Total Accepted:	0
User Tried:	0
User Accepted:	0

Example 1:

```
Input: nums = [1,2,3,2]
Output: 14
Explanation: The maximum min-product is achieved with the subarray [2,3,2] (minimum value is 2).
2 * (2+3+2) = 2 * 7 = 14.
```

Example 2:

```
Input: nums = [2,3,3,1,2]
Output: 18
Explanation: The maximum min-product is achieved with the subarray [3,3] (minimum value is 3).
3 * (3+3) = 3 * 6 = 18.
```

Example 3:

```
Input: nums = [3,1,\underline{5,6,4},2]
Output: 60
Explanation: The maximum min-product is achieved with the subarray [5,6,4] (minimum value is 4). 4*(5+6+4) = 4*15 = 60.
```

Constraints:

- 1 \leftarrow nums.length \leftarrow 10⁵
- 1 \leftarrow nums[i] \leftarrow 10⁷