☆ Premium

ref=nb\_npl)

**Total Submissions:** 

Difficulty:





0

(Hard)

# 5887. Kth Smallest Product of Two Sorted Arrays

My Submissions (/contest/biweekly-contest-63/problems/kth-smallest-product-of-two-sorted-arrays/submissions/)

Back to Contest (/contest/biweekly-contest-63/)

Given two sorted 0-indexed integer arrays nums1 and nums2 as well as an integer k , return the kth (1**based**) smallest product of nums1[i] \* nums2[j] where 0 <= i < nums1.length and 0 <= j <nums2.length.

## User Accepted: 0 **User Tried:** 0 0 **Total Accepted:**

#### Example 1:

```
Input: nums1 = [2,5], nums2 = [3,4], k = 2
Output: 8
Explanation: The 2 smallest products are:
- nums1[0] * nums2[0] = 2 * 3 = 6
- nums1[0] * nums2[1] = 2 * 4 = 8
The 2<sup>nd</sup> smallest product is 8.
```

# Example 2:

```
Input: nums1 = [-4,-2,0,3], nums2 = [2,4], k = 6
Output: 0
Explanation: The 6 smallest products are:
- \text{nums1}[0] * \text{nums2}[1] = (-4) * 4 = -16
- nums1[0] * nums2[0] = (-4) * 2 = -8
- nums1[1] * nums2[1] = (-2) * 4 = -8
- nums1[1] * nums2[0] = (-2) * 2 = -4
- nums1[2] * nums2[0] = 0 * 2 = 0
- nums1[2] * nums2[1] = 0 * 4 = 0
The 6^{th} smallest product is 0.
```

#### Example 3:

```
Input: nums1 = [-2,-1,0,1,2], nums2 = [-3,-1,2,4,5], k = 3
Output: -6
Explanation: The 3 smallest products are:
- \text{ nums1}[0] * \text{ nums2}[4] = (-2) * 5 = -10
- \text{ nums1}[0] * \text{ nums2}[3] = (-2) * 4 = -8
- \text{ nums1}[4] * \text{ nums2}[0] = 2 * (-3) = -6
The 3<sup>rd</sup> smallest product is -6.
```

### **Constraints:**

- 1 <= nums1.length, nums2.length <=  $5 * 10^4$
- $-10^5 \le nums1[i]$ ,  $nums2[j] \le 10^5$
- 1 <= k <= nums1.length \* nums2.length
- nums1 and nums2 are sorted.

```
Java
                                                                                                                 C
1 v class Solution {
        public long kthSmallestProduct(int[] nums1, int[] nums2, long k) {
2 🔻
3
4
        }
   }
5
```