

5502. Number of Ways to Reorder Array to Get Same BST

missions (/contest/weekly-contest-204/problems/number-of-ways-to-reorder-array-to-get-same-bst/submissions/)

Contest (/contest/weekly-contest-204/)

Given an array `nums` that represents a permutation of integers from `1` to `n`. We are going to construct a binary search tree (BST) by inserting the elements of `nums` in order into an initially empty BST. Find the number of different ways to reorder `nums` so that the constructed BST is identical to that formed from the original array `nums`.


For example, given `nums = [2,1,3]`, we will have 2 as the root, 1 as a left child, and 3 as a right child. The array `[2,3,1]` also yields the same BST but `[3,2,1]` yields a different BST.

Return the number of ways to reorder `nums` such that the BST formed is identical to the original BST formed from `nums`.

Since the answer may be very large, return it modulo $10^9 + 7$.

User Accepted:	0
User Tried:	0
Total Accepted:	0
Total Submissions:	0
Difficulty:	Hard

Example 1:




Input: `nums = [2,1,3]`

Output: 1

Explanation: We can reorder `nums` to be `[2,3,1]` which will yield the same BST. There are no other ways to reorder `nums` such that the BST is identical to the original BST.

Example 2:



Input: nums = [3,4,5,1,2]

Output: 5

Explanation: The following 5 arrays will yield the same BST:

[3,1,2,4,5]


[3,1,4,2,5]

[3,1,4,5,2]

[3,4,1,2,5]

[3,4,1,5,2]

Example 3:




Input: nums = [1,2,3]

Output: 0

Explanation: There are no other orderings of nums that will yield the same BST.

Example 4:



Input: nums = [3,1,2,5,4,6]

Output: 19

Example 5:

Input: nums = [9,4,2,1,3,6,5,7,8,14,11,10,12,13,16,15,17,18]

Output: 216212978

Explanation: The number of ways to reorder nums to get the same BST is 3216212999. Taking

Constraints:

- $1 \leq \text{nums.length} \leq 1000$
- $1 \leq \text{nums}[i] \leq \text{nums.length}$
- All integers in nums are **distinct**.

JavaScript ▼



```
1 ▾ /**
2   * @param {number[]} nums
3   * @return {number}
4   */
5 ▾ var numOfWays = function(nums) {
6
7   };
```

☐ Custom Testcase

Use Example Testcases

Run

Submit

Copyright © 2020 LeetCode

[Help Center \(/support/\)](/support/) | [Terms \(/terms/\)](/terms/) | [Privacy Policy \(/privacy/\)](/privacy/) [United States \(/region/\)](/region/)