

5185. Three Consecutive Odds

[My Submissions \(/contest/weekly-contest-202/problems/three-consecutive-odds/submissions/\)](/contest/weekly-contest-202/problems/three-consecutive-odds/submissions/)

[Back to Contest \(/contest/weekly-contest-202/\)](/contest/weekly-contest-202/)

Given an integer array `arr`, return `true` if there are three consecutive odd numbers in the array. Otherwise, return `false`.

Example 1:

Input: `arr = [2,6,4,1]`
Output: `false`
Explanation: There are no three consecutive odds.

Example 2:

Input: `arr = [1,2,34,3,4,5,7,23,12]`
Output: `true`
Explanation: `[5,7,23]` are three consecutive odds.

User Accepted: 0

User Tried: 0

Total Accepted: 0

Total Submissions: 0

Difficulty: Easy

Constraints:

- `1 <= arr.length <= 1000`
- `1 <= arr[i] <= 1000`

JavaScript ▼



```
1 /**
2  * @param {number[]} arr
3  * @return {boolean}
4  */
5 var threeConsecutiveOdds = function(arr) {
6
7 };
```

☐ **Custom Testcase**[Use Example Testcases](#)[▶ Run](#)[📁 Submit](#)

Copyright © 2020 LeetCode

[Help Center \(/support/\)](#) | [Terms \(/terms/\)](#) | [Privacy Policy \(/privacy/\)](#)

 [United States \(/region/\)](#)