

5914. Smallest Index With Equal Value

My Submissions (/contest/weekly-contest-265/problems/smallest-index-with-equal-value/submissions/)

Back to Contest (/contest/weekly-contest-265/)

Given a **0-indexed** integer array `nums`, return the **smallest** index `i` of `nums` such that `i mod 10 == nums[i]`, or `-1` if such index does not exist.

`x mod y` denotes the **remainder** when `x` is divided by `y`.

Example 1:

Input: `nums = [0,1,2]`
Output: `0`
Explanation:
`i=0: 0 mod 10 = 0 == nums[0].`
`i=1: 1 mod 10 = 1 == nums[1].`
`i=2: 2 mod 10 = 2 == nums[2].`
All indices have `i mod 10 == nums[i]`, so we return the smallest index `0`.

Example 2:

Input: `nums = [4,3,2,1]`
Output: `2`
Explanation:
`i=0: 0 mod 10 = 0 != nums[0].`
`i=1: 1 mod 10 = 1 != nums[1].`
`i=2: 2 mod 10 = 2 == nums[2].`
`i=3: 3 mod 10 = 3 != nums[3].`
`2` is the only index which has `i mod 10 == nums[i]`.

Example 3:

Input: `nums = [1,2,3,4,5,6,7,8,9,0]`
Output: `-1`
Explanation: No index satisfies `i mod 10 == nums[i]`.

Example 4:

Input: `nums = [2,1,3,5,2]`
Output: `1`
Explanation: `1` is the only index with `i mod 10 == nums[i]`.

Constraints:

- `1 <= nums.length <= 100`
- `0 <= nums[i] <= 9`

Java

📄

↺

⚙️

```
1 class Solution {
2     public int smallestEqual(int[] nums) {
3
4     }
5 }
```