Blog

## **Daily Coding Problem #141**

## **Problem**

This problem was asked by Microsoft.

Implement 3 stacks using a single list:

```
class Stack:
    def __init__(self):
        self.list = []

    def pop(self, stack_number):
        pass

    def push(self, item, stack_number):
        pass
```

## **Solution**

In order to implement 3 stacks using one list, we separate the list into 3 separate parts, one for each stack.

- The first stack starts from list[0] and grows up.
- The second stack starts from list[len(list) / 2] and grows up.
- The third stack starts from list[len(list) 1] and grows down.

In order to know where to put the next item on push, we store three pointers s0, s1, and s2 for the above three stacks.

When one of the stacks is about to overwrite another stack, we resize the stack, similar to how lists themselves are resized.

```
class Stacks:
    def __init__(self):
        self.size = 10
        self.list = [None] * self.size
        self.s0 = 0 # Grows up
        self.s1 = len(self.list) / 2 # Grows up
        self.s2 = len(self.list) - 1 # Grows down
    def pop(self, stack_number):
        if stack_number == 0:
            self.s0 -= 1
            return self.list[self.s0]
        elif stack_number == 1:
            self.s1 -= 1
            return self.list[self.s1]
        else:
            self.s2 += 1
            return self.list[self.s2]
    def push(self, item, stack_number):
        if stack number == 0:
            self.list[self.s0] = item
            self.s0 += 1
        elif stack number == 1:
            self.list[self.s1] = item
            self.s1 += 1
        else:
            self.list[self.s2] = item
            self.s2 -= 1
        if self.is_resize_needed():
            self.resize(self.size * 2)
    def is_resize_needed(self):
```

```
return self.s0 == len(self.list) / 2 or self.s1 > self.s2
def resize(self, size):
    prev_list = self.list
    prev_s0 = self.s0
    prev_s1 = self.s1
    prev_s2 = self.s2
   self.list = [None] * size
    self.s0 = 0 # Grows up
    self.s1 = len(self.list) / 2 # Grows up
    self.s2 = len(self.list) - 1 # Grows down
    self.size = size
    for i in range(prev_s0):
        self.push(prev_list[i], 0)
    for i in range(len(prev_list) / 2, prev_s1):
        self.push(prev_list[i], 1)
    for i in reversed(range(prev_s2 + 1, len(prev_list))):
```

self.push(prev\_list[i], 2)

© Daily Coding Problem 2019

**Privacy Policy** 

Terms of Service

Press