



UNIVERSITEIT VAN PRETORIA
UNIVERSITY OF PRETORIA
YUNIBESITHI YA PRETORIA

DEPARTMENT OF COMPUTER SCIENCE

COS 301 - SOFTWARE ENGINEERING

OnlyRugby

User Manual: Demo 2

Authors:

Herman Keuris

Johan van Rooyen

Estian Rosslee

Ivan Henning

Muller Potgieter

Student number:

u13037618

u11205131

u12223426

u13008219

u12003672

September 1, 2015

Contents


1	System Overview	1
2	System Configuration	1
3	Installation	2
4	Getting started	2
5	Using the system	3
5.1	Login/Logout	3
5.2	Load Info	3
5.3	Game Time	4
5.4	Scoring	4
5.5	Substitutions	5
5.6	Discipline	6
5.7	Line-outs	7
5.8	Scrums	7
5.9	Tackles	7
5.10	Possession & Turnovers	7
5.11	Clean break	9
5.12	Offloads	9
5.13	Ruck	9
5.14	Maul	10
6	Troubleshooting	10

1 System Overview

The OnlyRugby App will serve school rugby teams and rugby clubs registered with the main website by allowing them to log basic match time information. This means that when the user's team is playing a match the user can log information such as which team and players have scored, any injuries or penalties during the game and which team has won the line-out/scrums etc. This information is then stored on the main website's database allowing users to compare statistics through the site.

2 System Configuration

- The user will run the app itself from a mobile device, such as a smartphone or tablet using Android 4.0 or higher.
- All communication between the mobile app and the server will occur through HTTP and will consist of JSON objects which will be processed by a RESTful API on the server side (which will then format the information to be stored on the main OnlyRugby website's database) and the main app on the user's mobile device respectively.
- The mobile app will also manage a small temporary SQLite database which will store any information waiting to be sent to the server when a connection is established.
- The server will also use SMTP to send emails to an email account specified by the user in certain situations (e.g. when the user first registers an account with OnlyRugby).



3 Installation

- The user will have to choose to download the app from the Google App store (once released) and the rest will be done automatically by the app store itself.
- The user will be notified when the app is finished downloading and is ready to run.

4 Getting started

- To get access to use the app, the team you represent should already be registered with the main site.
- You also need to have a personal account and your team should have chosen you as their dedicated score keeper.
- When all the requirements are satisfied, simply log on to the app with your credentials as you registered them on the website.
- Once logged on, you can choose which match to score (pertaining only to your own team of course)
- You will not be permitted to score a match that is not in the progress of being played.
- Once a match is available to score, you can start the process by tapping on the relevant match and starting the procedure. From here you can log different states of the game, such as tackles, scores, line-outs, substitutions etc.
- Once a match is completed, the information can be verified or corrected as needed (such as adding unknown player's names) before being finally submitted to the server for storage in the main database.
- Usernames are unique and cannot be changed once you have registered it.
- Passwords can be changed using the websites Change Password function in account settings.
- Pressing the "back" button on your device twice pops up a notification asking if you really want to exit to prevent accidental app closure. Choosing "Yes" will close the app and all relevant main threads running.

5 Using the system

The functionality of the app will be spread between the following use cases:

5.1 Login/Logout

- The first screen after choosing "Login" on the main screen, the user will be presented with two fields: One for the username and one for the password. The user enters the requested details and it gets authenticated. Only when the correct information is supplied, will the user be able to continue to the game menu.
- The login information will be used to load the next game that needs scoring.
- The user gets logged out of the app every time they exit, allowing someone else to be able to log in as well and ensuring security of information.




Figure 1: Login Menu




Figure 2: Wrong Details

5.2 Load Info

This use case pertains to the loading of any and all info you can see and not see in the app itself. A version of it is called by nearly every other function in the app, since it handles all the retrieval from the database via the main server.

- After the user is logged in, information is loaded on what teams the user is allowed to score for and when their matches would take place. This is done by sending a

query with the token (already received when logging in) to the server and retrieving the information associated with this particular user. All of the information is stored on the device's local database for offline usage.

- After selecting the appropriate team, the user can view the matches available / scheduled for that team.
- In the event that a match can be scored and the user decides to do so, the data pertaining to that match will be loaded from the device's local database, since it is already stored from the previous request to the server. This will return the names and positions of the players of both teams (if available).
- During the match, local storage is implemented to store any data relevant to the match and then uploaded once the app establishes a connection with the server.

5.3 Game Time

This use case is used to log the start and end time of each half of a match, as well as any intervals during which time was lost (the game was paused) and a reason for this time loss (injury, substitution, match official consultation, replacement of damaged player clothing).

Usage:

- The game time is displayed at the top of the UI.
- One starts the clock by tapping on it once. Preferably at kick-off. In the future the user will be presented with a confirm option in the form of a pop up which will not affect the running clock if accepted and reset the clock if denied.
- Once the clock is running a single tap on the clock will register a pause and activate a pop up asking the user for a reason for the pause, along with the legal options. The user will also have the option return should they accidentally activate this function. After a legal reason has been given for the pause the user is presented with a blank page and a button to resume the game.
- Upon reaching 40 minutes the game clock:
 - registers the end of the current half,
 - resets for the next half if there is one, and
 - resets for overtime if conditions for it are met.

5.4 Scoring

During game time (i.e. while the OnlyRugby app is being used to log the information of a match currently being played) the Scoring function will be used each time a player from either team scores points for their team (be it through a try, penalty kick, drop-kick or a conversion kick following a try). The Scoring function works as follows:

1. Once the user has pressed the button to log score information they are redirected to a page which asks them to indicate which team scored by pressing either of two buttons which each have the names of the respective teams on them.
2. The user is then redirected to a page which asks the user to specify what type of score it should log. This page displays buttons titled 'Try', 'Penalty Kick' and 'Drop-kick' (note that 'Conversion Kick' is not an option as it can only be attempted after a successful try).
3. The app then redirects the user to another page which has 15 buttons representing the 15 on-field players of the previously selected team. Each button has the player's position/jersey number on it as well as the player's name (if that information is provided on the database). This page also has an 'Unknown' button in case the user, for some reason, is not sure who scored on this team. The user is asked to select one of these players/buttons as the player who scored.
4. In most cases the user is then done entering the score information but in the case of a 'Try' more steps must be completed:
 - The user is first asked by a small pop-up message if the try was assisted by any other players with the options of clicking 'Yes' or 'No'. In the case of 'Yes' the user is then redirected to the same 'player selection page' as previously described where the user can then select a player which assisted the first player to score the try.
 - The player is then asked by another small pop-up message if the subsequent conversion kick was successful with the options of clicking 'Yes' or 'No'. Selecting 'Yes' once again redirects the user to the 'player selection page' to select a player which successfully scored the conversion kick.

On all of the above described pages there are also buttons labelled 'Cancel' (to cancel logging the score) and 'Back' which redirects the user to the previous page and ignores the information that was logged on the page it is now leaving.

5.5 Substitutions

During game time the Substitutions function will be used to log any changes made to both the on- and off-field players (i.e. reserve players) of either team. This function will work as follows:

1. Once the player has pressed the button to log player substitutions they are redirected to a page which asks them to indicate which team is substituting a player by pressing either of two buttons which each have the names of the respective teams on them.
2. The app then redirects the user to the 'player selection page' (as described in the Scoring section) which comprises of 15 buttons representing the on-field players of the selected team (i.e. without the 'Unknown' button). The user is then asked to select an on-field player which is being swapped out for a reserve player.

3. The app then redirects the user to a page similar to the standard 'player selection page' which has between 0 and 8 buttons representing the reserve players of the selected team. These buttons also have the player's jersey numbers and names on them (if they are stored on the server's database). The user is then asked to select a reserve player to swap out with the previously selected on-field player. The two selected players then swap their places (i.e. the reserve is now on-field and vice versa). There is also an 'Unknown' button on this page which is used when a reserve is put on field which was not part of the reserve team which is stored on the database (which means the app therefore does not have information about him).
4. When the player clicks the 'Unknown' button it displays a small pop-up menu which has two text-boxes and two buttons on it. The two text-boxes are there for the user to enter the new player's name and jersey number (either or both of these can be left empty). The two buttons are 'OK' which the user presses when they have completed the text-boxes to their satisfaction and 'Cancel' which cancels the process started by pressing the 'Unknown' button. On all of the above described pages there are also buttons labelled 'Cancel' (to cancel logging the substitution) and 'Back' which redirects the user to the previous page and ignores the information that was logged on the page it is now leaving.

5.6 Discipline

{This section is still under development}

During game time (i.e. while the OnlyRugby app is being used to log the information of a match currently being played) the Discipline function will be used each time a player performs an infraction that causes them to receive a card. The Discipline function works as follows:

1. Once the user has pressed the button to log the disciplinary action's information they are redirected to a page which asks them to indicate which team's player was given a card, by pressing either of two buttons which each have the names of the respective teams on them.
2. The app then redirects the user to another page which has 15 buttons representing the 15 on-field players of the previously selected team. Each button has the player's position/jersey number on it as well as the player's name (if that information is provided on the database). This page also has an 'Unknown' button in case the user, for some reason, is not sure who the player being disciplined is. The user is asked to select one of these players/buttons as the player who was disciplined.
3. The app then redirects the user to another page which has 3 buttons, to indicate if a white, yellow or red card was given.

On all of the above described pages there are also buttons labelled 'Cancel' (to cancel logging the discipline) and 'Back' which redirects the user to the previous page and ignores the information that was logged on the page it is now leaving.

5.7 Line-outs

{This section is still under development}

Currently not implemented. Usage likely to be similar to the following description:

- Line out button present on landing page after login.
- Button can only be activated during game time.
- Activating the button registers a line out and redirects the interface to the line outs page. Here the user will be presented with options to specify:
 1. The team to which the line out was given.
 2. The player to perform the throw in, by player number or by name. (Defaults to "unknown player").
 3. The team that won the line out.
- An option to return to the landing page will also be present
- Activating the return button will present a pop up prompting the user to save data as default, what the user entered, or to cancel the line out.

5.8 Scrums

{This section is still under development}

- The scrum button will be on the game page when a game scoring is in progress.
- It will then ask who won the scrum.

5.9 Tackles

{This section is still under development}

- During a match, the user will have the option to log if and when a tackle was performed (the "when" is logged by using a time stamp value).
- Tapping on tackle will provide the user with the means of choosing who performed the tackle, as well as if the tackle was successful or not.

5.10 Possession & Turnovers

At the start of the match the player must indicate which of the two teams initially gains possession of the ball by clicking one of two buttons which have the names of the two teams on them. After that the player can easily indicate a change in possession by pressing a small button on the main tool bar which can be seen on each page.

During game time (i.e. while the OnlyRugby app is being used to log the information of a match currently being played) the Turnover function will be used each time a player from either team manages to take possession of the ball from an opposing player. The Turnover function works as follows:

1. Once the user has pressed the button to log the turnover's information they are redirected to a page which asks them to indicate which team won the turnover by pressing either of two buttons which each have the names of the respective teams on them.
2. The app then redirects the user to another page which has 15 buttons representing the 15 on-field players of the previously selected team. Each button has the player's position/jersey number on it as well as the player's name (if that information is provided on the database). This page also has an 'Unknown' button in case the user, for some reason, is not sure who won the turnover. The user is asked to select one of these players/buttons as the player who won the turnover.
3. The user is then redirected to a page, similar to the one above, that has a list of the other team's 15 on-field players. Here, the user selects the player who lost the ruck.

On all of the above described pages there are also buttons labelled 'Cancel' (to cancel logging the turnover) and 'Back' which redirects the user to the previous page and ignores the information that was logged on the page it is now leaving.




Figure 3: Choose turnover

5.11 Clean break

{This section is still under development}

- The clean break button will be on the game page when a game scoring is in progress.
- It will then ask the player that performed the clean break.

5.12 Offloads

{This section is still under development}

Currently not implemented. Usage likely to be similar to the following description:

- Offload button present on landing page after login.
- Button can only be activated during game time.
- Activating the button registers an offload and presents a pop up prompt asking for:
 1. The team to which the offload was given. (2 buttons)
 2. The player that performed the offload, by player number or by name. (Defaults to "unknown player").
- An option to cancel the offload will also be present along with return option
- Activating the return button will prompt the user to save data as default, what the user entered, or to cancel the registering of an offload.

5.13 Ruck

{This section is still under development}

During game time (i.e. while the OnlyRugby app is being used to log the information of a match currently being played) the Ruck function will be used each time the ball is on the ground and players are crowded around it. During this time, they must use their feet to manoeuvre it to the back of the rear player's feet, at which point it may be picked up. The Ruck function works as follows:

1. Once the user has pressed the button to log the ruck's information they are redirected to a page which asks them to indicate which team won the ruck by pressing either of two buttons which each have the names of the respective teams on them.

On the above described page there are also buttons labelled 'Cancel' (to cancel logging the ruck) and 'Back' which redirects the user to the previous page and ignores the information that was logged on the page it is now leaving.

5.14 Maul

{This section is still under development}

- When scoring a match, the user will have the option to log when a maul occurs.
- The team who has possession will be logged, as well as the specific player, if at all possible.

6 Troubleshooting

{This section is still under development}

In the event that the app crashes or something goes wrong, a comprehensive error message will be provided to the user with an error code. This error code can then be used with the built-in troubleshooting guide for a more descriptive explanation of the error. Additionally, an error log file will also be created, containing all the relevant information pertaining to the crash.