Front-End Development



Favorite UI Framework for React





- **PrimeReact** is a collection of rich user interface components for React. All widgets are open source and free to use under MIT License. PrimeReact is developed by PrimeTek Informatics, a vendor with years of expertise in developing open source UI solutions.
- For project news and updates, click https://www.primefaces.org/primereact/#/



Setup #1

On our React project, Install its package:

```
$ npm install primereact
$ npm install primeicons
```

Almost every PrimeReact's main components need other dependencies:

```
$ npm install react-transition-group
$ npm install font-awesome
$ npm install classnames
```

Note: for Charts & Gmaps component, it needs other 3rd party dependencies: Charts.js & Google Maps.



Setup #2

■ Then, import lines below & you're ready to go:

```
import
'primereact/resources/primereact.min.css';
import
'primereact/resources/themes/omega/theme.css';
import
'font-awesome/css/font-awesome.css';
```

Available themes:

omega, cruze, cupertino, darkness, flick, home, kasper, lightness, ludvig, pepper-grinder, redmond, rocket, south-street, start, tronstatic, voclain



Button #1

```
import {Button} from
'primereact/components/button/Button';
<Button label="Login" icon="fa-facebook" />
<Button label="OK" icon="fa-check" iconPos="right"/>
<Button icon="fa-home" iconPos="right"/>
```

f Login OK ✓



Button #2

```
import {Button} from
'primereact/components/button/Button';
<Button label="Secondary" className="ui-button-secondary"/>
<Button label="Success" className="ui-button-success"/>
<Button label="Info" className="ui-button-info"/>
<Button label="Warning" className="ui-button-warning"/>
<Button label="Danger" className="ui-button-danger"/>
```

Secondary

Success

Info

Warning

Danger



Split Button

```
Sunting
                                           X Hapus
import {SplitButton} from
'primereact/components/splitbutton/
                                           🗞 Tautan
SplitButton';
                                           🎜 Desain
class App extends Component {
  render() {
    var items = [
      {label: 'Sunting', icon: 'fa-refresh', command: ()=>{}},
      {label: 'Hapus', icon: 'fa-close', command: ()=>{}},
      {label: 'Tautan', icon: 'fa-link', command: ()=>{}},
      {label: 'Desain', icon: 'fa-paint-brush', command: ()=>{}},
    ];
    return (
      <div>
        <SplitButton label="Simpan" icon="fa-check" model={items}</pre>
          className="ui-button-success"></splitButton>
      </div>
```

✓ Simpan

Input Text

```
import {InputText} from
'primereact/components/inputtext/InputText';
class App extends Component {
 constructor(){
                                Lintang
   super();
   this.state={nama:''};
                                Lintang
 render() {
   return (
     <div>
       <InputText placeholder="Ketik nama Anda..."</pre>
       onChange={(x)=>this.setState({nama: x.target.value})}/>
       {this.state.nama}
     </div>
```

Input Text

* * * * * #Floating Label

```
import {InputText} from
'primereact/components/inputtext/InputText';
class App extends Component {
 render() {
  return (
   <div style={{margin:'50px'}}>
    <span className="ui-float-label">
     <InputText id="float-input" type="text"</pre>
      size="30" />
     <label htmlFor="float-input">Alamat</label>
    </span>
   </div>
                    Alamat
);}}
                    Green Office Park 9, BSD City
```

Text Area

```
import {InputTextarea} from
'primereact/components/inputtextarea/InputTextarea';
class App extends Component {
  render() {
    return (
      <div style={{margin:'50px'}}>
        <InputTextarea value={''} onChange={()=>{}}
         rows={5} cols={30} autoResize={true}
         placeholder={'Ketik pendapat Anda...'}>
        </InputTextarea>
      </div>
                               Ketik pendapat Anda...
```

Auto Complete

```
import {AutoComplete} from
'primereact/components/autocomplete/AutoComplete';
class App extends Component {
  constructor(){
    super();
                                          Ketik nama Anda...
    this.state={nama:''};
                                          Nama: belum diisi
  render() {
    return (
      <div>
        <a href="AutoComplete"><AutoComplete</a> value={this.state.nama} field="name"
       size={30} placeholder="Ketik nama Anda..."
        onChange={(x) => this.setState({nama: x.value})} />
       Nama: {this.state.nama ? this.state.nama : "belum diisi"}
        </div>
  );}}
                                         Lintang
                                         Nama: Lintang
```

```
import {Checkbox} from
'primereact/components/checkbox/Checkbox';
class App extends Component {
                                          Checkbox
 constructor(){
   super();
   this.state={cek1:false};
                                Jakarta
 render() {
   return (
    <div>
     <Checkbox inputId="cek1" value="Jakarta"</pre>
       onChange={()=>{
         this.setState({cek1:!this.state.cek1})}}
       checked={this.state.cek1}/>
     <label htmlFor="cek1"> Jakarta </label>
    </div>
```

Rating

```
import {Rating} from
'primereact/components/rating/Rating'
class App extends Component {
 constructor(){
                               Rating Anda: 7
   super();
   this.state={rating:0}
                               render() {
   return (
     <div>
       <h2>Rating Anda: {this.state.rating}</h2>
       <Rating value={this.state.rating} stars={10}</pre>
       onChange={(e) => this.setState({rating: e.value})}/>
     </div>
```



Password

```
import {Password} from
'primereact/components/password/Password';
class App extends Component {
  render() {
    return (
      <div>
                              Kata Sandi
        <h2>Kata Sandi</h2>
        <Password />
      </div>
                               Medium
```



Calendar

```
import {Calendar} from
'primereact/components/calendar/Calendar';
class App extends Component {
  render() {
    return (
      <div>
        < Calendar
          onChange={()=>{}}>
        </Calendar>
      </div>
```

05/14/2018						
<	May 2018					>
Su	Мо	Tu	We	Th	Fr	Sa
29	30	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9



FileUpload

#Basic






FileUpload #Advanced

.

.



```
import {Accordion, AccordionTab} from
'primereact/components/accordion/Accordion';
<Accordion multiple={false}>
   <AccordionTab header="Accordion 1">
      Ini Accordion Satu
   </AccordionTab>
   <AccordionTab header="Accordion 2">
      Ini Accordion Dua
   </AccordionTab>
   <AccordionTab header="Accordion 3">
      Ini Accordion Tiga
   </AccordionTab>
</Accordion>
                        Accordion 1
                        ▼ Accordion 2
                                            Accordion
                        Ini Accordion Dua
                        Accordion 3
```

Panel

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer nec odio. Praesent libero. Sed cursus ante dapibus diam. Sed nisi. Nulla quis sem at nibh elementum imperdiet. Duis sagittis ipsum. Praesent mauris. Fusce nec tellus sed augue semper porta. Mauris massa. Vestibulum lacinia arcu eget nulla.



ScrollPanel

metus metus, ullamcorper vel, tincidunt sed, euismod in, nibh. Quisque volutpat condimentum velit. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Nam nec ante. Sed lacinia, urna non tincidunt mattis, tortor neque adipiscing diam, a cursus ipsum ante quis turpis. Nulla facilisi. Ut fringilla. Suspendisse potenti. Nunc feugiami a tellus consequat imperdiet. Vestibulum sapien. Proin quam. Etiam ultrices. Suspendisse in justo eu magna luctus suscipit. Sed lectus. Integer euismod lacus luctus magna. Quisque cursus, metus vitae pharetra auctor, sem massa mattis sem, at interdum magna augue eget diam. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae:



TabView

```
import {TabView, TabPanel} from
'primereact/components/tabview/TabView';
<TabView>
  <TabPanel header="Tab 1" leftIcon="fa-calendar">
     Lorem ipsum...
  </TabPanel>
  <TabPanel header="Tab 2" rightIcon="fa-print">
     Lorem ipsum...
  </TabPanel>
  <TabPanel header="Tab 3" leftIcon="fa-bell-o"</pre>
  rightIcon="fa-bookmark-o">
     Lorem ipsum...
  </TabPanel>
                                            ₩ Tab 1
                                                    Tab 2
                                                           △ Tab 3 □
</TabView>
                                            Lorem ipsum dolor sit amet, consectetur adipiscing elit.
                                            Integer nec odio. Praesent libero. Sed cursus ante dapibus
                                            diam. Sed nisi. Nulla quis sem at nibh elementum imperdiet.
                                            Duis sagittis ipsum. Praesent mauris. Fusce nec tellus sed
                                            augue semper porta. Mauris massa. Vestibulum lacinia arcu
                                            eget nulla.
```

Card

```
import {Button} from
'primereact/components/button/Button';
import {Card} from 'primereact/components/card/Card';
class App extends Component {
  render() {
    let header = <img alt="Card" src='barca.jpg'/>;
    let footer = <span>
     <Button label="OK" icon="fa-check"/>
     <Button label="EXIT" icon="fa-close"/>
     </span>;
    return (
     <div style={{margin:'50px'}}>
      <Card title="Barcelona Stars"
        subtitle="2017-2018"
        style={{width:'360px'}}
        className="ui-card-shadow"
        footer={footer} header={header}>
            <div> Lorem ipsum... </div>
      </Card>
     </div>
    );}}
```



Barcelona Stars

2017-2018

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Inventore sed consequuntur error repudiandae numquam deserunt quisquam repellat libero asperiores earum nam nobis, culpa ratione quam perferendis esse, cupiditate neque quas!

Mantap

* Keluar

Front-End Development



Favorite UI Framework for React

