

Average Value at Risk

1 Value at Risk and Average Value at Risk

We return to our discussion of Value at Risk, but under the assumption that a prospect Z represents random “cost,” that is, smaller values of Z are preferred. The Value at Risk at level $\alpha \in (0, 1)$ of a random cost $Z \in \mathcal{Z}$ is defined as the $(1 - \alpha)$ -quantile of the distribution of Z :

$$\text{V@R}_\alpha^+(Z) \triangleq \inf \{ \eta : F_Z(\eta) \geq 1 - \alpha \} = F_Z^{-1}(1 - \alpha).$$

The Value at Risk has the monotonicity property:

$$Z \leq V \implies \text{V@R}_\alpha^+(Z) \leq \text{V@R}_\alpha^+(V), \quad \forall \alpha \in (0, 1).$$

It also has the translation property:

$$\text{V@R}_\alpha^+(Z + c\mathbb{1}) = \text{V@R}_\alpha^+(Z) + c, \quad \forall c \in \mathbb{R}, \forall \alpha \in (0, 1).$$

It is positively homogeneous:

$$\text{V@R}_\alpha^+(\gamma Z) = \gamma \text{V@R}_\alpha^+(Z), \quad \forall \gamma \geq 0, \forall \alpha \in (0, 1).$$

However, it is not convex, as illustrated in the following example.

Example 1 Suppose Z is a Bernoulli variable,

$$Z = \begin{cases} 0 & \text{with probability } 1 - p, \\ 1 & \text{with probability } p, \end{cases}$$

with $p \in (0, 1)$, and V is independent of Z and has the same distribution as Z . For $p < \alpha < 1$ we have $\text{V@R}_\alpha^+(Z) = \text{V@R}_\alpha^+(V) = 0$. However, if $p < \alpha < 1 - (1 - p)^2$, we have

$$\text{V@R}_\alpha^+(\lambda Z + (1 - \lambda)V) > 0 = \lambda \text{V@R}_\alpha^+(Z) + (1 - \lambda) \text{V@R}_\alpha^+(V),$$

for all $\lambda \in (0, 1)$, which contradicts convexity.

If random prospects $Z \in \mathcal{Z}$ represent “profits,” that is, their larger values are preferred, the Value at Risk is defined as

$$\text{V@R}_\alpha^-(Z) \triangleq -\sup \{\eta : F_Z(\eta) \leq \alpha\}.$$

It is clear that $\text{V@R}_\alpha^-(Z) = \text{V@R}_\alpha^+(-Z)$, and thus all considerations regarding the functional $\text{V@R}_\alpha^+(\cdot)$ can be translated to case of the functional $\text{V@R}_\alpha^-(\cdot)$.

In our further considerations we assume the prospect space $\mathcal{Z} = \mathcal{L}_p(\Omega, \mathcal{F}, P)$, where $p \in [1, \infty]$. For integrable random variables we define the *Average Value at Risk* at level $\alpha \in (0, 1]$ as follows:

$$\text{AV@R}_\alpha^+(Z) \triangleq \frac{1}{\alpha} \int_0^\alpha \text{V@R}_\beta^+(Z) d\beta. \quad (1)$$

Remark 2 *If the $(1 - \alpha)$ -quantile of Z satisfies the equation $P[Z \geq \text{V@R}_\alpha^+(Z)] = \alpha$, we can change variables in (1) to obtain the equation*

$$\text{AV@R}_\alpha^+(Z) = \frac{1}{\alpha} \int_{\text{V@R}_\alpha^+(Z)}^\infty z dF_Z(z) = \mathbb{E}[Z \mid Z \geq \text{V@R}_\alpha^+(Z)].$$

This is the reason why Average Value at Risk is also called the Conditional Value at Risk. However, the formula above is valid only under the assumption that the $(1 - \alpha)$ -quantile of Z is unique.

We can derive a useful extremal representation of $\text{AV@R}_\alpha^+(Z)$.

Theorem 3 *For every $\alpha \in [0, 1]$ we have*

$$\text{AV@R}_\alpha^+(Z) = \inf_{\eta \in \mathbb{R}} \left\{ \eta + \frac{1}{\alpha} \mathbb{E}[(Z - \eta)_+] \right\}. \quad (2)$$

By construction, the function $\alpha \mapsto \text{AV@R}_\alpha^+(Z)$ is nonincreasing. We can also define the function

$$\delta_\alpha^+(Z) \triangleq \text{AV@R}_\alpha^+(Z) - \mathbb{E}[Z], \quad \alpha \in [0, 1].$$

From (2), after elementary manipulations we obtain the equation:

$$\delta_\alpha^+(Z) = \inf_{\eta \in \mathbb{R}} \mathbb{E} \left[\max \left(\eta - Z, \frac{1 - \alpha}{\alpha} (Z - \eta) \right) \right] \geq 0.$$

The minimizer in the formula above, as well as in (2), exists and is equal to the $(1 - \alpha)$ -quantile of Z . Because of that, the function $\delta_\alpha^+(Z)$ is called the *weighted mean deviation from quantile*.

If $Z \in \mathcal{L}_1(\Omega, \mathcal{F}, P)$ represents “profits,” that is, larger values of Z are preferred, we define the Average Value at Risk as follows:

$$\text{AV@R}_\alpha^-(Z) \triangleq \frac{1}{\alpha} \int_0^\alpha \text{V@R}_\beta^-(Z) \, d\beta = -\frac{1}{\alpha} \int_0^\alpha F_Z^{-1}(\beta) \, d\beta.$$

As the β -quantile of Z is uniquely defined for almost all $\beta \in (0, 1)$, except for at most countable set, we could use the left quantile $F_Z^{-1}(\beta)$ in the right side of this equation. We also have the following equation

$$\text{AV@R}_\alpha^-(Z) = \inf_{\eta \in \mathbb{R}} \left\{ -\eta + \frac{1}{\alpha} E[(\eta - Z)_+] \right\}. \quad (3)$$

This relation can also be obtained by substituting $-Z$ for Z in (2).

2 The Case of Finitely Many Scenarios. Linear Programming Representation

Suppose Z represents “cost” and has finitely many realizations z_1, z_2, \dots, z_K attained with probabilities p_1, p_2, \dots, p_K , where $p_1 + p_2 + \dots + p_K = 1$. In this case the extremal representation (2) takes on the following form:

$$\text{AV@R}_\alpha^+(Z) = \min_{\eta \in \mathbb{R}} \left\{ \eta + \frac{1}{\alpha} \sum_{k=1}^K p_k (z_k - \eta)_+ \right\}. \quad (4)$$

We can convert the optimization problem on the right hand side to a linear programming problem in the following way. We introduce variables $v_k, k = 1, 2, \dots, K$ and require that

$$\begin{aligned} v_k &\geq z_k - \eta, & k &= 1, 2, \dots, K, \\ v_k &\geq 0, & k &= 1, 2, \dots, K. \end{aligned} \quad (5)$$

We can replace the expressions $(z_k - \eta)_+$ by v_k in (4), because the v_k ’s have the incentive to be small, and thus they will stop on one of the bounds in (5). We obtain the following linear programming problem:

$$\begin{aligned} \min_{\eta, v} \quad & \eta + \frac{1}{\alpha} \sum_{k=1}^K p_k v_k \\ & v_k \geq z_k - \eta, \quad k = 1, 2, \dots, K, \\ & v_k \geq 0, \quad k = 1, 2, \dots, K. \end{aligned} \quad (6)$$

The optimal value of the objective function of this problem is equal to $AV@R_{\alpha}^{+}(Z)$. The optimal value of η in this problem is equal to $V@R_{\alpha}^{+}(Z)$.

If the random variable Z represents profits or gains, the corresponding linear programming problem takes on the form:

$$\begin{aligned} \min_{\eta, v} \quad & -\eta + \frac{1}{\alpha} \sum_{k=1}^K p_k v_k \\ & v_k \geq \eta - z_k, \quad k = 1, 2, \dots, K, \\ & v_k \geq 0, \quad k = 1, 2, \dots, K. \end{aligned} \tag{7}$$

The optimal value of the objective function of this problem is equal to $AV@R_{\alpha}^{-}(Z)$. The optimal value of $-\eta$ in this problem is equal to $V@R_{\alpha}^{-}(Z)$.