

2.1 HW Solutions

Nathan Warner

Jan 17, 2023

0.1 Question 1

Question 1

A tank holds 3,000 gallons of water, which drains from the bottom of the tank in half an hour. The values in the table show the volume V of water remaining in the tank (in gallons) after t minutes.

A). If P is the point $(15, 765)$ on the graph of V , find the slopes of the secant lines PQ when Q is the point on the graph with $t = 5, 10, 20, 25$, and 30 . (Round your answers to one decimal place.)

Solution::



1. **(5,2070)**

$$\frac{2070 - 765}{5 - 15} = -130.5.$$

2. **(10,1329)**

$$\frac{1329 - 765}{10 - 15} = -112.8.$$

3. **(20,348)**

$$\frac{348 - 765}{20 - 15} = -83.4.$$

4. **(25,81)**

$$\frac{81 - 765}{25 - 15} = -68.4.$$

5. **(30,0)**

$$\frac{0 - 765}{30 - 15} = -51.$$

B). Estimate the slope of the tangent line at P by averaging the slopes of the two adjacent secant lines corresponding to the two points closest to P . (Round your answer to one decimal place.)

solution::



The two points closest to P are $(10,1329)$ and $(20,348)$, we take the average of both their slopes and get **-98.1**

0.2 Question 2

Question 2

The point P(6,-4) lies on the curve, $y = \frac{4}{5-x}$

A). if Q is the point $\left(x, \frac{4}{5-x}\right)$ find the slope of the secant line PQ (correct to six decimal places) for the following values of x.

i.) $x = 5.9$

$$\frac{-4 - \frac{4}{5-5.9}}{6 - 5.9} = 4.\overline{4}.$$

B). Using the results of part (a), guess the value of the slope of the tangent line to the curve at P(6,-4)

Solution::



The numbers appear to be get closer and closer to 4, so the slope of the tangent line at P(6,-4) is likely 4

C). Using the slope from part (b), find an equation of the tangent line to the curve at P(6,-4)

Solution::



If the equation for a line is

$$y - y_1 = m(x - x_1).$$

And the slope of the tangent line is 4, then the equation would be,

$$\begin{aligned}y - (-4) &= 4(x - 6) \\y + 4 &= 4x - 24 \\y &= 4x - 28\end{aligned}$$

0.3 Question 3

Question 3

If a rock is thrown upward on the planet Mars with a velocity 18 m/s, its height in meters t seconds later is given by $y = 18t - 1.86t^2$. (Round your answers to two decimal places.)

A). Find the average velocity in m/s over the given time interval

(i) $[1,2]$

$$\begin{aligned}y(1) &= 18(1) - 1.86(1)^2 \\y(1) &= 16.14.\end{aligned}$$

$$\begin{aligned}y(2) &= 18(2) - 1.86(2)^2 \\y(2) &= 28.56.\end{aligned}$$

So we have the points $(1,16.14)$ and $(2,28.56)$ so we can plug into average velocity equation

$$\begin{aligned}\text{Average velocity} &= \frac{28.56 - 16.14}{2 - 1} \\&= 12.42 \text{ m/s}.\end{aligned}$$

0.4 Question 4

Question 4

The table shows the position of a motorcyclist after accelerating from rest.

t (seconds)	0	1	2	3	4	5	6
s (feet)	0	4.9	10.6	23.2	50.3	109.4	237.9

(a) Find the average velocity (in ft/s) for each time period.

(i) $[2,4]$

So, we use the average velocity formula with values at $t = 2$ and $t = 4$

$$\begin{aligned}\text{Average velocity} &= \frac{50.3 - 10.6}{4 - 2} \\ &= 19.85.\end{aligned}$$

(b) Plot the points in the table to create a graph of s as a function of t to estimate the instantaneous velocity (in ft/s) when $t = 3$. (Round your answer to one decimal place.)

solution::

