



NTNU – Trondheim
Norwegian University of
Science and Technology

Cyber Insurance

Håvard Halse
Jonas Hoemsnes

Submission date: 20. februar 2013
Responsible professor: Jan A. Audestad, Affiliation
Supervisor: Gergely Biczók, Affiliation

Norwegian University of Science and Technology
Department of Telematics

Abstract

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Preface

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Contents

List of Figures	ix
List of Tables	xi
List of Algorithms	xiii
1 Introduction to Cyber Insurance	1
1.1 The basics of insurability	1
1.2 Three main obstacles	2
1.2.1 The idea behind cyber-insurance	4
2 Current market	7
2.1 Current market state	7
2.2 Contract structure	9
2.3 Economics	10
2.4 Epidemics	10
2.4.1 modeling contagion	10
2.5 Incentives and Information Security	12
3 Evolutionary dynamics on graphs	13
3.0.1 Network games	15
4 Relatedwork	19
4.1 Towards Insurable Network Architectures	19
4.2 Cyber insurance as an Incentive for Internet Security	21
4.2.1 Classical model for insurance	22
4.2.2 Interdependent security and insurance	22
4.3 Modeling cyber-insurance: towards a unifying Framework	22
4.3.1 Network Environment: Connected nodes	23
4.3.2 Demand side agents	25
4.3.3 Supply side, insurers	26
4.3.4 Information structure	27

4.3.5	Organizational Enviroment(stakeholders)	27
4.3.6	Using this framework for a literature survey	28
4.4	A novel cyber-insurance Model	30
4.5	A solution to the information Asymmetry Problem	30
4.6	Cyber-insurance for cyber-security, A topological Take on Modulating Insurance Premiums	31
4.7	Differentiating Cyber-insurance Contracts, a topological Perspective	31
5	Network formation: stability and efficiency	33
5.1	Survey of models of network formation: stability and efficiency	33
5.1.1	Defining Network Games	33
6	Related work 2	35
6.1	First section	37
6.1.1	First subsection with some <i>Math</i> symbol	37
6.1.2	Mathematics	37
6.1.3	Source code example	37
7	Network Games	39
	References	41

List of Figures

3.1	A star-topology [LHN05]	14
3.2	Setup propagation game [LHN05]	16
3.3	Mutant propagation game	17
4.1	A figure	19
6.1	A figure	36

List of Tables

6.1	A table	38
-----	-------------------	----

List of Algorithms

6.1	The Hello World! program in Java.	38
-----	---	----

Chapter 1

Introduction to Cyber Insurance

Skriv om virus og slikt generelt, mye angrep osv....

Cyber-insurance is an insurance product used to transfer financial risk associated with computer and network related incidents over to a third party. Coverages provided by cyber-insurance policies may include property loss and theft, data damage, cyber-extortion, loss of income due to denial of service attacks or computer failures. [PD12] Traditional coverage policies rarely cover these incidents, therefore cyber-insurance is seen as a huge potential market. However, the concept of cyber-insurance has been around since the 1980s, but so far it has failed to reach its promising potential.

Cyber-insurance works the same way as traditional insurance, where the insurance contract (policy) binds the insurance company to pay a specified amount to the insurance holder when certain incidents occurs. In return, the insurance holder has to pay a fixed sum (premium) to the insurance company. [Rob12] As with other insurances, the cyber-insurance contract is signed between the insurance company and the insurer. The contract clearly specifies the type of coverage of the different risks, a risk assessment of the companies vulnerability and also an evaluation of the companies security systems. These assessments are used to calculate the companies premium.

[Rob12] Generally, this will mean that the security is negatively correlated with the premium costs.

1.1 The basics of insurability

Generally, insurable risks possesses seven common characteristics: [MCR80]

2 1. INTRODUCTION TO CYBER INSURANCE

1. Large number of similar exposure units: Insurance companies is based on the principle of pooling resources, where insurance policies are offered to individual members of a large class, meaning the more insurers the predicted losses is closer to the actual losses.
2. Definite loss: A loss should take place at a known time, in a known place and from a known cause. Incidents such as a fire or car crash, are examples where these terms are easy to verify.
3. Accidental loss: The event that triggers a claim should not be something the insurer has discretion or control over.
4. Large loss: The size of the loss must be meaningful from the perspective of the insured. Insurance premiums need to cover both the expected cost of the loss, in addition, cover all the expenses regarding issuing and administrating policies, adjusting losses and supplying the capital needed to be able to pay claims.
5. Affordable premium: The premium must be proportional to the security offered, otherwise no one will offer/buy the insurance. In the situation where the likelihood of the insured event is high, and the cost is large, it is unlikely that the insurance company will offer the insurance, or at least the premium would be too high for anyone to consider buying it.
6. Calculable loss: Both the probability and the cost of an insurable event, has to atleast be possible to estimate.
7. Limited risk of catastrophically large losses: If losses happen all at once the likelihood of the insurance company getting bankrupt is high. Therefore, losses are ideally independent and non-catastrophic.

1.2 Three main obstacles

Cyber-insurance fit relatively well to the general insurance model, but there are some identifiable obstacles. These obstacles can be divided in to three categories, information asymmetry, interdependent security and correlated risk.

Information asymmetry Information asymmetry arises when one party in a transaction or a decision has more or better information than the other party. There are two different cases of information asymmetry, the first one is called adverse selection, one party simply has less information regarding the performance of the transaction. A good example is when buying health insurance, if a person with bad

health buys insurance, but the information about her health is not available to the insurer, we have a classical adverse selection scenario. A similar case for the security industry is when buying insurance for your computer, and the insurance company has no way of confirming whether your computer is "healthy", i.e. not contaminated, or if it is infected. The other information asymmetry scenario is called moral hazard. It occurs when after the signing of the contract, one party deliberately takes some action that makes the possibility of loss higher, i.e. choosing not to lock your door, since you have insurance. Or in the computer setting, deliberately visiting hostile web-pages, or not using anti virus software, firewalls or similar. [Pal12]

As we will see the information asymmetry problem is highly relevant regarding cyber insurance. The measuring of security is very hard to perform, and thus people have a high incentive for hiding information about their security strength. Another problem arising due to information asymmetry, is the so called lemons market. It is difficult for a security software buyer to distinguish the performance(bad vs good) of different software, and thus the reasonable thing to do, is to buy the cheapest. From this we see that every security software has to be sold at approximately the same price, and there is no way to distinguish between good and bad software. If the cost of producing good security software is too high, this problem can even result in the good ones choosing not to produce, because it would not be profitable.

Lemon market, the problem of quality uncertainty, was first introduced in a paper [Ake97] by the economist George Akerlof in 1970, and used the market for used cars as an example.[Wik] The conclusion of the paper is that since the buyers lack information to distinguish a bad car(lemon) from a good one(cherrie), the buyer will not pay the price the seller wants for a cherrie, and the seller will not sell a cherrie for the price of a lemon, and thus the lemons drives the cherries out of the market.

Correlated risk Another big concern regarding cyber-insurance, is the correlated risk. In networks and computers standardization is very important, it enables computers to communicate, install and use different software. A good example is the operative systems for personal computers, today we only have a small set of operative systems available for use, and these systems have been standardized, such that they can communicate over the same communication channels. The standards are what makes the ICT-industry valuable, but also what makes all the threats we are facing each day possible. All these systems that use the same standards, creates a large number of similar exposure units, they share common vulnerabilities, which can be exploited at the same time. This creates a significant difficulty for the cyber-insurance industry, because when a security breach occurs there is a high probability that it will occur to a large number of people, i.e catastrophic and extreme events occurs more likely, resulting in uneconomical supply of cyber insurance. If the

security breach is large, it could potentially cause so much damage, that the insurers will not be able to pay all of the customers who suffered, i.e. bankruptcy.[BS10]

Interdependent security Investment in security generates positive externalities, and as public goods, this encourages to free riding. Why should I pay for security when I can just free ride on the security the rest invest in. The problem is that the reward for a user investing in self-protection depends on the security in the rest of the network, i.e. The expected loss due to a security breach at one node, is not only dependent on this nodes level of investment in security, but also on the security investment done by adjacent nodes, and theirs adjacent nodes and so forth. A good example of this is the amount of spam sent every day, it is dependent on the number of compromised computers, so even if you have invested in security software of some kind, you still receive lots of spam due to the fact that there are so many who has not invested. [Böh10]

Another concern regarding cyber-insurance is to the determine the value of the loss. When facing a security breach there are to potential loss classes:[BMR09]

- primary losses or first-degree losses: direct loss of information or data and operating loss. These arises from disuse, abuse and misuse of information. And the cost of these arise from recovering, loss of revenue, PR and information sharing costs, hiring of IT-specialists etc.
- Secondary lossess are indirectly triggered. These are the loss of reputation, goodwill, consumer confidence, competitive strength, credit rating and customer churning.

The value of the loss from both these classes can be difficult to determine, and the second one is probably the most difficult. Because it is not easy to set a value on the loss of secondary losses, i.e. how many potential customers did they loose due to the reputation loss, how many customers churned, and what was their value etc.

1.2.1 The idea behind cyber-insurance

When facing risk, there are typically four options available:

1. Avoid the risk
2. Retain the risk

3. Self protect and mitigate the risk
4. Transfer the risk

So far the risk management on the internet has involved methods to reduce the risks, a mixture of option 2 and 3. This has led to creation of systems and software trying to detect threats and anomalies and to protect the users and the structure from these threats. But unfortunately this does not eliminate the risks completely, threats evolve over time, and there will always be accidents. How can we handle this residual risk, this is where Cyber-insurance comes to mind, option 4, transfer the risk to a party who willingly accept it in exchange for a fee. This is the idea behind insurance in general, exchange costs of uncertain events with predictable periodical payouts, premiums. [BL08]

... Random notater: Although there are some problem areas, such as defining loss, where it often is difficult to demonstrate the location and cause of data breaches. Cyber-insurance appears to fit in to the general model of insurance. Standardization is important for network and computers, leading to many users using the same operation systems, and other software and hardware products, hence there is a large number of similar exposure units. Power outage, DoS-attacks etc. are usually a result of accidental loss.

Further, the premiums can be priced at a affordable level, in cyber-insurance the premium level will be highly dependent upon the companies security systems and policy. This also relates to the calculable loss, where better security systems yields lower probability for incidents. [Rob12] Another problem cyber-insurance has to face is the fact that losses might be correlated, resulting in insurance companies have to pay large numbers of claims at once. Examples are policies including insurance against lost income due to denial of service of websites. If the backbone network is down for numerous reasons, every operator connected will loose the Internet connection, hence be entitled to receive compensation for the lost income.

One problem with cyber insurance is actors seeing it as a solution to the problem of being secure. Instead of investing in security, they now have a way of buying their way out. However, this problem might solve it self due to the fact that insurance companies only will indemnify the losses where victim can prove that a certain event has occurred. When it comes to cyber insurance, one often need computer forensics to generate the evidence needed.

Chapter 2

Current market

2.1 Current market state

Carriers in London, New York, Zurich, Bermuda, Europe, the U.S. and elsewhere developing cyber-security insurance products for their clients. In UK there are 9 insurers with specialists in cyber deviations, in the US it is 30-40. [Ris12] There are lots of challenges both for buyers and sellers. Buyers face tremendous confusion about cyber risks and their potential impacts on business. People don't know or understand what kinds of risk cyber includes, how large losses can be and why should they care about externalities? [PpD12] Even when companies have decided to purchase a cyber insurance, they are confused of what kind of insurance they should purchase. The market of cyber insurance becomes a lemons market, where the buyer have little knowledge to choose between the different insurances. Therefore, people will buy the cheapest insurance, which probably won't cover the expenses when the incident occurs.

Despite the widespread awareness of cyber crimes, cyber attacks occur frequently. The companies studied in [Ins11] experienced successful attacks every week. A successful cyber attack can result in serious financial consequences. And the longer it takes to resolve the attack, the more costly it gets. This paper found that the median cost of cyber crime is \$5.9 million per year, ranging from \$1.5 million to \$36.5 million per company, which is an 56 percent increase from the last year. This was in the US market only. With these numbers in mind, cyber insurance should be a very attractive security investment. More and more insurance companies are offering cyber protection, but there are still many companies not utilizing them, in a survey of 13000 companies, only 46 percent said they had a cyber insurance. [Pra]

Another paper [Ris12] collected statistics about cyber attacks in the UK, and the results said it costs £27 billion a year, and it is one of UKs biggest emerging threats.

They found similar results as in US, the number of security breaches continue to increase, and it is not only large companies like google and playstation that suffer from attacks, but also small businesses. Despite these numbers there were only 35 percent of the companies in the survey who had purchased cyber insurance.

A lot of companies are trusting their own IT-department to handle cyber risk, and do not think they need a cyber insurance, despite the increasing cyber threats. [Wat11]

When comparing the norwegian Cyber Insurance market up against the US and UK, it is little information available of its current state. We did a survey and contacted some insurance firms, it was not possible to get any estimates on how big the current Norwegian market is. There are few actors offering any kind of cyber insurance, and as expected those who do are not eager to share information about their customer base, size, big/small-firms etc. Despite today's low activity, the survey revealed that around year 2000 there was taken steps towards establishing a cyber-insurance market in Norway. There were several startup companies, Safensure AS [dig], that were dedicated to deliver cyber-insurance to the Norwegian and European market, and some of the big firms, like Gjensidige Nor. They started offering insurance against lost income due to malicious hacker attacks, denial of service and other well known cyber-attacks. In 2001 Gjensidige Nor in cooperation with the German company Tela Versicherung offered businesses insurance against financial losses due to hacker attacks and sabotage for up to 5 million NOK, given that specified security measures were taken by the company [it]. Today, the same company offers something they call operation-loss-insurance which covers expenses due to denial of service, software-insurance which covers expenses regarding reconstruction of files and reinstalling software, it is also possible to insure against hacking and sabotage [Nor]. Unfortunately details specifying what's insured and the cost is not known. However, a similar insurance is offered by RTM Insurance Brokers, a Danish company, below is the offered premiums. This gives an indication of the cost of cyber-insurance in the Norwegian market. [Bro]

There are several different opinions regarding the health of the global cyber-insurance market. An article from CFC underwriting [New], a UK firm offering insurance to small and medium sized business, claims promising numbers for the US cyber-insurance market. On US soil, 20-50% of businesses purchases either stand alone cyber-insurance or benefits from coverage provided in their already existing insurance. Despite recent years focus on increasing cybercrime and the catastrophic consequences of weak security, its only 1% of European businesses that are enrolled in an insurance program covering cyber-risks. One possible reason could be the different environments of the US and European market. In the US, 46 states have mandatory breach notification laws, combined with significant penalties for companies

failing to protect sensitive data. This means that the US government are creating incentives for firms to buy cyber-insurance. In Europe, only Germany and Austria have similar breach notification laws, forcing companies to notify affected customers of data leakage. A recent proposal of the EU wants to introduce the notification law in Europe, and also include penalties for serious data breaches, these could be as high as 2 % of a companies global revenue [New]. It is proposed that the law should take effect in 2014, although this is highly unlikely regarding the complexity of the effects of this law. Undoubtedly this law would be a health injection to the rise of the cyber-insurance, however, a market based on fear of the consequences of not being insured is not beneficial. The ultimate goal for cyber-insurance, is to correlate the purchase of cyber-insurance with companies growing desire to invest in more security. The article claims that to meet this goal, the focus should be on the serious brand damage and not just the current financial loss. [New]

When facing a security breach there are two potential loss classes: primary losses or first-degree loss: direct loss of information or data and operating loss. These arises from unuse, disuse, abuse and misuse of information. And the cost of these arise from revovering, loss of revenue, PR and information sharing, hiring of IT-specialists etc. Secondary loss is indirectly triggered. Such ass loss of reputation, goodwill, consumer confidence, competitive strength, credit rating and customr churn. These claims arise from loss of external parties, sensitive data, and generally contribute to an even higher cost. [BMR09]

These two loss classes can be covered by cyber-insurance, usually are these contract based on the same two classes, i.e you have to get an insurance for both. Here is an example contract from [CoA].

2.2 Contract structure

Travelers cyber insurance:

- Liability insurance.
 1. Network and Information Security Liability
 2. communications and Media Liability
 3. Regulatory Defense Expenses
- First party insuring agreements:
 1. Crisis managment event expenses
 2. Security breach remediation and notification expenses

3. computer program and electronic data restoration expenses
4. computer fraud
5. fund transfer fraud
6. e-commerce extortion
7. business interruption and additional expenses

2.3 Economics

Traditional security is a public good and are usually provided by the government. The threats are also originating from a small number of actors. What about internet security, should it be handled by the government. We do not have anti-tank gear in every house, should we have anti virus software on every computer? there are strong externalities involved, if a unsecured computer joins the internet, it end up dumping costs on others, just like pollution. Lemons problem, antivirus software. because the customer cant see the difference. Asymmetric information explains many market failures, low prices in lemons-markets, why sick people struggle with getting to buy insurance. A good example of misaligned incentives is bank frauds in US and UK, in US the banks are the ones hold responsible, in UK it is the customers. One would think the banks in UK was better off, but they are not. Similar problems can be found in other systems, and the problem is security failing because the people guarding a system are not the poeple suffering the costs of failure.

2.4 Epidemics

[EK12] The social network within a population, has a big say in determining how diseases is likely to spread. it can only spread if there are contact between to persons(Nodes), the contact network. The contact network for to different diseases can differ radically, e.g java viruses versus worm propagating through another vulnerability. Or internet viruses versus viruses that spread through short-range wireless communication.

2.4.1 modeling contagion

branching processes first wave, a person carrying a new disease enters a network, and transmits to everyone he meets with a probability of p , he meets k -people. second wave, each person from the first wave now meets k new people, i.e

a total of k times k and if infected passes the disease on with probability p . further waves are formed in the same way. With this simple modeling approach, we get a tree, with a root node which creates branches to new lvls of the tree. With low contagion probability, the infection is likely to die out quickly. If the disease in a branching process ever reaches a wave where it fails to infect anyone, then it has died out. It is only two possibilities for the disease in a branching model, either it dies out, or it continue to infect infinitely many waves. These two possibilities can be differentiated by a quantity called the basic reproductive number. R_0 , this is the expected number of new cases of the disease caused by one person/node. In this basic model this number is: $p * k$. If $R_0 < 1$ then with probability 1 the disease dies out after a finite number of waves, if $R_0 > 1$ then it continues to infect atleast one person each wave with a probability greater than 0. A interesting thing to notice about these statements, is if the R_0 is close to 1 in either way, then a small shift in the probability will change the disease status from terminating to widespread or visa versa. This suggests that around the critical value $R_0 = 1$ it can be worht investing large amounts of effort to produce small shifts in R .

SIR epidemic model Can be applied to any network structure, preserve the basics of the branching process at the level of individual nodes, but generalize the contact structure. A node goes through three potential stages:

1. Susceptible(S): Before the node has caught the disease.
2. Infectious(I): once the node has caught the disease, it is infectious and can infect other susceptible neighbors with probability p .
3. Removed(R): After a node has experienced the full infetious period, it is removed from consideration, since it no longer poses a threat.

Network with directed edges. The progress of the epidemic is ontrolled by the contact network structure, probability of contagion and t_I the length of infection. When a node enters the I state, it remains infectious for a fixed number of steps t_I . During each of these steps it has a probability of infecting its neighbours. After t_I it is removed(R). Good model for disease you can only catch once in a lifetime. Important to note that in networks that do not have tree structure, the claim made earlier about $1 > R_0 > 1$ does not necesarily hold anymore. The network structure is very important, it can decide if a disease will spread or not. Narrow channel example.

Extension to SIR The SIR model is simple, to make it more realistic we can add probability q of recovery, and also add different probabilities for contamination

between nodes, due to stronger contact. We add periods to the infection time, early, middle and late and allow different probabilities for infecting in each of these states.

Model from dynamic to static(Percolation) Assigning a probability of infecting on every edge, calculate this at the beginning, and thus an infected node has to be connected to another infected node by an open edge. Think of it as fluid running through open and closed pipes. Its only the open ones who can be affected.

SIS epidemic model Nodes can be reinfected. Only two states, susceptible and infectious. Researchers have proved "knife-edge" results on these networks as well. A SIS epidemic can be represented by a SIR model by using a "time-expanded" network. Duplicate the nodes to the next time-frame.

SIRS Epidemic model Remain removed(immune for a fixed period of time) t_R , this model fits good with many real world diseases. It can produce oscillations in very localized parts of the network, with patches of immunity following large numbers of infections in small areas.

2.5 Incentives and Information Security

People have realized that security failure is not only caused by technical mistakes but also misaligned incentives. When the person guarding them is not the one who suffers when the system fails, there are strong misaligned incentives. As the book [And10] states, the tools and concepts of game theory and microeconomic theory are becoming just as important as the mathematics of cryptography.

Informational asymmetries peer-to-peer network, these exploit network externalities to the fullest by having large member populations with a flat topology. Joining creates the possibility of collaboration with everyone. it is easy to cheat. One solution, change the network topology, create clubs of nodes, one needs to establish trust with the club, then you can connect with outside groups through your group. Social networks can also be used to create better topologies, when honest players can select their friends as neighbors., they minimize the information asymmetry present during neighbor interactions. Another information asymmetry in security, is due to our inability to measure software security. Network science and information security, the network topology can strongly influence conflict dynamics. Externalities makes security problems reminiscent of environmental pollution, public goods.

Chapter 3

Evolutionary dynamics on graphs

In our paper an insurable topology, is an network structure which makes it feasible for both the insurer(supply side) to offer and the customer(demand side) to acquire insurance. For this to be possible there are many difficulties to overcome, since risks are correlated, one problem is for the insurer to be able to calculate the overall probability of casualty/infection. The paper [LHN05] is about evolutionary dynamics and how certain structures can amplify or sustain evolution or drift. This is very usefull for our study of insurable topology, if one can determine some structures, where certain nodes have certain properties, and these structures then will sustain viruses from spreading, or amplify the incentive for obtaining cyberinsurance and antivirus, then we can possibly determine if it is an insurable topology.

In the [LHN05] paper, they show that advantageous mutant inserted in to a circulation graph, will have a fixation probability equal to

$$p_1 = \frac{(1 - 1/r)}{(1 - 1/r^N)} \quad (3.1)$$

A circulation graph is a graph that satisfy these two properties:

1. the sum of all edges leaving a vertex is equal for all vertexes
2. the sum of all edges entering a vertex i equal for all vertexes

The fixation probability determines how probable it is that the whole network will eventually be "infected" by the mutant. I.e. it determines the rate of evolution, which relies on both the size of the network and the evolution speed. A probability equal to one means that every node in the network eventually will be affected by the mutant.

The important question that this paper answer, is if it is possible to find graphs with fixation probability that exceeds 3.1?, and if so, is it possible to suppress drift




Figure 3.1: A star-topology [LHN05]

and amplify selection or visa versa? The paper shows that in certain graphs this is possible, one example is the star topology 3.1 . In this topology the fixation probability is

$$p_2 = \frac{(1 - 1/r^2)}{(1 - 1/r^{2N})} \quad (3.2)$$

. or more generally:

$$p_k = \frac{(1 - 1/r^k)}{(1 - 1/r^{kN})} \quad (3.3)$$

And as we see when comparing 3.1 and 3.2 the selective difference is amplified from r to r^2 , i.e. a star act as an evolutionary amplifier, favoring advantageous mutants and inhibiting disadvantageous mutants.

When applying this to our scenario, cyber insurance and insurable topologies, we can use this to show that if the center node is strongly secured, then the virus will be considered as disadvantageous and it will be inhibited from fixation with a certain probability. This makes the overall risk easier to calculate for both the insurer and the nodes, and makes it possible and easier to calculate fair and affordable premiums. It can also be used as an incentive for the center node to buy insurance or security software, because it can easily be shown how probable an infection will occur.

One could for example force the center node to buy sufficient anti virus, by informing it about how likely it will be infected, and how expensive the cyber insurance will be if it do not invest sufficiently in self protection. This will make the whole network more secure, and the insurer can now offer insurance to the leaf nodes for a fair price with a calculable risk. This could also be used to show how

information about cyber-insurance or protection software will spread throughout a network, and if the information is advantageous, eventually all nodes will acquire the insurance or software.

There are other graphs where the fixation probability is equal to 3.3, funnel and metafunnel. And as we know from the (Kapittel om scale-free and naturlige nettverk) there are many topologies in our society that are similar to these graphs. In all of these, it can be shown that if N is large enough, the fixation probability for advantageous mutant converges to 1, and for disadvantageous converges to 0.

3.0.1 Network games

In the paper [GGJ⁺10] they show how network games evolve when the payoffs are determined not only by your own decisions, but also by your neighbours. A game that is applicable to our scenario is when considering security software, security software can be considered as a public good, it suffers from strategic substitutes, i.e. that if your neighbour acquire it, it gives you less incentive to also acquiring the software. Public goods and security also benefits from positive externalities, when one acquires the software, all the neighbours benefits from it, because the risk of being infected decreases. Lets consider a simple game shown in this paper. We have an action space: $X = \{0, 1\}$, where 1 can be considered as acquiring information, take vaccine, buy security software etc. And 0 is not doing so. Each node i has a set of neighbours: N_i and a payoff function $y_i = x_i + \bar{x}N_i$ The gross payoff of the game is 1 if $y_i \geq 1$ and 0 otherwise. There is a cost of choosing the action 1, and the cost is: $0 < c < 1$. If we look at the simple star-graph 3.1, we can easily see that there is two equilibriums, one where the center node choose 1 and leafnodes choose 0, and a second where all the leaf nodes chooses 1 and the center choose 0. The overall payoff in these two differs from each other, the latter is not socially optimal because it suffers from a cost equal to: $\#leafnodes * c$ versus the first equilibrium where the total cost is only c . In this scenario it would have been beneficial to be able to force the network to end up in the first equilibrium.

This can further improve the incentives for ac

The same theory can be used to demonstrate how the aggregated security of a network is higher if the central node of a star structure is secured. If we assume that implemented security is 100% efficient, no threats will propagate beyond that node i.e total security for the network is increased.

This could maybe be used to show that if we have a star, funnel, metafunnel or something, and we secure the nodes it could force the virus to die out? Scale-free

	A	B
A	a	b
B	c	d

Figure 3.2: Setup propagation game [LHN05]

networks have most of their connectivity clustered in a few vertices, i.e. they are potent selection amplifiers.

The game: The way this game works, is that we look at nodes that are mutated (A), and those who are not (B).

When we apply the game to a directed graph, there are four different outcomes, a,b,c and d, which represents the interaction between the nodes, as is depicted in the figures below 3.3.

In the first figure (Positive symmetric) the fixation probability is related to $r=b/c$. If b is greater than c, the properties of mutant b will propagate in to all the other nodes, and the whole graph will eventually consists of only mutated nodes. The opposite will happen in the case where c is greater than b, leading to extinction of the mutation. The later scenario models the situation where proper protection against a mutant i.e. a security threat is installed. If the level of security, c is higher than the strength of the security threat it will be blocked from propagating further into the network.

// // notater: More generalized, W does not need to be stochastic, $w_{ij} \geq 0$. If the sum of all edges leaving a vertex is equal for all vertexes, then the graph will never suppress selection. If the sum of all edges entering a vertex is equal for all vertexes, the graph never suppress drift. If both then the graph is called a circulation.

To be able to point out insurable topologies, an extensive study of different graphs and how they behave has to be conducted. Regarding security, knowledge of how viruses spread and how to use graph structures to prevent malicious hackers from entering your network is important. Evolutionary dynamics, and the research of how mutant genes spread though out a population fits in to the model of security.

Where the fixation probability determines the rate of evolution, which relies both on the size of the network and the evolution speed. A probability of 1 means that every node in the network eventually will be affected by the mutant. Isotherm graphs are a sub-graph of circulation.

If W is symmetric, or isotherm then the fixation probability is always 3.1 isotherm means doubly stochastic, all rows and cols sum to 1. If a graph is one rooted, it has

Chapter 4

Related work

4.1 Towards Insurable Network Architectures

[BS10] A trusted component or system is one you can insure. Cyber insurance gives an incentive to better secure your network, and will thus reduce the overall threat for both first and third parties. It will also promote gathering and sharing of information related to security incidents. All in all this will increase the social welfare by decreasing the variance of losses. But even if cyber insurance seems very profitable for everyone, it has failed to evolve as much as expected. Some reasons for this, could be:

- lack of data to calculate premium.




Figure 4.1: A figure

- Underdeveloped demand due to missing awareness for cyber risks.
- legal and procedural hurdles in substantiating claim.

A more economic model to describe why cyber insurance is still such a niche market.

Interdependent security Expected loss due to security breach at one agent is not only dependent on this agents lvl of security, but also by other agents security investment. A good example is spam, it is dependent of number of compromised computers. This also generates an externality and encourages to free riding. which then leads to underinvestment in security.

Correlated risks Many systems share common vulnerabilities, which can be exploited at the same time. This leads to a more likely occurrence of extreme and catastrophic events, which will result in uneconomical supply of cyber insurance.

information asymmetry Since measuring security strength is very hard, people have a high incentive for hiding info. This leads to information asymmetry. All these three form a triple obstacle, which eliminates the market in evolving. All these obstacles evolve from what makes ICT succeed, distribution, interconnection, universality and reuse. This is why Architecture matters. The obstacles does not arrive from properties of individual agents, but from integration and interaction in networking. Networking is not just physical, but a abstract structure mapping physical, logical and social interconnection. A good example is development tool chains. A web-browser is not just dependent of the security the developers have implemented, but also the security in the tools used, such as libraries. Topology determines to which extent a market for cyber-insurance is affected by interdependent security. Architecture of distributed systems is not given by nature, we can change it to the better. How to design a distributed system in an insurable way? These three problems have never been analysed together, this is what this paper contributes with.

How can economic and actuarial risk models be used to guide the design of more resilient distributed systems?

How to estimate a coefficient of the strength of interdependent security?

Architecture of large distributed systems is the result of many individual agents decisions. Therefore it is hard impose a more resilient(insurable) architecture on the agents. What if we give the agents incentives to form this network instead? i.e. setting incentives for individual agents to influence their private decisions towards more resilient social outcome. (Field: endogenous network formation)

Uses GT to model incentives of the different agents.

4.2 Cyber insurance as an Incentive for Internet Security

[BL08] so far the risk management on the internet has involved methods to reduce the risks (firewalls, ids, prevention etc.) but not eliminate risk. Is it logical to buy insurance to protect the internet and its users. An important thing to notice when insuring internet, is that the entities on the internet are correlated, which means insurance claims will likely be correlated. Risks are interdependent, decision by an entity to invest in security affects the risks of others. Key result: using insurance would increase the overall security. Act as an powerful incentive, which pushes entities over the threshold where they invest in self-protection. Insurance should be an important component of risk management in the internet.

Four typical options available in the face of risks. 1. avoid the risk 2. retain 3. self protect and mitigate 4. transfer the risk. Most entities in the internet have chosen a mix of 2 and 3. This has led to lots of systems trying to detect threats and anomalies (both malicious and accidental) and to protect the users and the structure from these. but this does not eliminate risk, threats evolve over time and there is always accidents. How to handle this residual risk? Option 4, transfer the risk to another entity who willingly accept it (hedging), insure in exchange for a fee. Allows for predictable payouts for uncertain events. But does this makes sense for the internet, benefits, to whom? and to what extent?

How to model insurance and computing premiums. avoid ruin the insurer. Actuarial approach. Economic approach: premium should be negative correlated to the amount invested in security by the entity. Users can choose to invest c or not in security solutions. Shown that in the 2 user case in absence of insurance, there is a NE in a good state, if c is low enough. These results have been extended to a network setting. This paper starts out by adding insurance to the two person game, then the n -users network, where damages spread among the users. They show that if premium discriminates about investment in protection. Insurance is a strong incentive to invest in security. Also show how insurance can be a mechanism to facilitate the deployment of security investments by taking advantage network effects such as threshold or tipping point dynamics. Uses simple models.

Using cyber insurance as a way to handle residual risk started out early in the 90's. Software and insurance sold as packages. More recently insurance companies started offering standalone products. A challenging problem is the correlation between risks, interdependent risks (risk that depend on the behavior of others).

4.2.1 Classical model for insurance

agents try to maximize some kind of expected utility function, and are risk averse. $u[w_0 - \pi] = E[u[w_0 + X]]$

Investments for an agent is either self protect and or insurance. If insurance premium is not negatively correlated to the self protection, we get moral hazard. Because if not, insurance will discourage self protection. In this way insurance can co-exist with selfprotection.

4.2.2 Interdependent security and insurance

In presence of interdependent risks, the reward for a user investing in self-protection depends on the security in the rest of the network. Discrete choice, invest or not. loss occurs directly or indirectly. Cost of investing is c . This avoids the direct loss completely. In summary, insurance provides incentives for a small fraction of the population to invest in self-protection, which in turn induces the rest of the population to invest in self-protection as well, leading to the desirable state where all users in the network are self-protected. Furthermore, the parameter y provides a way to multiply the benefits of insurance, by lowering the initial fraction of the self-protected population needed to reach the desirable state. This paper shows that insurance provides significant benefits to network of users facing correlated, interdependent risks. Insurance is a powerful mechanism to promote network-wide changes, i.e lead to self protection. How to estimate damage? This is very hard on the internet. This paper shows how it is economical rational for entities to prefer a relatively insecure system to a more secure, and that the adoption of security investments follows threshold/tipping point dynamics. And that insurance is a powerful incentive to push the users over the threshold.

4.3 Modeling cyber-insurance: towards a unifying Framework

proposes a framework to classify models of cyber-insurance. Uses a common terminology, and deals with cyber-risk in a unified way.(combines the three risk properties, interdepenedent security , correlated risk, information asymmetri.) The paper studies other existing models, and reveals a discrepancy(AVIK) between informal arguments in favor of cyber-insurance and analytical results questioning the viability of a cyber-insurance market. Cyberinsurance, the transfer of financial risk associated with network and computers incidents to a third party, has been researched for several

years. But reality continues to disappoint. Sets back by physical accidents such as 9/11 Y2K etc. Clients are for the most SMBs, limited market. Conservative forecast predicted cyber-insurance worth \$2.5 billion in 2005. Jonas found a paper from 2012 that said the market was \$800million.

All three obstacles has to be overcome at the same time to fix the market, to do this we need a comprehensiv framework for modelling cyber-risk and cyber-insurance. many researchers have lost their optimism about cyberinsurance, but this paper has not. Goal is that this unifying framework will help navigating the literature and stimulates research that results in a more formal basis for policy recommendations involving cyber-risk reallocation. Framework can also be used to standardize tcyber-insurance papers.

Breaks the modeling down to five key components:

- network environment(nodes controlled by agents, who extract utility. The risk comes from here
- demand side(agents)
- supply side(insurers)
- information structure, distribution of knowledge among the players.
- organizational environment. public and private entities whose actions affect network security and agents security decisions.

what can be answered with models of cyber insurance markets?

1. Breadth of the market:Looking at equilibrium we can determine under which conditions will a market for cyber-insurance thrive? or what are the reasons for failure, and how can we overcome this?
2. Network security: What is the effect of an insurance market on aggregate network security? Will the internet become more secure?
3. Social welfare: What are the contributions to social welfare?

4.3.1 Network Environment: Connected nodes

Two properties distinguish cyber-insurance from regular insurance.

1. Interconnected devices in a network, this generates value, therefore risk and loss analysis must take this into account.
2. Dual nature. if operational: generate value, else loss sources. When abused generate threat to other nodes.

network is not necessarily a physical connection, also includes logical link or ties in social networks.

Defense function Defense function D describes how security investment affects the probability of loss p and the size of the loss l for individual nodes. In most general its a probability distribution. An agent i only chooses s_i and takes the the vector of all other nodes level of security as given. This is how we model interdependent security.

network topology G Describes the relation between elements of an ordered set of nodes.(connectivity)

- star-shaped
- tree shaped
- ER
- Structured clusters

There are no literature using scale-free graphs, even this topology is a good fit with real world networks. Network topology shapes the risk arrival process, or defines the information structure when asymmetric information is considered.

Layers of multiple topologies for different properties of cyber-risk ar conceivable, i.e to model the specific influence of social and physical connections. But this will complicate the model.

Risk arrival defined by the relation between network topology G and the value of the defense function D Two cases:

1. no risk propagation, easy to tract analytically.
2. risk propagation, this is harder, need recursive methods or approximations, and may lead to a dynamic equilibria. both interdependent and correlated risk is modelled.

Cyber risk is characterized by both interdependent security and correlated risk, which both have a common root cause: interconnected nodes. Interdependent risk is usually modeled on the demand side, in contrast correlated risk is just a supply-side problem.

Attacker model existing literature assume attacks are perfomed by "nature" rather than strategic players. But attackers react to agents and insurers decisions.

this paper models attackers as players. but it might be hard to choose reasonable assumptions and parameters for their capability. They could be modeled as an additional class of players or a special type of agents.

4.3.2 Demand side agents

Make security decisions for one or more nodes. When buying full coverage of risks, permits the agent to exchange uncertain future costs with a predictable premium.

Node control Agents have node control, mapping one to one, or one to many. Agents choose security investments for the nodes.

Heterogeneity Agents(and associated nodes) are either heterogen or homogeneous in:

- their size of the loss
- their wealth
- their defense function
- their risk aversion and this utility function.

agents are homogenous if all of the above statements are identical for them.

Risk Aversion They only seek insurance if they are risk averse(accept lower expected income if they can reduce uncertainty).

Action space Established models differ in the action space for agents purchasing insurance. Options are:

Full or partial. Full, the only choice is between full coverage of the potenital loss or no insurance at all, i.e. binary choice. A contract is called fair if the expected profit from it is zero(insurers point of view). If premiums are actuarially fair, risk averse agents strictly prefer full over partial coverage. If premium is above fair lvl, partial insurance are demanded.

Security investment: agents can self-protect by choosing $s_i > 0$, which result in less expected loss. Selfprotection creates an externality, ie interdependent security.

Second kind of security investment, i.e selfinsurance, this does not generate externality, it only reduces your own size of potential loss.

Endogenous network formation: changes to the network topology as operable actions for agents is not yet explored by literature. For example, agents could destroy/create links to other nodes with the goal of reduce their expected loss. A simple first step would be to consider platform diversity and switching(f.eks mellom OS) as an endogenous network formation problem.

Time Simple models, single shot. i.e all choices are set only once by all agents(not necessarily at the same time.) This may not be enough when risk propagation is present. To avoid ambiguity the order should be specified in the model formulation, f.eks from the center of a star-shaped to its leaves.

4.3.3 Supply side, insurers

Modeling decisions: monopoly, oligopoly or competition? Homogenous or heterogeneous? The dominant model used in literature is naive, homogenous and competitive insurer market. It is important to include these as players. Five attributes: market structure, risk aversion, markup, contract design and higherorder risk transfer.

Marketstructure , monopoly, oligopoly or competition. Homogenous or heterogeneous? Competitions leads to low MC.

Risk aversion A simplification in economic textbooks is to use risk neutral insurers. But to avoid taking excessive risk and bankruptcy due to profit maximization, need a safety capital. Regulators decide a maximum residual risk.

Markup : insurers profit, admin-costs, cost of safety capital.

Contract design : fixed premium, premium differentiation, contract with fines.

Higher order risk transfer : Insurers need not be the last step in a chain of risk transfer.

Cyber-reinsurance, the usual way to do this is by generating pools of loosely correlated risks, i.e the loss events from the tail of the probability distribution. This is usually done by creating a pool from regional or international diversification. Cyber-reinsurance is virtually not existent, due to the global homogeneity of cyber risk.

catastrophe bonds, financial instrument which pay a decent yield as a risk premium in periods without catastrophic events, but lose their value when such an event occurs. These are inadequate for cyber-risk, because they may generate an incentive for investors, to cause a cyber attack.

exploit derivatives. Links payout of financial instrument to the discovery of vulnerabilities in systems. This is better than cat-bonds.

4.3.4 Information structure

Symmetric and asymmetric. Leads to adverse selection if the insurer can't distinguish between the agents. Moral hazard occurs if agents could undertake actions that affect the probability of loss ex post. Also information about security is hard to gather and evaluate. . . All this results in two types of contract scenario, pooling or separation (agents sort themselves out).

- adverse selection, if the insurer can't distinguish agents before signing contract.
- moral hazard, if agents can undertake actions that affect the probability of loss after signed contract. i.e. not locking the door.

From classical economics, insurers have two ways of creating the contract when they cannot distinguish the agents, pooling or separating (agents sort themselves out). There is practically understood and observable that strong disincentives keep information sharing below socially optimal levels. Relevant information may not exist, but it is often the case that it exists but is not available to the decision maker.

4.3.5 Organizational Environment (stakeholders)

four relevant attributes: regulator, ICT manufacturers, network intermediaries and security service providers. How to include these into models of cyber-insurance markets?

Regulator Government/governmental authority, with power to impose regulation. Important for policy analysis.

- disclosure requirements, can improve information for agents and insurers.
- Taxes, fines and subsidies to alter agents and insurers costs.
- Mandatory security impositions.
- prudential supervision, the regulator defines the acceptable residual risk, the probability of insurer bankruptcy.

ICT manufacturers vendors of hardware and software equipment.

- system security: ICT manufacturers prioritization of security affects the defence function of nodes using their products.
- System diversity, market structure affects correlation in the risk arrival process.

Network intermediaries Provide network connectivity services, ISP, registrars, and application service providers. they can contribute to distributed defense by sharing info about threats or taking down compromised nodes, reducing risk propagation. They can also shape the network topology, generating a more safe topology. Problems: different incentives for different ISPs, such as large versus small ISP.

security service providers Contribute to network security, in helping to overcome information asymmetries through collection and aggregation of information as a trusted third party, or improve information efficiency in monitoring and enforcing contracts. (Forensic investigations certifying etc.)

4.3.6 Using this framework for a literature survey

This framework accounts for three factors, correlated risks, interdependent security and information asymmetries.

demand side some papers have homogenous agents, others have heterogenous. Contracts with deductibles are standard tools to deal with information asymmetries. These are introduced in 4 papers. All models featuring interdependent security must allow for some kind of security investment via self-protection(binary or continuous choice). Partial insurance is common, or full for simplicity.

Supply side Homogenous and perfectly competitive insurers, and premium markups. Several authors interpret the markup as a reflection of market power.

Organizational Environment Current formal models are not good at capturing parameters of the organizational environment. Do insurance need to be mandatory, or will a simple punishing of agents underinvesting in self-protection be sufficient. Rebates and fines are also discussed in one paper.

Research Question No paper who capture all three obstacles theoretically and link them with social welfare. Only one study evaluates its model from the perspective of all three research questions: breadth of the market, network security, and social welfare. Literature inspired by interdependent security primarily investigates network security, the most natural variable of interest in this setting. By contrast, Correlated risk and information asymmetries are studied from the point of view of explaining a missing market.

Discussion of models The results from the papers are very disappointing, so one may ask what are they good for. They give intuition on specific aspects and help generate a general view.

Despite early optimism about positive effects of cyber-insurance on network security, the existing models find that insurance markets might fail. And if a market exists, it tends to have adverse effects on incentives to improve security. Future research: endogenize parameters that are exogenously given in the existing literature, information structure and or organizational environment. for instance network topology.(This is what we will try to grasp, let the topology be generated endogenously. final observation: researchers write about how insurers will improve information about security, but does not give any examples that reflects this. Affect agents choices of network products, but existing models of contracts do not reflect these choices. aggregate info about security(obtained from claims), but they do not model it parametrically. etc.....

4.4 A novel cyber-insurance Model

eliminate threats which cannot be tackled through traditional means, such as AV. Risks arise due to both security attacks and non-security related failures. This paper analyzes cyber-insurance solutions when a user faces risks due to both of these. Propose a model called "Aegis", user accepts a fraction of loss recovery and transfers the rest. Mathematically show that only under conditions when buying cyber-insurance is mandatory.

4.5 A solution to the information Asymmetry Problem

AV and other security software reduces the risk, but does not remove it completely. Cyber-insurance, residual risk elimination. But a problem with this is information asymmetry. This paper proposes three mechanisms to resolve this problem. Mechanisms based on the principal agent problem, difficulties in motivating one party (the agent) to act in the best interests of another (the principal) rather than in his or her own interests. Arises in almost every case where a party pays another party to do something. The agent has more information than the principal, asymmetric.

- 1 cyber insurance who only provide partial coverage to the insureds will ensure greater self defense efforts.
- 2 the lvl of deductible per network user contract increases in a concave manner with the topological degree of the user.
- 3 Cyber-insurance market can be made to exist in the presence of monopolistic insurers.

Security experts claim that it is impossible to achieve perfect internet security just via technological advancements.

- 1 there do not always exist fool-proof ways to detect and identify. Even the best software available have false-positive, false-negative. And threats evolve automatically in response to AV-software being deployed.
- 2 The internet is a distributed system, different security interests and incentives per user. Might spend money to protect their own hard drive, but not on prevent its computer being used by an attacker for a DOS attack on a wealthy corporation.

- 3 Correlated and interdependent risks. As a result, a user who invest in security generates positive externality for others. Which will result in a free rider problem.
- 4 Network externalities due to lock-in and first mover effects of security software vendors affect the adoption of more advanced technology.
- 5 Security software suffer from lemons market.

Cyber-insurance and asymmetry insurers are unable to distinguish high and low risk users, i.e adverse selection. users undertaking actions, i.e moral hazard.

Difficult for insurers to gather information about applications, software installed, security habits etc. and users can hide information.

Users in general invest too little in self-defense relative to the socially efficient level due to the free-rider problem(externalities). Thus the challenge to improving overall network security lies in incentivizing end users to invest in sufficient amount of self defense.

4.6 Cyber-insurance for cyber-security, A topological Take on Modulating Insurance Premiums

Adopts a topological perspective in proposing a mechanism that accounts for the positive externalities, network location of users, and provide appropriate way to proportionally allocate fines/rebates on user premiums. Uses GT to prove. Consider a monopolistic cyber-insurer, providing full coverage. Each client is risk averse. A user's investment and location in network determines his risk type. Each user has a utility function dependent on the rest of the users. Node centrality, maps to the externality effects a node has on other network nodes. Uses eigenvectors and bonacich papers. both these assign relative importance scores to all nodes, based on the concept of connections.

4.7 Differentiating Cyber-insurance Contracts, a topological Perspective

Important to discriminate network users on insurance contracts. prevent adverse selection, partly internalizing the negative externalities of interdependent security,

achieving maximum social welfare , helping a risk-averse insurer to distribute costs of holding safety capital among its clients, and insurers sustaining a fixed amount of profit per contract. Important to find a way to properly discriminate. The paper propose a technique based on the topological location of users that allows cyber-insurers to appropriately contract discriminate their clients. Consider single cyber-insurer providing full or partial coverage. Insurer have complete information about the topology. Discriminates on Bonacich/eigenvector centralities.

Chapter 5

Network formation: stability and efficiency

5.1 Survey of models of network formation: stability and efficiency

There is lots of economic situation where network structure plays an important role. It is very important to have information on how these structures form and matter. We can divide networks into two kinds, the ones where one central agent structures the whole network, such as airline network, or networks who are formed out of many different individuals decisions. This survey is about the second case, network connect a number of individuals.[Jac05] Three questions to focus on:

- How are such network relationships important in determining the outcome of economic interaction?
- How can we predict which networks are likely to form when individuals have the discretion to choose their connections?
- How efficient are the networks that form and how does that depend on the way that the value of a network is allocated among the individuals?

5.1.1 Defining Network Games

Players $N = 1, \dots, n$ set of players or individuals(organizations, firms, people, etc), modeled as nodes.

networks May take many forms, non-directed, directed networks. A network g is a list of which pairs of players are linked to each other. $N(g)$ is the set of players who have at least one link in the network g .

Paths and components Components of a network are the distinct connected subgraphs of a network, components of g are denoted $C(g)$.

Value functions

Network games

Allocation rules to know how much the total value of the network, we need to know how the value is allocated or distributed among players.

Chapter 6

Related work 2

Virus and worm propagation on the Internet can be modeled as epidemic spreads. When we look at a 2-agent model we can observe correlation between one agent's choice of investing in protection. If agent 1 has a connection to agent 2, the probability of agent 2 being infected is strongly correlated to the choice of agent 1. In the case where agent 1 invests in protection, agent 2 will not be infected. However, if agent 1 chooses not to invest in protection, the probability of infection for agent 2 is p . After a number of equations the authors conclude that in the presence of insurance, the optimal strategy for all users is to invest in self-protecting services as long as this cost is low enough.

Further the authors look at the situation where the cost of self-protection is different for different agents (heterogeneous users) in a complete graph (n - n). The conclusion states that insurance increases the adoption for a fraction of the users, which creates the cascading effect that the rest of the users also gain benefit from investing in insurance. We end up in a state where everyone in the network is self-protected.

In star shaped graphs (i.e. hubs), it is obvious that the network will decrease the probability of contagion dramatically by investing in self-protection measures. The authors also assume that it is likely that the other low connectivity nodes will follow the hub and adopt self-protection.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huerdest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be




Figure 6.1: A figure

written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

6.1 First section

6.1.1 First subsection with some *Math* symbol

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for a special contents, but the length of words should match to the language.

- item1
- item2
- ...

6.1.2 Mathematics

Hello, here is some text without a meaning. This text should show, how a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like »Huardest gefburn«. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. Kjift – Never mind! A blind text like this gives you information about the selected font, how the letters are written and the impression of the look. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. This text should contain all letters of the alphabet and it should be written in of the original language. $a \sqrt[n]{b} = \sqrt[n]{a^n b}$. There is no need for a special contents, but the length of words should match to the language. $d\Omega = \sin \vartheta d\vartheta d\varphi$.

Proposition 6.1. *A proposition... (similar environments include: theorem, corollary, conjecture, lemma)*

Proof. And its proof. □

6.1.3 Source code example

You can refer to figures using the predefined command like Figure 6.1, to pages like page 36, to tables like Table 6.1, to chapters like Chapter ?? and to sections like Section 6.1 and you may define similar commands to refer to proposition, algorithms etc.

Table 6.1: A table

a	b	c	d	e
f	g	h	i	j
k	l	m	n	o
p	q	r	s	t
u	v	w	x	y
z	æ	ø	å	

Algorithm 6.1 The Hello World! program in Java.

```
class HelloWorldApp {
    public static void main(String[] args) {
        //Display the string
        System.out.println("Hello World!");
    }
}
```

Chapter 7

Network Games

This paper [GGJ⁺10] provide a framework for analyzing situations when a players actions is influenced by neighbourhood structure, modeled in terms of an underlying network of connections that affect payoff. The players are partially informed about the structure.

There are many social and economic interactions where an agents well being depends on her own actions as well as on actions taken by others, i.e. externalities.

References

- [Ake97] George A Akerlof. The market for" lemons": Quality uncertainty and the market mechanism. *Readings in Microeconomic Theory*, page 285, 1997.
- [And10] R.J. Anderson. *Security Engineering: A guide to building dependable distributed systems*. Wiley, 2010.
- [BL08] Jean Bolot and Marc Lelarge. Cyber insurance as an incentive for internet security. *Managing information risk and the economics of security*, pages 269–290, 2008.
- [BMR09] T. Bandyopadhyay, V.S. Mookerjee, and R.C. Rao. Why it managers don't go for cyber-insurance products. *Communications of the ACM*, 52(11):68–73, 2009.
- [Böh10] Rainer Böhme. Towards insurable network architectures. *Information Technology*, 2010, 2010.
- [Bro] RTM Insurance Brokers. Rtm's hackersforsikring. <http://www.hackerforsikring.dk/index.html>. Accessed: 13/02/2013.
- [BS10] R. Böhme and G. Schwartz. Modeling cyber-insurance: Towards a unifying framework. *Proceedings of GameSec*, 2010, 2010.
- [CoA] Travelers Casualty and Surety Company of America. Cyberrisk. <https://www.travelers.com/business-insurance/management-professional-liability/Cyber-Risk.aspx>. Accessed: 31/01/2013.
- [dig] digi.no. Vil forsikre alt og alle på nett. <http://www.digi.no/39107/vil-forsikre-alt-og-alle-paa-nett>. Accessed: 18/02/2013.
- [EK12] D. Easley and J. Kleinberg. Networks, crowds, and markets: Reasoning about a highly connected world, 2012.
- [GGJ⁺10] A. Galeotti, S. Goyal, M.O. Jackson, F. Vega-Redondo, and L. Yariv. Network games. *The review of economic studies*, 77(1):218–244, 2010.
- [Ins11] Ponemon Institute. Second annual cost of cyber crime study, benchmark study of u.s: Companies. Technical report, Ponemon Institute, Aug 2011.

- [it] Dagens it. Forsikring mot hackere. <http://www.dagensit.no/arkiv/article1345297.ece>. Accessed: 14/02/2013.
- [Jac05] M.O. Jackson. A survey of network formation models: Stability and efficiency. *Group Formation in Economics: Networks, Clubs and Coalitions*, ed. G. Demange and M. Wooders, pages 11–57, 2005.
- [LHN05] Erez Lieberman, Christoph Hauert, and Martin A Nowak. Evolutionary dynamics on graphs. *Nature*, 433(7023):312–316, 2005.
- [MCR80] R.I. Mehr, E. Cammack, and T. Rose. *Principles of insurance*. RD Irwin, 1980.
- [New] Graeme Newman. Cyber liability in europe: What insurers should knowl. <http://www.cfcunderwriting.com/media/news-articles/european-cyber.aspx>. Accessed: 14/02/2013.
- [Nor] Gjensidige Nor. Medlemsfordeler hos gjensidige 2012 - nal. <http://www.arkitektur.no/gjensidige?iid=372345&pid=NAL-Article-Files.Native-InnerFile-File>. Accessed: 14/02/2013.
- [Pal12] Ranjan Pal. Cyber-insurance for cyber-security a solution to the information asymmetry problem. May 2012.
- [PD12] National Protection and Programs Directorate. Cybersecurity insurance workshop readout report. *U.S. Department of Homeland Security*, 2012.
- [PpD12] National Protection and U.S. Department of Homeland Security programs Directorate. Cybersecurity insurance workshop readout report, Nov 2012.
- [Pra] Mary K. Pratt. Cyber insurance offers it peace of mind – or maybe not. http://www.computerworld.com/s/article/9223366/Cyber_insurance_offers_IT_peace_of_mind_or_maybe_not?taxonomyId=17&pageNumber=1. Accessed: 31/01/2013.
- [Ris12] Stratic Risk. Evolving cyber cover. http://www.strategic-risk.eu/Journals/2012/02/22/i/j/w/RiskFinancing_Mar12.pdf, March 2012. Accessed: 31/01/2013.
- [Rob12] N. Robinson. Incentives and barriers of the cyber insurance market in europe. 2012.
- [Wat11] Tower Watson. Despite increasing cyber threats, most companies are not buying network liability policies. <http://www.towerswatson.com/press/4482>, May 2011. Accessed: 31/01/2013.
- [Wik] Wikipedia. The market for lemons. http://en.wikipedia.org/wiki/The_Market_for_Lemons. Accessed: 13/02/2013.