

Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: BRLATWAC

(Page 1 of 2)

| DOCTOR'S ORDERS Htcm Wtkg BSA | m² | | |
|--|----------------------|--|--|
| REMINDER: Please ensure drug allergies and previous bleomycin are documented on the | Allergy & Alert Form | | |
| DATE: To be given: Cycle #: | | | |
| Date of Previous Cycle: | | | |
| ☐ Delay treatment week(s) | | | |
| ☐ CBC & Diff, platelets day of treatment | | | |
| May proceed with doses as written if within 24h (for paclitaxel) or 96h (AC) ANC greater than or equal to 1.5 x 10 ⁹ /L, Platelets greater than or equal to 90 x 10 ⁹ /L | | | |
| Dose modification for: | | | |
| Proceed with treatment based on blood work from | | | |
| PREMEDICATIONS: Patient to take own supply. RN/Pharmacist to confirm | | | |
| 45 Minutes Prior to PACLitaxel: dexamethasone 10 mg IV in 50 mL NS over 15 minutes | | | |
| 30 Minutes Prior to PACLitaxel: diphenhydrAMINE 25 mg IV and ranitidine 50 mg IV in 50 mL NS over 20 minutes (compatible up to 3 hrs when mixed in bag) | | | |
| ☐ No pre-medication required (see protocol for guidelines) | | | |
| ☐ Other: | | | |
| <u>OR</u> | | | |
| ondansetron 8 mg PO prior to AC treatment | | | |
| dexamethasone 8 mg or 12 mg (circle one) PO prior to AC treatment | | | |
| aprepitant 125 mg PO pre-chemotherapy on Day 1 and 80 mg PO post-chemotherapy once daily on Days 2 and 3 | | | |
| prochlorperazine 10 mg PO prn | | | |
| metoclopramide 10 mg PO prn | | | |
| **Have Hypersensitivity Reaction Tray and Protocol Available for Cycles 1 to 4** | | | |
| CHEMOTHERAPY: (Note - continued over 2 pages) | | | |
| ☐ CYCLE # (Cycle 1-4) | | | |
| PACLitaxel 80 mg/m² OR mg/m² (circle one) x BSA = mg Dose Modification: % = mg/m² x BSA = mg IV in 100 to 250 mL (non-DEHP bag) NS over 1 hour once weekly x 3 weeks (use non-DEHP tubing with 0.22 micron or smaller in-line filter) *** SEE PAGE 2 FOR CHEMOTHERAPY CYCLES 5 TO 8 *** | | | |
| DOCTOR'S SIGNATURE: | SIGNATURE: | | |
| | UC: | | |



Information on this form is a guide only. User will be solely responsible for verifying its currency and accuracy with the corresponding BC Cancer treatment protocols located at www.bccancer.bc.ca and according to acceptable standards of care

PROTOCOL CODE: BRLATWAC

(Page 2 of 2)

| DOCTOR'S ORDERS | Page 2 of 2 | | | |
|--|--------------------------|----------------|------------|--|
| DATE: | To be given: | Cycle #: | | |
| CHEMOTHERAPY continued | | | | |
| ☐ CYCLE # (Cycle 5-8) | | | | |
| DOXOrubicin 60 mg/m² x BSA =% =% = IV push | | mg | | |
| cyclophosphamide 600 mg/m² x BSA =mg Dose Modification:% =mg/m² x BSA =mg IV in 100 to 250 mL NS over 20 minutes to 1 hour | | | | |
| RETURN APPOINTMENT ORDERS | | | | |
| Return in three weeks for Doctor and Cycle (Book chemo room weekly x 3 for cycles 1-4, book chemo room every 3 weeks for AC cycles 5-8, cycle 5 to start week 13) Last Cycle. Return in week(s) after last treatment. | | | | |
| Last Cycle. Return in | week(s) after last treat | nent. | | |
| CBC & Diff, Platelets prior to each treat | ment | | | |
| If clinically indicated: Creatinine A | LT □Bilirubin □Muga □ | Echocardiogram | | |
| ☐ Other tests: | | | | |
| ☐ Consults: | | | | |
| ☐ See general orders sheet for addit | ional requests. | | | |
| DOCTOR'S SIGNATURE: | | | SIGNATURE: | |
| | | | UC: | |