Team Rodda Reimer John

Anya Keller, Jack Schluger, Bayle Smith-Salzberg, Haley Zeng, pd 8

HW 10: Da Art of Storytellin'

Pages:

- 1. Home: root page
 - a. If not logged in: show Login / Register page
 - i. **Login**: Login to account
 - ii. Register: Make a new account
 - b. If logged in: redirect to Feed
- 2. **Feed**: stories you haven't contributed to (uses Jinja templating)
 - a. Can sort stories by
 - i. Time of creation (default)
 - ii. Time of last edit
 - iii. Title
- 3. **History**: stories you have contributed to (uses Jinja templating)
 - a. Can sort by
 - i. Time of creation
 - ii. Time of last edit
 - iii. Time of user's edit (default)
 - iv. Title
 - b. Can search for story by title
- 4. **Contribute**: contribute to a story (uses Jinja templating)
- 5. Create: start your own story

Back-end python processing files:

- 1. app.py
 - a. uses Flask and templates
 - b. holds all the routes
 - c. uses user account manager for Login and Register
 - d. uses database manager for Create, Contribute, Feed, and History
 - e. uses templates to format output
- 2. user account manager (inside utils/)
 - a. uses database manager
 - b. authenticate logins
 - c. create new accounts
- 3. database manager (inside utils/)
 - a. uses SQLite commands in python to:
 - i. insert entries to the tables
 - 1. Register: insert account into user table
 - 2. Create: insert story into stories table
 - 3. Contribute: insert record of edit into edit_logs table

- ii. edit existing entries in the tables
 - 1. **Contribute**: edit story in stories table
- iii. fetch data from the tables
 - 1. Register: make sure username not used
 - 2. Login: authenticate credentials
 - 3. Feed: pull last edit of stories user has not contributed to
 - a. looks at edit_logs table to see which stories the user has contributed to
 - b. pulled stories can be sorted by time of creation, time of last edit, or title
 - 4. History: pull full stories user has contributed to
 - a. looks at edit_logs table to see which stories the user has contributed to
 - b. pulled stories can be sorted by time of creation, time of last edit, time of user's edit, or title
 - c. for search bar: pulls stories where title matches search query
 - 5. **Contribute**: pull last edit of the story the user is contributing to

1 SQLite database, with 3 tables:

- 1. Users. Each record includes:
 - a. username
 - b. hashed password
 - c. unique user id
- 2. Stories. Each record includes:
 - a. title
 - b. full story (including last edit)
 - c. last edit to story
 - d. time of original creation
 - e. time of last edit
 - f. unique post id
- 3. Edit Logs. Each record includes:
 - a. user id
 - b. post id
 - c. time of contribution

Role delegation:

Haley – project manager

Anya – coding account manager

- coding routes and templates for Login and Register

Bayle – coding database manager

Jack – coding routes and templates for Feed, History, Create, Edit

Database Schema:

Time values stored as INTEGER – seconds since 1970-01-01 00:00:00 UTC

edit_logs


INTEGER	INTEGER	INTEGER
user id	story ID	contribution time

users


TEXT	TEXT	INTEGER
username	password	user ID


stories

TEXT	TEXT	TEXT	INTEGER	INTEGER	INTEGER
title	full text	last edit	original creation time	latest update time	story ID



Front End





posts that you haven't contributed to

