

CSE276C - Roots of Polynomials

Henrik I. Christensen




Computer Science and Engineering
University of California, San Diego


<http://cri.ucsd.edu>

October 2020

Outline


- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary

Introduction



- Last time we looked at direct search for roots
- Bracketing was the way to limit the search domain
- Brent's method was a simple strategy to do search
- What if we have a polynomial?
 - 1 Can we find the roots?
 - 2 Can we simplify the polynomial?
- Lets explore this

Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary

Low order polynomials

- We have closed form solutions to roots of polynomials up to degree 4
- Quadratics

$$ax^2 + bx + c = 0, \quad a \neq 0$$

has two roots

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

we have real unique, dual or imaginary solutions

Cubics

- The cubic equation

$$x^3 + px^2 + qx + r = 0$$

can be reduced using substitution

$$x = y - \frac{p}{3}$$

to the form

$$y^3 + ay + b = 0$$

where

$$\begin{aligned} a &= \frac{1}{3}(3q - p^2) \\ b &= \frac{1}{27}(2p^3 - 9pq + 27r) \end{aligned}$$

the condensed form has 3 roots

$$\begin{aligned} y_1 &= A + B \\ y_2 &= -\frac{1}{2}(A + B) + \frac{i\sqrt{3}}{2}(A - B) \\ y_3 &= -\frac{1}{2}(A + B) - \frac{i\sqrt{3}}{2}(A - B) \end{aligned}$$

where

$$A = \sqrt[3]{-\frac{b}{2} + \sqrt{\frac{b^2}{4} + \frac{a^3}{27}}} \quad B = \sqrt[3]{-\frac{b}{2} - \sqrt{\frac{b^2}{4} + \frac{a^3}{27}}}$$

Cubic (cont)


• We have three cases:

- ① $\frac{b^2}{4} + \frac{a^3}{27} > 0$: one real root and two conjugate roots
- ② $\frac{b^2}{4} + \frac{a^3}{27} = 0$: three real roots of which at least two are equal
- ③ $\frac{b^2}{4} + \frac{a^3}{27} < 0$: three real roots and unequal roots


Quartics




Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary


Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary


Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary


Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary

Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary

Outline

- 
- 1 Introduction
 - 2 Roots of Low Order Polynomials
 - 3 Root Counting
 - 4 Bounds on Roots
 - 5 Deflation
 - 6 Newton's Method
 - 7 Müller's Method
 - 8 Summary