# Assignment Practice\_Test\_1 due 03/29/2014 at 06:27pm MST

**Problem 1. 16.** (1 pt) Suppose that the equation of motion for a particle (where s is in meters and t in seconds) is

$$s = (1/3)t^3 - 5t^2 + 25t + 3$$

(a	) Find	the '	velocity	and	acceleration	as	functions	of $t$ .

Velocity at time t =

Acceleration at time t =

## (b) Find the acceleration after 1 second.

Acceleration after 1 second: \_\_\_

## (c) Find the acceleration at the instant when the velocity is 0. Acceleration: \_\_

Answer(s) submitted:

- (t-5)^2
- 2(t-5)
- -8
- 0

(correct)

Correct Answers:

- 3\*(0.333333333333333)\*(t\*\*2)-2\*(5)\*t + 25
- 6\*0.33333333333333\*t 2\*5
- −8
- 0

**Problem 2. 2.** (1 pt) Use a table of values to estimate the value of the limit. Confirm your result graphically by graphing the function with a graphing device.

If the limit does not exist enter DNE.

$$\lim_{x\to 0} \frac{\sqrt{x+16}-4}{x}$$

Answer(s) submitted:

• 1/8

(correct)

Correct Answers:

• 0.125

## **Problem 3. 3.** (1 pt) Let

$$f(x) = \begin{cases} -x & \text{if } x \le -9\\ 81 - x^2 & \text{if } -9 < x < 9\\ x - 9 & \text{if } x > 9 \end{cases}$$

Sketch the graph of this function and find following limits if they exist (if not, enter DNE).

\_\_\_1. 
$$\lim_{x \to 9^+} f(x)$$
  
\_\_\_2.  $\lim_{x \to 9} f(x)$ 

$$\underline{\phantom{a}}$$
2.  $\lim_{x\to 0} f(x)$ 

$$3. \lim_{x \to 0} f(x)$$

$$\underbrace{\lim_{x \to 0} f(x)}_{x \to -9^{-}} f(x)$$

$$\underline{\hspace{1cm}}$$
5.  $\lim_{x \to \infty} f(x)$ 

Answer(s) submitted:

- 0
- 0
- 81
- 9
- DNE
- 0

(correct)

Correct Answers:

- 0
- 0
- 81
- 9 • DNE
- 0

### **Problem 4. 7.** (1 pt)

Evaluate the following limits. If needed, enter INF for ∞ and MINF for  $-\infty$ .

(a)

$$\lim_{x \to \infty} \frac{(6-x)(4+8x)}{(3-4x)(5+8x)} =$$

(b)

$$\lim_{x \to -\infty} \frac{(6-x)(4+8x)}{(3-4x)(5+8x)} =$$


Answer(s) submitted:

- 1/4
- 1/4

(correct)

Correct Answers:

- 0.25
- 0.25



Identify the graphs A (blue), B( red) and C (green) as the graphs of a function and its derivatives:

- \_\_\_ is the graph of the function
- \_\_\_ is the graph of the function's first derivative
- \_\_\_ is the graph of the function's second derivative *Answer(s) submitted:* 
  - C
  - A
  - B

(correct)

Correct Answers:

- C
- A
- B

**Problem 6. 12.** (1 pt)

- \_\_\_ is the graph of the function
- \_ is the graph of the function's first derivative
- \_\_ is the graph of the function's second derivative
- Answer(s) submitted:
- В С

(correct)

Correct Answers:

B C A

**Problem 7. 5.** (1 pt) Let

$$f(x) = \begin{cases} 6 + x, & x < 3, \\ 5 - x, & x \ge 3. \end{cases}$$

Find the indicated one-sided limits of f, and determine the continuity of f at the indicated point.

**NOTE:** Type DNE if a limit does not exist.

You should also sketch a graph of y = f(x), including hollow and solid circles in the appropriate places.

$$\lim_{x \to 3^{-}} f(x) = \underline{\qquad}$$

$$\lim_{x \to 3} f(x) = \underline{\hspace{1cm}}$$

$$\lim_{x \to 3^+} f(x) = \underline{\qquad}$$

$$\lim_{x \to 3} f(x) = \underline{\qquad}$$

$$f(3) =$$

Is f continuous at x = 3? (YES/NO) \_\_\_\_\_

Answer(s) submitted:

- 9
- 2
- → DNE
- 2 • NO

(correct)

Correct Answers:

- **9** 9
- 2
- DNE
- 2
- •1 NO

**Problem 8. 4.** (1 pt) Find (in terms of the constant *a*)

$$\lim_{h \to 0} \frac{3(a+h)^2 - 3a^2}{h}.$$

Limit = \_\_\_\_

Answer(s) submitted:

• 6a

(correct)

Correct Answers:

• 2\*3\*a

Identify the graphs A (blue), B( red) and C (green) as the graphs of a function and its derivatives:

**Problem 9. 17.** (1 pt) Suppose that the equation of motion for a particle (where s is in meters and t in seconds) is

$$s = (1/3)t^3 - 4t^2 + 16t + 6$$

(a) Find the velocity and acceleration as functions of t.

Velocity at time t =

Acceleration at time t =

(b) Find the acceleration after 1 second.

Acceleration after 1 second: \_\_\_\_\_

(c) Find the acceleration at the instant when the velocity is 0.

Answer(s) submitted:

- (t-4) ^2
- 2(t-4)

Acceleration: \_

- −6
- 0

#### (correct)

Correct Answers:

- 3\*(0.33333333333333)\*(t\*\*2)-2\*(4)\*t + 16
- 6\*0.33333333333333\*t 2\*4
- −6
- 0

**Problem 10. 13.** (1 pt) Use the **definition of the derivative** (don't be tempted to take shortcuts!) to find the derivative of the function

$$f(x) = 6x + 8\sqrt{x}.$$

Then state the domain of the function and the domain of the

**Note:** When entering interval notation in WeBWorK, use I for  $\infty$ , -I for  $-\infty$ , and U for the union symbol. If the set is empty, enter "" without the quotation marks.

$$f'(x) =$$
\_\_\_\_\_

Domain of f(x) =

Domain of f'(x) =

*Answer(s) submitted:* 


- 6+ (4/sqrt(x))
- [0,I)
- (0,I)

## (correct)

Correct Answers:

- 6 + (8/2) \*x\*\*(-1/2)
- [0, infinity)
- (0, infinity)

**Problem 11. 1.** (1 pt) Let F be the function below.



Evaluate each of the following expressions.

Note: Enter 'DNE' if the limit does not exist or is not defined.

a) 
$$\lim_{x \to 0} F(x) =$$
\_\_\_\_

b) 
$$\lim_{x \to \infty} F(x) =$$
\_\_\_\_

d) 
$$F(-1) =$$
\_\_\_\_

e) 
$$\lim_{x \to 1^{-}} F(x) =$$
\_\_\_\_

f) 
$$\lim_{x \to 0} F(x) =$$
\_\_\_\_

g) 
$$\lim_{x \to 1} F(x) =$$
\_\_\_\_

h) 
$$\lim_{x \to 2} F(x) =$$
\_\_\_\_

i) 
$$F(3) =$$
\_\_\_\_

Answer(s) submitted:

- 1
- 2
- DNE
- 2
- 2 • 3
- DNE
- 0 • DNE

(score 0.777777910232544)

Correct Answers:

- 1
- 1
- 1 • 2
- 2
- 3
- DNE
- 0
- DNE

**Problem 12. 9.** (1 pt) Find an equation of the tangent line to the curve  $y = -1 - 2x - 3x^2$  at (1, -6).

y = \_\_\_\_\_

Answer(s) submitted:

• 2-8x

(correct)

Correct Answers:

• -8\*x+-6+8

### **Problem 13. 6.** (1 pt) Let

$$f(x) = \begin{cases} -6x, & x < 1, \\ 1, & x = 1, \\ 6x, & x > 1. \end{cases}$$

Find the indicated one-sided limits of f, and determine the continuity of f at the indicated point.

**NOTE:** Type DNE if a limit does not exist.

You should also sketch a graph of y = f(x), including hollow and solid circles in the appropriate places.

$$\lim_{\substack{x \to 1^{-} \\ \lim_{x \to 1^{+}} f(x) = \underline{\qquad} \\ \lim_{x \to 1^{+}} f(x) = \underline{\qquad} \\ f(1) = \underline{\qquad} }$$

Is f continuous at x = 1? (YES/NO) \_\_\_\_\_

Answer(s) submitted:

- -6
- 6
- DNE
- 1
- NO

(correct)

Correct Answers:

- -6
- 6
- DNE
- 1
- NO

### **Problem 14. 8.** (1 pt)

Evaluate the following limits. If needed, enter INF for  $\infty$  and MINF for  $-\infty$ .

(a)

$$\lim_{x \to \infty} \frac{2 + 8x}{7 - 2x} =$$

 $Generated\ by\ \textcircled{c}WeBWorK, http://webwork.maa.org,\ Mathematical\ Association\ of\ American Control of\ America$ 

(b)

$$\lim_{x \to -\infty} \frac{2+8x}{7-2x} =$$

Answer(s) submitted:

- −4
- −4

(correct)

Correct Answers:

- −4
- −4

## **Problem 15. 14.** (1 pt)

Differentiate the following function:

$$V(r) = \frac{4}{3}\pi r^3$$

 $V'(r) = \underline{\hspace{1cm}}$ Answer(s) submitted:

• 4 pi r^2

(correct)

Correct Answers:

• (4\* pi\* r^2)

**Problem 16. 10.** (1 pt) Let  $h(x) = 3 - 2x^3$ ,

h'(2) =\_\_\_\_\_

Use this to find the equation of the tangent line to the curve  $y = 3 - 2x^3$  at the point (2, -13) and write your answer in the form:

y = mx + b, where m is the slope and b is the y-intercept.

Answer(s) submitted:

- −24
- y = 35 24x

(correct)

Correct Answers:

- −24
- y = -24\*x + 35

**Problem 17. 15.** (1 pt) If  $f(t) = 3\sqrt{t} + \frac{10}{\sqrt{t}}$ , find f'(t).

 $f'(t) = \underline{\hspace{1cm}}$ 

Answer(s) submitted:

• (3t - 10) / (2t^(3/2))

(correct)

Correct Answers:

• (3/2) \* (t\*\*(-1/2)) - (1/2) \* (10) \* (t\*\*(-3/2))