




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
Thermal cross sections




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
Thermal mubar




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
Thermal ebar




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic



BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic




BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic for  $e = 1.012\text{E-}09$  MeV







BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic for  $e = 1.417\text{E-}08$  MeV



BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic for  $e = 9.000\text{E-}08$  MeV



BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic for e= 5.033E-07 MeV



BA-BAO\_SG225\_BARIUMOXIDE @ 293.60K  
thermal inelastic for e= 4.070E-06 MeV

