

# CSE 6730, Group 37 Proposal

## Discrete Event Simulation

### 1 Project Title

Simulation of the Spread of Syphilis within Group Housing for the Elderly

### 2 Team Members

1. Aiswarya Bhagavatula (GTID 903540374)
2. D. Aaron Hillegass (GTID 901988533)
3. Siawpeng Er (GTID 903413430)
4. Xiaotong Mu (GTID 903529807)

### 3 Problem Description and Purpose

More and more communities of the elderly are suffering from outbreaks of sexually transmitted infections. According to Athena Health, patients over 60 account for the biggest increase of in-office treatments for sexually transmitted infections.

For this study, we are going to focus on Syphilis, but the methodology and resulting simulation could easily be applied to other treatable, non-deadly STIs like Chlamydia and Gonorrhea.

There are several factors that have led to the spread of STIs among older people (especially in group housing):

- Lack of safer sex practices (such as condom use) in older individuals. People who became sexually active before AIDS are less likely to follow safe sex practices.
- Imbalances between the number of men and women. In retirement homes, there are typically significantly more women than men. It would not be surprising to find that the few healthy men would act as a nexus for sexually transmitted infections.
- Shame around testing and treatment. Older people (especially married older people) might be reluctant to tell their doctor about symptoms, get tested, and pursue treatment.
- Number of opportunities for transmission. In earlier times, we could expect sexual activity to diminish in the aging population. However, with people living longer, healthier lives and the proliferation of safe erectile dysfunction drugs, people in retirement communities are more sexually active than their parents were at the same age – especially if they live in close community with a large number of potential partners.

Discrete Event Simulation (DES) was been used for long time in many healthcare simulation, ranging from health care system operation, disease progression modeling, screening modeling and health behavior modeling [?, ?].

A realistic simulation of the transmission of STIs in retirement homes could be useful in deciding between different interventions. For example, would increasing condom use by 20% be more effective than annual STI tests?

## 4 Data source

We will get the data from the Centers for Disease Control and Prevention (CDC) website for parameters on Syphilis. This includes:

- Rates in the general population at the ages at which people would enter retirement homes
- Likelihood of transmission for different types of sexual activity (intercourse, oral, anal).
- Time after infection before symptoms appear.

We will also use a local retirement community to be modeled. From that administration we will find out:

- Number of men and women
- Ages at which people enter the community
- Duration that people stay in the community
- What, if any, STI testing and treatment are provided to the residents

Finally, we will do some interviews with residents to create a model of the individual:

- Number of sexual partners per year
- History of STI testing and treatment
- Marital status
- Gender
- Age
- Types of sexual activity that they engage in (if possible)

## 5 Methodology

Our simulation will first simulate a population of people entering and exiting a single retirement community. It will use stochastic methods to give them an initial age, gender, and infection status. It will also remove these people as they get older and move somewhere else or die. When someone dies or moves away,

Within that population, we will update each individual's infection status as they become infected and get treated. We will also track if they have become symptomatic. Thus, each time an uninfected person engages in sexual activity with an infected person, we will roll the dice to decide if the uninfected person becomes infected. Each person will be symptomatic for some amount of time before seeking testing and treatment.

We will test different interventions:

- Increasing condom usage
- Periodic testing and treatment of the whole community
- Promoting monogamous fluid bonding
- Working toward equal numbers of men and women in the community

## 6 Development Platform

The programming language is Python 3. Depends on the suitability of the project, we plan to provide a Jupyter notebook for user interaction, or just a command line execution.

We will use `heapq` as our priority queue.

We will use Matplotlib to do our data visualization.

## 7 Division of Labor

As we move forward on our project, we plan to work concurrently. The timeline is as below:

Task	Duration
Data collection	2 weeks
Modeling design and implementaion	4 weeks
Modeling revised	4 weeks