Portfolio

Angular.json

```
{
 "$schema":
"./node_modules/@angular/cli/lib/config/schema.json",
 "version": 1,
 "newProjectRoot": "projects",
 "projects": {
  "myPortfolio": {
   "root": "",
   "sourceRoot": "src",
   "projectType": "application",
   "prefix": "app",
   "schematics": {},
   "architect": {
     "build": {
      "builder": "@angular-devkit/build-angular:browser",
      "options": {
       "outputPath": "dist/myPortfolio",
       "index": "src/index.html",
       "main": "src/main.ts",
       "polyfills": "src/polyfills.ts",
       "tsConfig": "src/tsconfig.app.json",
```

```
"assets": [
  "src/favicon.ico",
  "src/assets"
 ],
 "styles": [
  "node_modules/bootstrap/dist/css/bootstrap.min.css",
  "src/styles.css"
 ],
 "scripts": [],
 "es5BrowserSupport": true
},
"configurations": {
 "production": {
  "fileReplacements": [
     "replace": "src/environments/environment.ts",
     "with": "src/environments/environment.prod.ts"
  ],
  "optimization": true,
  "outputHashing": "all",
  "sourceMap": false,
  "extractCss": true,
```

```
"namedChunks": false,
   "aot": true,
   "extractLicenses": true,
   "vendorChunk": false,
   "buildOptimizer": true,
   "budgets": [
      "type": "initial",
      "maximumWarning": "2mb",
      "maximumError": "5mb"
     }
"serve": {
 "builder": "@angular-devkit/build-angular:dev-server",
 "options": {
  "browserTarget": "myPortfolio:build"
 },
 "configurations": {
  "production": {
   "browserTarget": "myPortfolio:build:production"
```

```
},
     "extract-i18n": {
      "builder": "@angular-devkit/build-angular:extract-
i18n",
      "options": {
        "browserTarget": "myPortfolio:build"
       }
     },
     "test": {
      "builder": "@angular-devkit/build-angular:karma",
      "options": {
        "main": "src/test.ts",
        "polyfills": "src/polyfills.ts",
        "tsConfig": "src/tsconfig.spec.json",
        "karmaConfig": "src/karma.conf.js",
        "styles": [
         "src/styles.css"
       ],
        "scripts": [],
        "assets": [
         "src/favicon.ico",
```

```
"src/assets"
  },
  "lint": {
   "builder": "@angular-devkit/build-angular:tslint",
   "options": {
     "tsConfig": [
      "src/tsconfig.app.json",
      "src/tsconfig.spec.json"
     ],
     "exclude": [
      "**/node_modules/**"
"myPortfolio-e2e": {
 "root": "e2e/",
 "projectType": "application",
 "prefix": "",
 "architect": {
```

```
"e2e": {
 "builder": "@angular-devkit/build-angular:protractor",
 "options": {
  "protractorConfig": "e2e/protractor.conf.js",
  "devServerTarget": "myPortfolio:serve"
 },
 "configurations": {
  "production": {
   "devServerTarget": "myPortfolio:serve:production"
  }
},
"lint": {
 "builder": "@angular-devkit/build-angular:tslint",
 "options": {
  "tsConfig": "e2e/tsconfig.e2e.json",
  "exclude": [
   "**/node_modules/**"
```

```
},
 "defaultProject": "myPortfolio"
}
Package.json
{
 "name": "my-portfolio",
 "version": "0.0.0",
 "scripts": {
  "ng": "ng",
  "start": "ng serve",
  "build": "ng build",
  "test": "ng test",
  "lint": "ng lint",
  "e2e": "ng e2e"
 },
 "private": true,
 "dependencies": {
  "@angular/animations": "~7.2.0",
  "@angular/common": "~7.2.0",
  "@angular/compiler": "~7.2.0",
  "@angular/core": "~7.2.0",
  "@angular/forms": "~7.2.0",
```

```
"@angular/platform-browser": "~7.2.0",
 "@angular/platform-browser-dynamic": "~7.2.0",
 "@angular/router": "~7.2.0",
 "bootstrap": "^4.3.1",
 "core-js": "^2.5.4",
 "rxis": "~6.3.3",
 "tslib": "^1.9.0",
 "zone.js": "~0.8.26"
},
"devDependencies": {
 "@angular-devkit/build-angular": "~0.13.0",
 "@angular/cli": "~7.3.8",
 "@angular/compiler-cli": "~7.2.0",
 "@angular/language-service": "~7.2.0",
 "@types/node": "~8.9.4",
 "@types/jasmine": "~2.8.8",
 "@types/jasminewd2": "~2.0.3",
 "codelyzer": "~4.5.0",
 "jasmine-core": "~2.99.1",
 "jasmine-spec-reporter": "~4.2.1",
 "karma": "~4.0.0",
 "karma-chrome-launcher": "~2.2.0",
 "karma-coverage-istanbul-reporter": "~2.0.1",
```

```
"karma-jasmine": "~1.1.2",
  "karma-jasmine-html-reporter": "^0.2.2",
  "protractor": "~5.4.0",
  "ts-node": "~7.0.0",
  "tslint": "~5.11.0",
  "typescript": "~3.2.2"
 }
}
tslint.json
{
 "extends": "tslint:recommended",
 "rulesDirectory": [
  "codelyzer"
 ],
 "rules": {
  "array-type": false,
  "arrow-parens": false,
  "deprecation": {
    "severity": "warn"
  },
  "import-blacklist": [
   true,
```

```
"rxjs/Rx"
],
"interface-name": false,
"max-classes-per-file": false,
"max-line-length": [
 true,
 140
],
"member-access": false,
"member-ordering": [
 true,
  "order": [
    "static-field",
    "instance-field",
    "static-method",
    "instance-method"
"no-consecutive-blank-lines": false,
"no-console": [
 true,
```

```
"debug",
 "info",
 "time",
 "timeEnd",
 "trace"
],
"no-empty": false,
"no-inferrable-types": [
 true,
 "ignore-params"
],
"no-non-null-assertion": true,
"no-redundant-jsdoc": true,
"no-switch-case-fall-through": true,
"no-use-before-declare": true,
"no-var-requires": false,
"object-literal-key-quotes": [
 true,
 "as-needed"
],
"object-literal-sort-keys": false,
"ordered-imports": false,
"quotemark": [
```

```
true,
    "single"
  ],
  "trailing-comma": false,
  "no-output-on-prefix": true,
  "use-input-property-decorator": true,
  "use-output-property-decorator": true,
  "use-host-property-decorator": true,
  "no-input-rename": true,
  "no-output-rename": true,
  "use-life-cycle-interface": true,
  "use-pipe-transform-interface": true,
  "component-class-suffix": true,
  "directive-class-suffix": true
}
Protractor.config.js
// Protractor configuration file, see link for more information
//
https://github.com/angular/protractor/blob/master/lib/config.ts
const { SpecReporter } = require('jasmine-spec-reporter');
```

```
exports.config = {
 allScriptsTimeout: 11000,
 specs: [
  './src/**/*.e2e-spec.ts'
 ],
 capabilities: {
  'browserName': 'chrome'
 },
 directConnect: true,
 baseUrl: 'http://localhost:4200/',
 framework: 'jasmine',
 jasmineNodeOpts: {
  showColors: true,
  defaultTimeoutInterval: 30000,
  print: function() {}
 },
 onPrepare() {
  require('ts-node').register({
   project: require('path').join(__dirname,
'./tsconfig.e2e.json')
  });
```

```
jasmine.getEnv().addReporter(new SpecReporter({ spec: {
displayStacktrace: true } }));
 }
};
App.ts
import { AppPage } from './app.po';
import { browser, logging } from 'protractor';
describe('workspace-project App', () => {
 let page: AppPage;
 beforeEach(() => {
  page = new AppPage();
 });
 it('should display welcome message', () => {
  page.navigateTo();
  expect(page.getTitleText()).toEqual('Welcome to
myPortfolio!');
 });
 afterEach(async () => {
```

```
// Assert that there are no errors emitted from the browser
  const logs = await
browser.manage().logs().get(logging.Type.BROWSER);
  expect(logs).not.toContain(jasmine.objectContaining({
   level: logging.Level.SEVERE,
  } as logging.Entry));
 });
});
App.po.ts
import { browser, by, element } from 'protractor';
export class AppPage {
 navigateTo() {
  return browser.get(browser.baseUrl) as Promise<any>;
 }
 getTitleText() {
  return element(by.css('app-root h1')).getText() as
Promise<string>;
 }
```

```
About-us.components.ts
import { Component, OnInit } from '@angular/core';
@Component({
 selector: 'app-about-us',
 templateUrl: './about-us.component.html',
 styleUrls: ['./about-us.component.css']
})
export class AboutUsComponent implements OnInit {
 constructor() { }
 ngOnInit() {
 }
App.components.css
.fill {
  height: 75% !important;
width: 100%;
position: absolute;
top: 0;
left: 0;
```

```
overflow:hidden;
background-size: cover;
background-position: center center;
}
.ima{
  height: 25px;
  width: 25px;
App.components.html
<div class="container">
    <nav class="navbar navbar-expand-lg navbar-light">
        routerLinkActive="active">
             <img class="ima"</pre>
src="http://clipart-library.com/data_images/206118.jpg"
alt="image"><a class="btn"
routerLink="/">myPortFolio</a>
```

```
70%" routerLinkActive="active">
             cli class="nav-item"><a class="btn"</li>
routerLink="/signin" style="margin: 5px;">Sign In</a>
             cli class="nav-item"><a class="btn"</li>
routerLink="/signup" style="margin: 5px">Sign Up</a>
</nav>
    <div class="container">
    <router-outlet></router-outlet>
    </div>
   </div>
Main.ts
import { enableProdMode } from '@angular/core';
import { platformBrowserDynamic } from
'@angular/platform-browser-dynamic';
import { AppModule } from './app/app.module';
import { environment } from './environments/environment';
if (environment.production) {
```

```
enableProdMode();
}
```

platformBrowserDynamic().bootstrapModule(AppModule)
 .catch(err => console.error(err));

Output Screenshots









