

Name : **Himesh Pathai**


Class : **D15A**

Roll No. : **35**

EXPERIMENT 9


Aim :- To Understand Continuous monitoring and Installation and configuration of Nagios Core, Nagios Plugins and NRPE (Nagios Remote Plugin Executor) on Linux Machine.

1. Create an Amazon Linux EC2 Instance




2. Configure Security Group

- Ensure HTTP, HTTPS, SSH, and ICMP are open from everywhere.
- Edit the inbound rules of the specified Security Group



You have to edit the inbound rules of the specified Security Group for this.

3. SSH into Your EC2 instance or simply use EC2 Instance Connect from the browser.



4. Update the package indices and install the following packages using yum sudo yum update

```
(ec2-user@ip-172-31-40-254 ~)$ sudo yum update
Last metadata expiration check: 0:01:31 ago on Wed Oct 2 05:48:47 2024.
Dependencies resolved.
Nothing to do.
Complete!
(ec2-user@ip-172-31-40-254 ~)$
```

sudo yum install httpd php

```
(ec2-user@ip-172-31-40-254 ~)$ sudo yum install httpd php
Last metadata expiration check: 0:01:59 ago on Wed Oct 2 05:48:47 2024.
Dependencies resolved.
```

| Package | Architecture | Version | Repository | Size |
|--------------------------|--------------|-------------------------|-------------|-------|
| Installing: | | | | |
| httpd | x86_64 | 2.4.62-1.amzn2023 | amazonlinux | 48 K |
| php8.3 | x86_64 | 8.3.10-1.amzn2023.0.1 | amazonlinux | 10 M |
| Installing dependencies: | | | | |
| apr | x86_64 | 1.7.2-2.amzn2023.0.2 | amazonlinux | 129 K |
| apr-util | x86_64 | 1.6.3-1.amzn2023.0.1 | amazonlinux | 98 K |
| generic-logos-httpd | noarch | 18.0.0-12.amzn2023.0.3 | amazonlinux | 19 K |
| httpd-core | x86_64 | 2.4.62-1.amzn2023 | amazonlinux | 1.4 M |
| httpd-filesystem | noarch | 2.4.62-1.amzn2023 | amazonlinux | 14 K |
| httpd-tools | x86_64 | 2.4.62-1.amzn2023 | amazonlinux | 81 K |
| libbrotli | x86_64 | 1.0.9-4.amzn2023.0.2 | amazonlinux | 315 K |
| libsodium | x86_64 | 1.0.19-4.amzn2023 | amazonlinux | 176 K |
| libxslt | x86_64 | 1.1.34-5.amzn2023.0.2 | amazonlinux | 241 K |
| mailcap | noarch | 2.1.49-3.amzn2023.0.3 | amazonlinux | 33 K |
| nginx-filesystem | noarch | 1:1.24.0-1.amzn2023.0.4 | amazonlinux | 9.8 K |
| php8.3-cli | x86_64 | 8.3.10-1.amzn2023.0.1 | amazonlinux | 3.7 M |
| php8.3-common | x86_64 | 8.3.10-1.amzn2023.0.1 | amazonlinux | 737 K |
| php8.3-process | x86_64 | 8.3.10-1.amzn2023.0.1 | amazonlinux | 45 K |

sudo yum install gcc glibc glibc-common

```
[ec2-user@ip-172-31-40-254 ~]$ sudo yum install gcc glibc glibc-common
Last metadata expiration check: 0:02:41 ago on Wed Oct 2 05:48:47 2024.
Package glibc-2.34-52.amzn2023.0.11.x86_64 is already installed.
Package glibc-common-2.34-52.amzn2023.0.11.x86_64 is already installed.
Dependencies resolved.
```

| Package | Architecture | Version | Repository | Size |
|--------------------------|--------------|--------------------------|-------------|-------|
| Installing: | | | | |
| gcc | x86_64 | 11.4.1-2.amzn2023.0.2 | amazonlinux | 32 M |
| Installing dependencies: | | | | |
| annobin-docs | noarch | 10.93-1.amzn2023.0.1 | amazonlinux | 92 K |
| annobin-plugin-gcc | x86_64 | 10.93-1.amzn2023.0.1 | amazonlinux | 887 K |
| cpp | x86_64 | 11.4.1-2.amzn2023.0.2 | amazonlinux | 10 M |
| gc | x86_64 | 8.0.4-5.amzn2023.0.2 | amazonlinux | 105 K |
| glibc-devel | x86_64 | 2.34-52.amzn2023.0.11 | amazonlinux | 27 K |
| glibc-headers-x86 | noarch | 2.34-52.amzn2023.0.11 | amazonlinux | 427 K |
| guile22 | x86_64 | 2.2.7-2.amzn2023.0.3 | amazonlinux | 6.4 M |
| kernel-headers | x86_64 | 6.1.109-118.189.amzn2023 | amazonlinux | 1.4 M |
| libmpc | x86_64 | 1.2.1-2.amzn2023.0.2 | amazonlinux | 62 K |
| libtool-ltdl | x86_64 | 2.4.7-1.amzn2023.0.3 | amazonlinux | 38 K |
| libxcrypt-devel | x86_64 | 4.4.33-7.amzn2023 | amazonlinux | 32 K |
| make | x86_64 | 1:4.3-5.amzn2023.0.2 | amazonlinux | 534 K |

```
Transaction Summary

```

sudo yum install gd gd-devel

```
[ec2-user@ip-172-31-40-254 ~]$ sudo yum install gd gd-devel
Last metadata expiration check: 0:03:46 ago on Wed Oct 2 05:48:47 2024.
Dependencies resolved.
```

| Package | Architecture | Version | Repository | Size |
|---------------------------|--------------|-------------------------|-------------|-------|
| Installing: | | | | |
| gd | x86_64 | 2.3.3-5.amzn2023.0.3 | amazonlinux | 139 K |
| gd-devel | x86_64 | 2.3.3-5.amzn2023.0.3 | amazonlinux | 38 K |
| Installing dependencies: | | | | |
| brotlit | x86_64 | 1.0.9-4.amzn2023.0.2 | amazonlinux | 314 K |
| brotlit-devel | x86_64 | 1.0.9-4.amzn2023.0.2 | amazonlinux | 31 K |
| bzip2-devel | x86_64 | 1.0.8-6.amzn2023.0.2 | amazonlinux | 214 K |
| cairo | x86_64 | 1.17.6-2.amzn2023.0.1 | amazonlinux | 684 K |
| cmake-filesystem | x86_64 | 3.22.2-1.amzn2023.0.4 | amazonlinux | 16 K |
| fontconfig | x86_64 | 2.13.94-2.amzn2023.0.2 | amazonlinux | 273 K |
| fontconfig-devel | x86_64 | 2.13.94-2.amzn2023.0.2 | amazonlinux | 128 K |
| fonts-filesystem | noarch | 1:2.0.5-12.amzn2023.0.2 | amazonlinux | 9.5 K |
| freetype | x86_64 | 2.13.2-5.amzn2023.0.1 | amazonlinux | 423 K |
| freetype-devel | x86_64 | 2.13.2-5.amzn2023.0.1 | amazonlinux | 912 K |
| glib2-devel | x86_64 | 2.74.7-689.amzn2023.0.2 | amazonlinux | 486 K |
| google-noto-fonts-common | noarch | 20201206-2.amzn2023.0.2 | amazonlinux | 15 K |
| google-noto-sans-vf-fonts | noarch | 20201206-2.amzn2023.0.2 | amazonlinux | 492 K |
| graphite2 | x86_64 | 1.3.14-7.amzn2023.0.2 | amazonlinux | 97 K |
| graphite2-devel | x86_64 | 1.3.14-7.amzn2023.0.2 | amazonlinux | 21 K |
| harfbuzz | x86_64 | 7.0.0-2.amzn2023.0.1 | amazonlinux | 868 K |
| harfbuzz-devel | x86_64 | 7.0.0-2.amzn2023.0.1 | amazonlinux | 404 K |
| harfbuzz-icu | x86_64 | 7.0.0-2.amzn2023.0.1 | amazonlinux | 18 K |

5. Create a new Nagios User with its password. You'll have to enter the password twice for confirmation. sudo adduser -m nagios sudo passwd nagios

```
[ec2-user@ip-172-31-40-254 ~]$ sudo adduser -m nagios
[ec2-user@ip-172-31-40-254 ~]$ sudo passwd nagios
Changing password for user nagios.
New password:
BAD PASSWORD: The password is a palindrome
Retype new password:
Sorry, passwords do not match.
New password:
Retype new password:
passwd: all authentication tokens updated successfully.
[ec2-user@ip-172-31-40-254 ~]$
```

6. Create a new user group sudo groupadd nagcmd

```
[ec2-user@ip-172-31-40-254 ~]$ sudo groupadd nagcmd
[ec2-user@ip-172-31-40-254 ~]$
```

7. Use these commands so that you don't have to use sudo for Apache and Nagios

```
sudo usermod -a -G nagcmd nagios sudo
usermod -a -G nagcmd apache
```

```
[ec2-user@ip-172-31-40-254 ~]$ sudo groupadd nagcmd
[ec2-user@ip-172-31-40-254 ~]$ sudo usermod -a -G nagcmd nagios
sudo usermod -a -G nagcmd apache
[ec2-user@ip-172-31-40-254 ~]$
```

8. Create a new directory for Nagios downloads `mkdir ~/downloads` `cd ~/downloads`

```
[ec2-user@ip-172-31-40-254 ~]$ mkdir ~/downloads
cd ~/downloads
[ec2-user@ip-172-31-40-254 downloads]$
```

9. Use `wget` to download the source zip files.

Wget <https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz> `wget`

```
[ec2-user@ip-172-31-40-254 downloads]$ Wget https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz
wget https://nagios-plugins.org/download/nagios-plugins-2.3.3.tar.gz
--2024-10-02 06:15:45-- https://nagios-plugins.org/download/nagios-plugins-2.3.3.tar.gz
Resolving nagios-plugins.org (nagios-plugins.org)... 45.56.123.251
Connecting to nagios-plugins.org (nagios-plugins.org)|45.56.123.251|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2782610 (2.7M) [application/x-gzip]
Saving to: 'nagios-plugins-2.3.3.tar.gz'

nagios-plugins-2.3.3.tar.gz      0%[                               ] 0          --.-KB/s
nagios-plugins-2.3.3.tar.gz     23%[=====>] 632.00K  3.02MB/s
nagios-plugins-2.3.3.tar.gz     100%[=====>] 2.65M  8.10MB/s   in 0.3s

2024-10-02 06:15:46 (8.10 MB/s) - 'nagios-plugins-2.3.3.tar.gz' saved [2782610/2782610]
[ec2-user@ip-172-31-40-254 downloads]$
```

<https://nagios-plugins.org/download/nagios-plugins-2.3.3.tar.gz>

```
[ec2-user@ip-172-31-40-254 downloads]$ wget https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz
--2024-10-02 06:17:24-- https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz
Resolving assets.nagios.com (assets.nagios.com)... 45.79.49.120, 2600:3c00:f03c:92ff:fef7:45ce
Connecting to assets.nagios.com (assets.nagios.com)|45.79.49.120|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11333414 (11M) [application/x-gzip]
Saving to: 'nagios-4.4.6.tar.gz'

nagios-4.4.6.tar.gz      0%[                               ] 0          --.-KB/s
nagios-4.4.6.tar.gz      4%[==>] 495.62K  2.40MB/s
nagios-4.4.6.tar.gz     30%[=====>] 3.26M  7.99MB/s
nagios-4.4.6.tar.gz     63%[=====>] 6.91M  11.0MB/s
nagios-4.4.6.tar.gz     96%[=====>] 10.46M  12.6MB/s
nagios-4.4.6.tar.gz     100%[=====>] 10.81M  12.9MB/s   in 0.8s

2024-10-02 06:17:25 (12.9 MB/s) - 'nagios-4.4.6.tar.gz' saved [11333414/11333414]
[ec2-user@ip-172-31-40-254 downloads]$
```

10. Use `tar` to unzip and change to that directory.

`tar zxvf nagios-4.4.6.tar.gz` `cd`
`nagios-4.4.6`

```
[ec2-user@ip-172-31-40-254 downloads]$ tar zxvf nagios-4.4.6.tar.gz
nagios-4.4.6/
nagios-4.4.6/.gitignore
nagios-4.4.6/.travis.yml
nagios-4.4.6/CONTRIBUTING.md
nagios-4.4.6/Changelog
nagios-4.4.6/INSTALLING
nagios-4.4.6/LLEGAL
nagios-4.4.6/LICENSE
nagios-4.4.6/Makefile.in
nagios-4.4.6/README.md
nagios-4.4.6/THANKS
nagios-4.4.6/UPGRADING
nagios-4.4.6/aclocal.m4
nagios-4.4.6/autoconf-macros/
nagios-4.4.6/autoconf-macros/.gitignore
nagios-4.4.6/autoconf-macros/CHANGELOG.md
nagios-4.4.6/autoconf-macros/LICENSE
nagios-4.4.6/autoconf-macros/LICENSE.md
nagios-4.4.6/autoconf-macros/README.md
nagios-4.4.6/autoconf-macros/add_group_user
nagios-4.4.6/autoconf-macros/ax_nagios_get_distrib
nagios-4.4.6/autoconf-macros/ax_nagios_get_files
nagios-4.4.6/autoconf-macros/ax_nagios_get_inetd
nagios-4.4.6/autoconf-macros/ax_nagios_get_init
nagios-4.4.6/autoconf-macros/ax_nagios_get_os
nagios-4.4.6/autoconf-macros/ax_nagios_get_paths
nagios-4.4.6/autoconf-macros/ax_nagios_get_ssl
nagios-4.4.6/base/
nagios-4.4.6/base/.gitignore
nagios-4.4.6/base/Makefile.in
nagios-4.4.6/base/broker.c
```

11. Run the configuration script with the same group name you previously created.

`./configure --with-command-group=nagcmd`

```
ec2-user@ip-172-31-40-254 nagios-4.4.6]$ ./configure --with-command-group=nagcmd
checking for a BSD-compatible install... /usr/bin/install -c
checking build system type... x86_64-pc-linux-gnu
checking host system type... x86_64-pc-linux-gnu
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether make sets $(MAKE)... yes
checking whether ln -s works... yes
checking for strip... /usr/bin/strip
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking whether time.h and sys/time.h may both be included... yes
checking for sys/wait.h that is POSIX.1 compatible... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking forunistd.h... yes
checking arpa/inet.h usability... yes
checking arpa/inet.h presence... yes
checking for arpa/inet.h... yes
```

12. Compile the source code.

`make all`

```
ec2-user@ip-172-31-40-254 nagios-4.4.6]$ make all
cd ./base && make
make[1]: Entering directory '/home/ec2-user/downloads/nagios-4.4.6/base'
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o nagios.o nagios.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o broker.o broker.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o nebmodes.o nebmodes.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o ../common/shared.o ../common/shared.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o query-handler.o query-handler.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o workers.o workers.c
In function 'get_wproc_list':
workers.c:277:12:
   inlined from 'get_worker' at workers.c:277:12:
workers.c:253:17: warning: '%s' directive argument is null [-Wformat-overflow=]
   253 |         log_debug_info(DEBUGL_CHECKS, 1, "Found specialized worker(s) for '%s'", (slash && *slash != '/') ? slash : cmd_name);
       |         ^~~~~~
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o checks.o checks.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o config.o config.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o commands.o commands.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o events.o events.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o flapping.o flapping.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o logging.o logging.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o macros-base.o ../common/macros.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o netutils.o netutils.c
netutils.c: In function 'my_tcp_connect':
netutils.c:50:47: warning: '%d' directive output may be truncated writing between 1 and 11 bytes into a region of size 6 [-Wformat-truncation=]
   50 |         sprintf(port_str, sizeof(port_str), "%d", port);
       |         ~~~~~~
netutils.c:50:46: note: directive argument in the range [-2147483648, 65535]
   50 |         sprintf(port_str, sizeof(port_str), "%d", port);
       |         ~~~~~~
netutils.c:50:9: note: '%sprintf' output between 2 and 12 bytes into a destination of size 6
   50 |         sprintf(port_str, sizeof(port_str), "%d", port);
       |         ~~~~~~
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o notifications.o notifications.c
```

```
make install-classicui
- This installs the classic theme for the Nagios
  web interface

*** Support Notes ***

If you have questions about configuring or running Nagios,
please make sure that you:

- Look at the sample config files
- Read the documentation on the Nagios Library at:
  https://library.nagios.com

before you post a question to one of the mailing lists.
Also make sure to include pertinent information that could
help others help you. This might include:

- What version of Nagios you are using
- What version of the plugins you are using
- Relevant snippets from your config files
- Relevant error messages from the Nagios log file

For more information on obtaining support for Nagios, visit:

https://support.nagios.com

*****
Enjoy.
```

13. Install binaries, init script and sample config files. Lastly, set permissions on the external command directory.

./sudo make install sudo make
install-init sudo make install-
config sudo make install-
commandmode

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ ./sudo make install
sudo make install-init
sudo make install-config
sudo make install-commandmode
-bash: ./sudo: No such file or directory
/usr/bin/install -c -m 755 -d -o root -g root /lib/systemd/system
/usr/bin/install -c -m 755 -o root -g root startup/default-service /lib/systemd/system/nagios.service
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc/objects
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/nagios.cfg /usr/local/nagios/etc/nagios.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/cgi.cfg /usr/local/nagios/etc/cgi.cfg
/usr/bin/install -c -b -m 660 -o nagios -g nagios sample-config/resource.cfg /usr/local/nagios/etc/resource.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/templates.cfg /usr/local/nagios/etc/objects/templates.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/commands.cfg /usr/local/nagios/etc/objects/commands.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/contacts.cfg /usr/local/nagios/etc/objects/contacts.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/timeperiods.cfg /usr/local/nagios/etc/objects/timeperiods.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/localhost.cfg /usr/local/nagios/etc/objects/localhost.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/windows.cfg /usr/local/nagios/etc/objects/windows.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/printer.cfg /usr/local/nagios/etc/objects/printer.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/switch.cfg /usr/local/nagios/etc/objects/switch.cfg

*** Config files installed ***

Remember, these are *SAMPLE* config files. You'll need to read
the documentation for more information on how to actually define
services, hosts, etc. to fit your particular needs.

/usr/bin/install -c -m 775 -o nagios -g nagcmd -d /usr/local/nagios/var/rw
chmod g+s /usr/local/nagios/var/rw

*** External command directory configured ***
```

14. Edit the config file and change the email address.

sudo nano /usr/local/nagios/etc/objects/contacts.cfg

```
GNU nano 5.8 /usr/local/nagios/etc/objects/contacts.cfg
# Just one contact defined by default - the Nagios admin (that's you)
# This contact definition inherits a lot of default values from the
# 'generic-contact' template which is defined elsewhere.

define contact {
    contact_name    nagiosadmin        ; Short name of user
    use             generic-contact    ; Inherit default values from generic-contact template (defined above)
    alias           Nagios Admin       ; Full name of user
    email           bhagyeshpatil0702@gmail.com ; <<***** CHANGE THIS TO YOUR EMAIL ADDRESS *****>>

}

=====
# CONTACT GROUPS
#
=====

# We only have one contact in this simple configuration file, so there is
# no need to create more than one contact group.

define contactgroup {

}

=====
# Help      Write Out  Where Is  Cut      Execute  Location  Undo      Set Mark  To Bracket  Previous
# Exit      Read File  Replace  Paste    Justify  Go To Line Redo      Copy      Where Was  Next
```

15. Configure the web interface.

sudo make install-webconf

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo make install-webconf
/usr/bin/install -c -m 644 sample-config/httpd.conf /etc/httpd/conf.d/nagios.conf
if [ 0 -eq 1 ]; then \
    ln -s /etc/httpd/conf.d/nagios.conf /etc/apache2/sites-enabled/nagios.conf; \
fi

*** Nagios/Apache conf file installed ***

[ec2-user@ip-172-31-40-254 nagios-4.4.6]$
```

16. Create a nagiosadmin account for nagios login along with password. You'll have to specify the password twice. `sudo htpasswd -c /usr/local/nagios/etc/htpasswd.users nagiosadmin`

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo htpasswd -c /usr/local/nagios/etc/htpasswd.users nagiosadmin
New password:
Re-type new password:
Adding password for user nagiosadmin
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$
```

17. Restart Apache `sudo systemctl restart httpd`

```
Adding password for user nagiosadmin
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo systemctl restart httpd
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$
```

`cd ~/downloads tar zxvf nagios-`
`plugins-2.3.3.tar.gz cd nagios-`
`plugins-2.3.3`

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo systemctl restart httpd
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ cd ~/downloads
tar zxvf nagios-plugins-2.3.3.tar.gz
cd nagios-plugins-2.3.3
nagios-plugins-2.3.3/
nagios-plugins-2.3.3/perlmods/
nagios-plugins-2.3.3/perlmods/Config-Tiny-2.14.tar.gz
nagios-plugins-2.3.3/perlmods/parent-0.226.tar.gz
nagios-plugins-2.3.3/perlmods/Test-Simple-0.98.tar.gz
nagios-plugins-2.3.3/perlmods/Makefile.in
nagios-plugins-2.3.3/perlmods/version-0.9903.tar.gz
nagios-plugins-2.3.3/perlmods/Makefile.am
nagios-plugins-2.3.3/perlmods/Module-Runtime-0.013.tar.gz
nagios-plugins-2.3.3/perlmods/Module-Metadata-1.000014.tar.gz
nagios-plugins-2.3.3/perlmods/Params-Validate-1.08.tar.gz
nagios-plugins-2.3.3/perlmods/Class-Accessor-0.34.tar.gz
nagios-plugins-2.3.3/perlmods/Try-Tiny-0.18.tar.gz
nagios-plugins-2.3.3/perlmods/Module-Implementation-0.07.tar.gz
nagios-plugins-2.3.3/perlmods/Makefile
nagios-plugins-2.3.3/perlmods/Perl-OSType-1.003.tar.gz
nagios-plugins-2.3.3/perlmods/install_order
nagios-plugins-2.3.3/perlmods/Nagios-Plugin-0.36.tar.gz
nagios-plugins-2.3.3/perlmods/Math-Calc-Units-1.07.tar.gz
nagios-plugins-2.3.3/perlmods/Module-Build-0.4007.tar.gz
nagios-plugins-2.3.3/ABOUT-NLS
nagios-plugins-2.3.3/configure.ac
nagios-plugins-2.3.3/Makefile.in
nagios-plugins-2.3.3/config.h.in
nagios-plugins-2.3.3/ChangeLog
nagios-plugins-2.3.3/AUTHORS
nagios-plugins-2.3.3/lib/
nagios-plugins-2.3.3/lib/parsed.ini.h
nagios-plugins-2.3.3/lib/extra_opts.c
nagios-plugins-2.3.3/lib/Makefile.in
```

18. Go back to the downloads folder and unzip the plugins zip file. `./configure --with-nagios-user=nagios --with-nagios-group=nagios make sudo make install`

```
ec2-user@ip-172-31-80-22 nagios-plugins-2.3.3]$ ./configure --with-nagios-user=nagios --with-nagios-group=nagios
make
sudo make install
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking whether to disable maintainer-specific portions of Makefiles... yes
checking build system type... x86_64-unknown-linux-gnu
checking host system type... x86_64-unknown-linux-gnu
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking for style of include used by make... GNU
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for... /usr/bin/...

```

19. Compile and install plugins `sudo chkconfig --add nagios` `sudo`
`chkconfig nagios on`
`sudo /usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg` `sudo`
`systemctl start nagios`

```
ec2-user@ip-172-31-80-22 nagios-plugins-2.3.3]$ sudo chkconfig --add nagios
sudo chkconfig nagios on
sudo /usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg
sudo systemctl start nagios
error reading information on service nagios: No such file or directory
Note: Forwarding request to 'systemctl enable nagios.service'.
Created symlink /etc/systemd/system/multi-user.target.wants/nagios.service → /usr/lib/systemd/system/nagios.service.

Nagios Core 4.4.6
Copyright (c) 2009-present Nagios Core Development Team and Community Contributors
Copyright (c) 1999-2009 Ethan Galstad
Last Modified: 2020-04-28
License: GPL

Website: https://www.nagios.org
Reading configuration data...
  Read main config file okay...
  Read object config files okay...

Running pre-flight check on configuration data...

Checking objects...
  Checked 8 services.
  Checked 1 hosts.
  Checked 1 host groups

```

20. Check the status of Nagios

```
things look okay - No serious problems were detected during the pre-flight check
ec2-user@ip-172-31-45-178 nagios-plugins-2.3.3]$ sudo systemctl status nagios
nagios.service - Nagios Core 4.4.6
   Loaded: loaded (/usr/lib/systemd/system/nagios.service; enabled; preset: disabled)
   Active: active (running) since Wed 2024-10-02 05:37:36 UTC; 14s ago
     Docs: https://www.nagios.org/documentation
   Process: 67990 ExecStartPre=/usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg (code=exited, status=0/SUCCESS)
   Process: 67991 ExecStart=/usr/local/nagios/bin/nagios -d /usr/local/nagios/etc/nagios.cfg (code=exited, status=0/SUCCESS)
   Main PID: 67992 (nagios)
    Tasks: 6 (limit: 1112)
   Memory: 2.0M
      CPU: 16ms
   CGroup: /system.slice/nagios.service
           └─67992 /usr/local/nagios/bin/nagios -d /usr/local/nagios/etc/nagios.cfg
             └─67993 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
               └─67994 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
                 └─67995 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
                   └─67996 /usr/local/nagios/bin/nagios --worker /usr/local/nagios/var/rw/nagios.qh
                     └─67997 /usr/local/nagios/bin/nagios -d /usr/local/nagios/etc/nagios.cfg

oct 02 05:37:36 ip-172-31-45-178.ec2.internal nagios[67992]: qh: Socket '/usr/local/nagios/var/rw/nagios.qh' successfully initialized
oct 02 05:37:36 ip-172-31-45-178.ec2.internal nagios[67992]: qh: core query handler registered

```

23. Open up your browser and look for http://<your_public_ip_address>/nagios

Sign in

http://54.173.178.241

Your connection to this site is not private

Username

Password

Sign in

Cancel

← → ↻ ⚠ Not secure 54.173.178.241/nagios/ 🔍 ☆ 🏠 📄 ⓘ

Nagios®

General
Home
Documentation

Current Status
Tactical Overview
Map (Legacy)
Hosts
Services
Host Groups
Summary
Grid
Service Groups
Summary
Grid
Problems
Services (Unhandled)
Hosts (Unhandled)
Network Outages
Quick Search:

Reports
Availability
Trends (Legacy)
Alerts
History
Summary
Histogram (Legacy)
Notifications
Event Log

System
Comments
Downtime
Process Info
Performance Info
Scheduling Queue
Configuration

Nagios® Core™

✓ Daemon running with PID 67992

**Nagios® Core™
Version 4.4.6**
April 28, 2020
[Check for updates](#)

A new version of Nagios Core is available!
Visit nagios.org to download Nagios 4.5.5.

Get Started

- Start monitoring your infrastructure
- Change the look and feel of Nagios
- Extend Nagios with hundreds of addons
- Get support
- Get training
- Get certified

Quick Links

- Nagios Library (tutorials and docs)
- Nagios Labs (development blog)
- Nagios Exchange (plugins and addons)
- Nagios Support (tech support)
- Nagios.com (company)
- Nagios.org (project)

Latest News

Don't Miss...

Page Tour

Copyright © 2010-2020 Nagios Core Development Team and Community Contributors. Copyright © 1999-2009 Ethan Galstad. See the THANKS file for more information on contributors.