

Lab Guide

IBM RPA Scheduling

Jukka Juselius

jukka.juselius@fi.ibm.com

Hands-on Lab

Version 1.0 for BP workshops using IBM RPA on-prem





NOTICES

This information was developed for products and services offered in the USA.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
United States of America

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM websites are provided for convenience only and do not in any manner serve as an endorsement of those websites. The materials at those websites are not part of the materials for this IBM product and use of those websites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

TRADEMARKS

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the web at "Copyright and trademark information" at www.ibm.com/legal/copytrade.shtml.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

ITIL is a Registered Trade Mark of AXELOS Limited.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

© Copyright International Business Machines Corporation 2020.

This document may not be reproduced in whole or in part without the prior written permission of IBM.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.




Table of Contents

| | |
|-----------------------------------|----------|
| 1 Introduction | 4 |
| 1.1 Use Case | 4 |
| 1.2 Prerequisites | 4 |
| 2 Upload your script | 5 |
| 3 Create a schedule | 7 |



1 Introduction

In this lab you will learn the basics of scheduling bots with IBM RPA. We will cover the things you need to do in order to schedule a bot and how to create the actual schedule.



1.1 Use Case

No real business use case. Just a technical run-through of the steps to schedule a bot.

1.2 Prerequisites


None. You have everything you need in your lab environment. Let's get started!




2 Upload your script

In order to schedule your script, you first need to upload it to your RPA server / tenant.


1. In IBM RPA Studio, open script **SimpleGreeting.wal** from the lab folder *C:\Users\Administrator\Desktop\IBM RPA Lab Resources\Lab 5 – Scheduling*.

This is just a simple script that first asks you to type in your name and then displays a message box with a greeting with your name. If You want, you can test it by running it in the Studio. Just hit the Start  icon in the top toolbar.

2. When the script is open and selected in the Studio, click **Publish** in the Studio toolbar.



3. This will open the Publishing configuration window.



If you want, you can set a description. Notice that there are two options you can enable: **Allow scheduling** and **Set as production**. Obviously, when we want to schedule our bot, we



need to enable the first one. The second one is not necessary for scheduling, but when you're uploading a first version for your bot, it's recommended to set it as a production version. **So, you should enable both of the options.**

Click **Show Advanced Options**. These additional values can be set, but are optional. Green time represents the optimal execution time for the bot. Yellow time the expected average execution time and the Red time the maximum expected execution time.


For scheduling the **Red time** is important because it is used to identify “hanging” bots and to clean them up automatically. *If the scheduled bot exceeds its Red time, it will be automatically stopped.*


For our test script here, we can leave the advanced options as they are. Click **Publish** to publish the script to your server.




3 Create a schedule

Schedules are created and managed using the IBM RPA web console.


1. Open Firefox browser ( icon in the Windows task bar) and navigate to your RPA server's web console using the bookmarks menu **RPA → IBM Robotic Process Automation**.



2. Login using the username **admin@ibm.com** and password **passw0rd**. This will open the web console and you should see your uploaded script in the Scripts view.



3. Select **Actions** for your script and then click **Schedule**.



4. The schedule configuration window opens.



Create Schedule

| | |
|------------------|---|
| Script | SimpleGreeting |
| Version | Version 1 - "First version to tes" ▼ |
| Name * | <input type="text"/> |
| Description | <input type="text"/> |
| Computers * | <input type="text"/> |
| Credential | <input type="text"/> |
| Weekdays * | <input type="checkbox"/> Sun <input type="checkbox"/> Mon <input type="checkbox"/> Tue <input type="checkbox"/> Wed <input type="checkbox"/> Thu <input type="checkbox"/> Fri <input type="checkbox"/> Sat |
| Execution Type * | Execute once a day ▼ |
| Start time * | HH : MM |
| Stop time | HH : MM |
| Interval | HH : MM |
| Unlock machine | <input type="checkbox"/> No |

Cancel

Save

All the mandatory fields are marked with a * sign. These are: **Name**, **Computers**, **Weekdays**, **Execution Type** and **Start time**. If you change the Execution Type to “Execute more than once a day” then you need to set also the Stop time and the Interval.

| | |
|------------------|--------------------------------|
| Execution Type * | Execute more than once a day ▼ |
| Start time * | HH : MM |
| Stop time * | HH : MM |
| Interval * | HH : MM |

5. Select Execution Type “**Execute once a day**” and fill in the mandatory fields. For Weekdays select **the current weekday** and for Start time (24h clock), time that is **at least 2 minutes in the future**. We only have one computer / agent connected to our server (the computer that we’re using here) and for computer you can only select **IBMBAW**.



Create Schedule


| | |
|------------------|--|
| Script | SimpleGreeting |
| Version | Version 1 - "First version to tes" ▼ |
| Name * | Test Schedule Jukka |
| Description | |
| Computers * | IBMBAW ✕ |
| Credential | ▼ |
| Weekdays * | <input type="checkbox"/> Sun <input type="checkbox"/> Mon <input type="checkbox"/> Tue <input type="checkbox"/> Wed <input checked="" type="checkbox"/> Thu <input type="checkbox"/> Fri <input type="checkbox"/> Sat |
| Execution Type * | Execute once a day ▼ |
| Start time * | 13 : 07 |
| Stop time | HH : MM |
| Interval | HH : MM |
| Unlock machine | <input type="checkbox"/> <input checked="" type="checkbox"/> No |

Cancel

Save


Since we know that our computer is unlocked, we do not need to care about the **Credential** nor the **Unlock machine** options. These can be used to unlock the computer when the scheduled bot need to run.

- When done with the configuration, click **Save**. This will save the schedule configuration that will also be instantly sent to the computer. If the named computer is offline, it will get the schedules from the server when it's started again.
- Move to Schedules view to verify that your schedule is visible within the active schedules.



Note that here you can edit or disable the schedule using the Actions menu at the end of the schedule row. Do not change anything for now.

8. Close or minimize the Browser and Studio windows and wait for our scheduled bot to run. At your defined time you should see the bot running when the input text box appears to your desktop.



Nicely done! This concludes the lab.