








kkt_on_scale_negative: trajectory




kkt_on_scale_negative: residual wrench








kkt_on_scale_negative: measured sensor comparison

gyro



specific force



kkt_on_scale_negative: nominal -> estimated parameters

Case: kkt_on_scale_negative

status: completed (all stages completed)

mass [kg] nominal 2.35159759 estimated 4.09987296 delta 1.74827537

inertia [kg m^2] (nominal -> estimated; delta)

[6.5000061e-02 -7.2789925e-07 1.9015080e-05] -> [0.5373715 0.0603346 0.1680489] d=[0.4723715 0.0603353 0.1680299]
[-7.2789925e-07 6.4952656e-02 5.9167305e-08] -> [0.0603346 0.5200564 -0.2376401] d=[0.0603353 0.4551037 -0.2376402]
[1.9015080e-05 5.9167305e-08 1.2899211e-01] -> [0.1680489 -0.2376401 0.3911509] d=[0.1680299 -0.2376402 0.2621588]

CoG [m] [-2.0247086e-03 -3.0526579e-05 9.5097496e-03] -> [-0.0102782 0.1034156 -0.0547338] d=[-0.0082535 0.1034462]

rotor force effectiveness

[1. 1. 1. 1.] -> [0.966956 0.8914118 2.0083675 2.0759324] d=[-0.033044 -0.1085882 1.0083675 1.0759324]

rotor lag [s] 0.199999999

gimbal lag [s] 0.0487666303