

Team:

Chris Hitte
Gene Zhang
Brandon Boylan-Peck

Title: Settlers of Catan

Project Summary

For our semester project we will be implementing the popular board game, Settlers of Catan. At the end of the semester, we would like to have a Pass-and-Play version of Settlers of Catan which supports all components of the game (trading, placing settlements, earning resources, etc.) and enforces all rules. We will be focusing on the mechanics of the game over the look and feel. As such not all mechanics may be represented in the UI at the end of the project, but they will all be implemented properly.

Project Requirements

Business Requirements:

N/A

User Requirements				
ID	Description	Actor	Topic	Priority
US-01	As a Player, I want to start a new game with the option of 3 players and 4 players.	Player	Game Management	High
US-02	As a Player, I want to load a previously saved game and resume playing.	Player	Game Management	Low
US-03	As a Player, I want to set up my initial pieces at the start of the game.	Player	Setup	High
US-04	As the Current Player, I want to be able to start my turn.	Current Player	Rolling	High
US-05	As the Current Player, if I roll a 7 I want to be able to place the Robber and steal a card from a target Player.	Current Player, Other Player	Rolling	Low
US-06	As a Player, if a 7 is rolled and I have 7 or more cards in my hand, I need to be able to discard the proper number of cards.	Player	Rolling	Low
US-07	As the Current Player I want to be able to trade Resource Cards with other Players	Current Player, Other Players	Trading	Med

US-08	As the Current Player I want to be able to trade Resources with the Bank.	Current Player	Bank	Med
US-09	As the Current Player I want to be able to purchase structures.	Current Player	Purchasing	High
US-10	As the Current Player I want to be able to purchase Development Cards	Current Player	Purchasing	Med
US-11	As the Current Player I need to be able to place structures I have purchased.	Current Player	Building	High
US-12	As the Current Player I need to be able to play Development Cards I have purchased.	Current Player	Development Cards	Med


Functional Requirements				
ID	Description	Actor	Topic	Priority
FR-01	The System will allow all Players to set up their pieces in order.	System, Players	Setup	High
FR-02	The System will begin each turn by rolling the dice.	System	Rolling	High
FR-03	The System will distribute the correct Resources to the correct Players based on the value of the roll.	System, Players	Resources	High
FR-04	When a Player is selected to be robbed, the System will randomly move one Resource from the target Player's inventory to the Current Player's inventory.	System, Current Player, Other Player	Robber	Low
FR-05	The System validates that the Current Player has the necessary Resources before any purchase is completed.	System, Current Player	Purchasing	High
FR-06	The System validates that a selected location is legal before the Current User builds a structure on it.	System, Current Player	Building	High
FR-07	The System does not allow the Current Player to play a Development Card in the same turn that it was purchased.	System, Current Player	Development Cards	Med
FR-08	The System will save all game state to the database when a game is exited.	System	Game Management	Low
FR-09	The System will reconstruct all game state when a Player loads a previously saved game.	System, Player	Game Management	Low



Non-Functional Requirements

ID	Description	Actor	Topic	Priority
NFR-01	The System should run smoothly enough and quickly enough to support fun game play.	System	Performance	High
NFR-02	All game data such as Resources and Victory Points should be calculated and stored accurately.	System	Reliability	High


Use Cases

- Actors:
 - Player (general case)
 - Current Player
 - Other Player 1
 - Other Player 2
 - Other Player 3
 - System
- Use Case Overview







Purchasing Sub-System



Place Structure Sub-System





- Use Case Documents

Use Case ID:	UC-01		
Use Case Name:	Start New Game		
Description:	Player begins new game		
Actors:	Player		
Pre-conditions:			
Post-conditions:	A new game has been created and started.		
Frequency:	Once per game period		
Flow of Events:		Actor Action	System Response
	1	Player selects a 3 or 4 player game	System creates a new game for 3 or 4 players
Variations:			
Exceptions:			
Developer Notes:			

Use Case ID:	UC-02		
Use Case Name:	Setup Initial Pieces		

Description:	At the beginning of the game each Player takes turns placing a Road and a Settlement until each player has two Roads and two Settlements on the Board		
Actors:	Current Player, Other Players		
Pre-conditions:	Game has begun and is in the Setup Phase		
Post-conditions:	Each Player has two Settlements and two Roads on the Board		
Frequency:	Once at the beginning of the game		
Flow of Events:		Actor Action	System Response
	1	Player 1 selects a location for a Settlement and a Road and confirms placement	System verifies the selected location and updates the Board state
	2	Player 2 selects a location for a Settlement and a Road and confirms placement	System verifies the selected location and updates the Board state
	3	Player 3 selects a location for a Settlement and a Road and confirms placement	System verifies the selected location and updates the Board state
	4	Player 4 selects a location for two Settlements and two Roads and confirms placement	System verifies the selected locations and updates the Board state
	5	Player 3 selects a location for a Settlement and a Road and confirms placement	System verifies the selected location and updates the Board state
	6	Player 2 selects a location for a Settlement and a Road and confirms placement	System verifies the selected location and updates the Board state
	7	Player 1 selects a location for a Settlement and a Road and confirms placement	System verifies the selected location and updates the Board state
Variations:			
Exceptions:	1-7. Invalid location selected for Settlement or Road		
Developer Notes:	If there are only 3 Players playing then the Flow will proceed as normal until it is Player 3's turn. Player 3 will put down both of his/her Settlements and Roads. After Player 3 is finished, then Player 2 goes, followed by Player 1.		

Use Case ID:	UC-03
Use Case Name:	Load Saved Game
Description:	Player loads a saved game

Actors:	Player		
Pre-conditions:	There exists a previously saved game on the system		
Post-conditions:	The game is resumed.		
Frequency:	Once per game period		
Flow of Events:		Actor Action	System Response
	1	Player selects a Saved Game from the list of games on the Main Menu	System loads the Saved Game data from the database and reinitializes the game
Variations:			
Exceptions:			
Developer Notes:			

Use Case ID:	UC-04		
Use Case Name:	Start Turn		
Description:	Current Player officially begins turn		
Actors:	Current Player, Players		
Pre-conditions:	Previous Player has ended his/her turn		
Post-conditions:	Dice are rolled and resources are distributed, or robber is placed		
Frequency:	Once per turn		
Flow of Events:		Actor Action	System Response
	1	User clicks "Start Turn" button	System rolls a 7
	2	Players select Resource Cards to discard and confirms their selection	System validates that the appropriate number of Resource Cards have been discarded
	3	Current Player picks a hex to move the Robber to	System validates the choice (must be a different tile than where the Robber began)
	4	Current Player selects a player who owns a settlement on the selected hex to give up a card	System validates Player selection; randomly picks a Resource Card from that Player's cards and gives it to the Current Player
Variations:	The system does not roll a 7 and distributes resources normally.		
Exceptions:			

Developer Notes:	
-------------------------	--

Use Case ID:	UC-05		
Use Case Name:	Trade Resources w/ Players		
Description:	Current Player can open a Trade Menu to trade with other players		
Actors:	Current Player, Other Players		
Pre-conditions:	Current Player has started his/her turn		
Post-conditions:	Trade Menu opens		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Trade' button	System opens the Trading Menu
Variations:			
Exceptions:			
Developer Notes:			

Use Case ID:	UC-06		
Use Case Name:	Trade Resources w/ Bank		
Description:	Current Player can open a menu to trade Resources with the Bank		
Actors:	Current Player		
Pre-conditions:	Current Player has started his/her turn		
Post-conditions:	Exchange Menu opens		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Exchange' button	System opens the Trade with Bank Menu
Variations:			
Exceptions:			
Developer Notes:			

Use Case ID:	UC-07		
Use Case Name:	Make Offer		
Description:	Current Player or any Player can designate Resource Cards they are willing to Exchange or Trade		
Actors:	Players		
Pre-conditions:	Player has opened the Exchange or the Trade menu		
Post-conditions:	Some combination of Resources is selected		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Player designates a combination and quantity of Resources to exchange or trade	
Variations:			
Exceptions:			
Developer Notes:			

Use Case ID:	UC-08		
Use Case Name:	Finish Trade		
Description:	Current Player completes the Trade		
Actors:	Current Player		
Pre-conditions:	Current Player has opened either the Exchange or the Trade menu and all necessary Players have made their offer		
Post-conditions:	Resource Cards are Exchanged/Traded and all relevant Players' inventories are updated		
Frequency:			
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Confirm' button	System validates that the Trade is legal. System updates each relevant Player's inventory. Menu closes.
Variations:	1. Current Player cancels trade		
Exceptions:	1. Trade is illegal		
Developer Notes:			

Use Case ID:	UC-09
---------------------	-------

Use Case Name:	Purchase Settlement		
Description:	Current Player can purchase a Settlement		
Actors:	Current Player		
Pre-conditions:	Current Player has started his/her turn		
Post-conditions:	Current Player exchanges Resource Cards for a Settlement		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Purchase Settlement' Button	System validates the purchase and removes the required Resources from the Current Player's Inventory. System adds the Settlement to the Current Player's inventory. System switches to the Build Settlement state.
Variations:			
Exceptions:	3. Current Player does not have required Resources		
Developer Notes:			

Use Case ID:	UC-10		
Use Case Name:	Purchase Road		
Description:	Current Player can purchase a Road		
Actors:	Current Player		
Pre-conditions:	Current Player has started his/her turn		
Post-conditions:	Current Player exchanges Resources for a Road		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Purchase Road' Button	System validates the purchase and removes the required Resources from the Current Player's Inventory. System adds the Road to the Current Player's inventory. System switches to the Build Road state.
Variations:			

Exceptions:	3. Current Player does not have required Resources
Developer Notes:	

Use Case ID:	UC-11		
Use Case Name:	Purchase City		
Description:	Current Player can purchase a City		
Actors:	Current Player		
Pre-conditions:	Current Player has started his/her turn		
Post-conditions:	Current Player exchanges Resources for a City		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Purchase City' Button	System validates the purchase and removes the required Resources from the Current Player's Inventory. System adds the City to the Current Player's inventory. System switches to the Build City state.
Variations:			
Exceptions:	3. Current Player does not have required Resources		
Developer Notes:			

Use Case ID:	UC-12		
Use Case Name:	Purchase Development Card		
Description:	Current Player can purchase a Development Card		
Actors:	Current Player		
Pre-conditions:	Current Player has started his/her turn		
Post-conditions:	Current Player exchanges Resources for a Development Card		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player clicks the 'Purchase Development Card' Button	System validates the purchase and removes the required Resources from the Current

			Player's Inventory. System adds the Development Card to the Current Player's inventory.
Variations:			
Exceptions:	3. Current Player does not have required Resources		
Developer Notes:			

Use Case ID:	UC-13		
Use Case Name:	Place Road		
Description:	Place a purchased Road on the Board		
Actors:	Current Player		
Pre-conditions:	Current Player has purchased a Road		
Post-conditions:	The Road has been placed on the Board		
Frequency:	0..* times per turn		
Flow of Events:	1	Actor Action	System Response
		Current Player selects a location on the board and confirms placement	System validates that the location is an Edge connected to another Edge that also has a Road belonging to the Current Player. System adds the Road at this location. System returns to the Default state.
Variations:			
Exceptions:	1. Invalid location selected		
Developer Notes:			

Use Case ID:	UC-14		
Use Case Name:	Place City		
Description:	Place a purchased City on the Board		
Actors:	Current Player		
Pre-conditions:	Current Player has purchased a City		
Post-conditions:	The City has been placed on the Board		
Frequency:	0..* times per turn		

Flow of Events:		Actor Action	System Response
	1	Current Player selects a location on the board and confirms placement	System validates that the location is a Corner that already contains a Settlement belonging to the Current Player. System adds the City at this location. System returns to the Default state.
Variations:			
Exceptions:	1. Invalid location selected		
Developer Notes:			

Use Case ID:	UC-15		
Use Case Name:	Place Settlement		
Description:	Place a purchased Settlement on the Board		
Actors:	Current Player		
Pre-conditions:	Current Player has purchased a Settlement		
Post-conditions:	The Settlement has been placed on the Board		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player selects a location on the board and confirms placement	System validates that the location is a Corner that does not belong to any player and that is not within 1 Edge of another Settlement. System adds the Settlement at this location. System returns to the Default state.
Variations:			
Exceptions:	1. Invalid location selected		
Developer Notes:			

Use Case ID:	UC-16		
Use Case Name:	Play 'Knight' Card		
Description:	Play a Knight card from the Current Player's inventory		
Actors:	Current Player, Other Player		

Pre-conditions:	Current Player has a Knight card in his/her inventory		
Post-conditions:	The Knight card is removed from the Current Player's inventory, the Robber is moved, and a card is stolen from a selected Player if possible		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player presses the 'Play Knight Card' Button	System validates that the Current Player has a Knight card in his/her inventory that was not purchased this turn. System enters the Play Knight state.
	2	Current Player selects a new Hex for the Robber	System validates that the new Hex is not the same as the previous Hex for the Robber. System returns a list of Other Players that share the new Hex.
	3	Current Player selects a Player to steal from	System places a random Resource in the Current Player's inventory from the selected Player's inventory. System enters the Default state.
Variations:			
Exceptions:	1. No Knight card available; Invalid location selected		
Developer Notes:			

Use Case ID:	UC-17		
Use Case Name:	Play 'Road Builder' Card		
Description:	Play a Road Builder card from the Current Player's inventory		
Actors:	Current Player		
Pre-conditions:	Current Player has a Road Builder card in his/her inventory		
Post-conditions:	The Road Builder card is removed from the Current Player's inventory, the Current Player places 2 roads at valid locations on the Board		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player presses the 'Play Road Builder Card' Button	System validates that the Current Player has a Road Builder card in his/her inventory that was not purchased this turn. System


		enters the Play Road Builder state.
2	Current Player selects a location for his/her first Road	System validates that the location is an Edge connected to another Edge that also has a Road belonging to the Current Player. System adds the Road at this location.
3	Current Player selects a location for his/her second Road	System validates that the location is an Edge connected to another Edge that also has a Road belonging to the Current Player. System adds the Road at this location. System returns to the Default state.
Variations:		
Exceptions:	1. No Road Builder card available; Invalid location selected	
Developer Notes:		


Use Case ID:	UC-18										
Use Case Name:	Play 'Monopoly' Card										
Description:	Play a Monopoly card from the Current Player's inventory										
Actors:	Current Player										
Pre-conditions:	Current Player has a Monopoly card in his/her inventory										
Post-conditions:	The Monopoly card is removed from the Current Player's inventory, all Resources of the selected type are removed from the Other Player's inventories and added to the Current Player's inventory										
Frequency:	0..* times per turn										
Flow of Events:	<table border="1"> <thead> <tr> <th></th> <th>Actor Action</th> <th>System Response</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Current Player presses the 'Play Monopoly Card' Button</td> <td>System validates that the Current Player has a Monopoly card in his/her inventory that was not purchased this turn. System enters the Play Monopoly state.</td> </tr> <tr> <td>2</td> <td>Current Player selects a Resource type</td> <td>All Resources of the selected type are removed from the Other Player's inventories and added to the Current Player's inventory by the System.</td> </tr> </tbody> </table>			Actor Action	System Response	1	Current Player presses the 'Play Monopoly Card' Button	System validates that the Current Player has a Monopoly card in his/her inventory that was not purchased this turn. System enters the Play Monopoly state.	2	Current Player selects a Resource type	All Resources of the selected type are removed from the Other Player's inventories and added to the Current Player's inventory by the System.
	Actor Action	System Response									
1	Current Player presses the 'Play Monopoly Card' Button	System validates that the Current Player has a Monopoly card in his/her inventory that was not purchased this turn. System enters the Play Monopoly state.									
2	Current Player selects a Resource type	All Resources of the selected type are removed from the Other Player's inventories and added to the Current Player's inventory by the System.									

Variations:	
Exceptions:	1. No Monopoly card available
Developer Notes:	

Use Case ID:	UC-19		
Use Case Name:	Play 'Year of Plenty' Card		
Description:	Play a Year of Plenty card from the Current Player's inventory		
Actors:	Current Player		
Pre-conditions:	Current Player has a Year of Plenty card in his/her inventory		
Post-conditions:	The Year of Plenty card is removed from the Current Player's inventory, the Current Player selects two Resources from the Bank		
Frequency:	0..* times per turn		
Flow of Events:		Actor Action	System Response
	1	Current Player presses the 'Play Year of Plenty Card' Button	System validates that the Current Player has a Year of Plenty card in his/her inventory that was not purchased this turn. System enters the Play Year of Plenty state.
	2	Current Player selects two Resources	System adds the two Resources to the Current Player's inventory from the bank. System enters the Default state
Variations:			
Exceptions:	1. No Year of Plenty card available		
Developer Notes:			


Activity Diagram






Activity: Distributing Resources

By Yijun Zhang



UI Mockups

- Main Menu UI



- Game UI



- Trade Player UI

0 1 1 0 0 2 0 0 0 0

+ + + + + + + + + +

L B S O W L B S O W

- - - - - - - - - -

Player Selection:


1 2 3

Cancel Confirm

- Trade Bank UI


	0	4	0	0	0		1	0	0	0	0
L	B	S	O	W	L	B	S	O	W		
Player						Bank					
Cancel						Confirm					

- Steal From UI




User Interaction


- Author: Chris Hitte
- Description: Setup Initial Pieces
- Project Requirement ID: US-3
- Use Case ID: UC-02




UC-04, US-05,US-06 by Yijun Zhang





UC-04, FR-03 by Yijun Zhang



Class Diagram







Data Usage

Our system will utilize a MySql Database to store all relevant game data. This will facilitate the saving and resuming of games.