COMP1021 Introduction to Computer Science

Lists, Tuples and Strings

David Rossiter and Gibson Lam

Storing a Collection of Data

- You have seen the use of variables to store simple data such as a number or a string (=a piece of text)
- Instead of a single piece of data it will be useful if you can store a collection of data in a variable inside a program
- For example, in a shooting game, if you can store a collection of monsters in one place, you will be able to manage them a lot easier than having them stored separately

Outcomes

- After completing this presentation, you are expected to be able to:
 - 1. Create a collection of things using a list or a tuple in Python
 - 2. Manage a collection of things in a list
 - 3. Explain the big difference between lists and tuples
 - 4. Create a two dimensional structure using lists and tuples
 - 5. Explain the Python representation of strings

COMP1021

Lists, Tuples and Strings

Page 2

Lists

• Lists are a way to store a collection of items



- They can be used to store many items together
- The items can be of any type
- For example, you can store a collection of numbers and text together in a list:



COMP1021 Lists, Tuples and Strings Page 4

Using a List

• To create a list in Python you use a pair of square brackets to enclose the items you need, for example:

```
girlfriends = ["Gwen", "Lois", "Mary"]
```

- To check a particular item in the list, you need to say which item you want by using an *index*
- For example, to print the first item from the above list, you can use this code:

 Important! The first item

The Length of a List

- You can use len (name of a list) to tell you how many things are in the list
- For example:

```
>>> girlfriends = ["Gwen", "Lois", "Mary"]
>>> print(len(girlfriends))
3
```

COMP1021 Lists, Tuples and Strings Page 6

Going Through Everything in a List

- There's 2 ways to go through everything in a list
- The first way is shown here:

Going Through Everything in a List

• The second way is by using *range* to generate the the index numbers, then using the index numbers:

• The first way is simpler than the second way, but sometimes you need to use the second way

COMP1021 Lists, Tuples and Strings

Page 7

Changing an Item in a List

• You can change any item in a list, for example:

```
>>> girlfriends = ["Gwen", "Lois", "Mary"]
>>> girlfriends[2] = "Pepper"
>>> print(girlfriends)
['Gwen', 'Lois', 'Pepper']
>>> girlfriends[0] = "Emma"
>>> print(girlfriends)
['Emma', 'Lois', 'Pepper']

You can use either " ... " or ' ... '
to enclose a piece of text - see later

COMP1021 Lists, Tuples and Strings Page 9
```

Insert, Remove and Append a List

• You can insert/remove/append
items at any time, for example:
'append' means
'put it at the end'

```
>>> comment = ["Dave", "is", "human"]
                                             Insert before
>>> print(comment)
                                             item 2 (the
['Dave', 'is', 'human']
                                             third item)
>>> comment.insert(2, "not")
>>> print(comment)
                                             If there was
['Dave', 'is', 'not', 'human']
                                             more than
>>> comment.remove("human")
>>> print(comment)
                                             one 'human'
['Dave', 'is', 'not']
                                             in the list.
>>> comment.append("evil!")
                                             this would
>>> print(comment)
                                             only remove
['Dave', 'is', 'not', 'evil!']
                                             the first one
```

Other Things You Can Do with Lists

• sort – sorts the list in increasing number/letter order

```
>>> words = ["cat", "dog", "apple", "bat"]
>>> words.sort()
>>> print(words)
['apple', 'bat', 'cat', 'dog']
```

• reverse – reverses the content of the list

```
>>> words = ["cat", "dog", "apple", "bat"]
>>> words.reverse()
>>> print(words)
['bat', 'apple', 'dog', 'cat']
```

• count – counts how many times something appears

```
>>> ages = [20,21,19,20,19,22,20,20,20,18]
>>> ages.count(20)
```

Other Things You Can Do with Lists

• index – finds the first occurrence of something

```
>>> ages = [20,21,19,20,19,22,20,20,20,18]
>>> ages.index(19)
```

• extend – appends another list to this list

```
>>> happywords = ["I", "love", "you"]
>>> print(happywords)
['I', 'love', 'you']
>>> happywords.extend(["if","you","lend","me","money"])
>>> print(happywords)
['I', 'love', 'you', 'if', 'you', 'lend', 'me', 'money']
```


• There are other things you can do with lists, we may look at those later in the course if we have time

Two Dimensional Structures

• In some cases a one dimensional (1D) structure (things that are arranged in one direction) is not enough

Vertical

- For example, a digital camera image is a 2D structure
 - You need both the X direction (Y) location and Y location of a point to read its colour in an image



Horizontal direction (X)


COMP1021

Lists, Tuples and Strings

Page 13

Two Dimensional Structures

- A Python list is a 1D data structure
- What if you want to use a 2D structure?
 - Then you need to use lots of lists inside another list
- We call this a 'list of lists'
 - The outer list is one of the dimensions, and the inner lists are the other dimension



COMP1021

Lists, Tuples and Strings

Page 14

Examples of a 1D List and a 2D List

• 1D example:

```
things = ["j", "o", "k", "e", "s"] \frac{j \mid o \mid k \mid e \mid s}{letter o = things[1]} # the "o" in second col
```

• 2D example:

```
things =

[["h", "a", "r", "r", "y"],

["l", "i", "k", "e", "s"],

["j", "o", "k", "e", "s"]]

letter_o = things[2][1]

# the "o" in the third row second column
```

Be careful! The general idea is [row] [col], not [col] [row]!

What About Tuples?

- Basically, a tuple is the same idea as a list, **but** you can't change anything in a tuple after it is created
- To create a tuple you use a pair of parentheses (not square brackets) for the items, like this:

```
myfriend = ("John", 18, "CSE", 180, 70)
```

• To get a particular item from a tuple it's the same as a list, for example:

```
print( "Name of my friend:", myfriend[0] )
```

```
>>> myfriend = ("John", 18, "CSE", 180, 70)
>>> print("Name of my friend:", myfriend[0])
Name of my friend: John
>>>
```

You still use [] when getting an item from a tuple

Trying to Change an Item in a Tuple

• If you try and change something inside a tuple, the program crashes:

```
>>> myfriend = ("John", 18, "CSE", 180, 70)
>>> myfriend[2] = "ECE"
Traceback (most recent call last):
   File "<pyshell#16>", line 1, in <module>
        myfriend[2] = "ECE"
TypeError: 'tuple' object does not support item assignment
>>> print(myfriend)
('John', 18, 'CSE', 180, 70)
>>>
```

• Using the language of computing, we say lists are *mutable* (can be changed) and tuples are *immutable* (cannot be changed)

When to Use Tuples

- You may use only lists in your programming because they are 'more powerful' than tuples
- However, there are situations where it's better to use tuples e.g.:
 - You want to ensure some data can't be changed
 - There are some not common situations where a list doesn't work but a tuple does, e.g. sometimes in a dictionary (this may be discussed later in another presentation)

What Works With Tuples?

- len(), count() and index() work because they don't try to change the tuple content
- Creating a 2D structure in a tuple is fine e.g.

• insert(), remove(), append(), sort(), reverse(), extend() all don't work because they try to change the tuple content

COMP1021

Lists, Tuples and Strings

Page 18

A String is a Tuple of Letters

- In the world of computing, a *string* is the name for text
- Python thinks of a string as a tuple of letters

```
• For example: >>> mytext="Hello" >>> print(mytext[1]) e
```

• Just like a tuple, you can't directly change the content of a string:

```
>>> mytext[1]="a"
Traceback (most recent call last):
   File "<pyshell#18>", line 1, in <module>
        mytext[1]="a"
TypeError: 'str' object does not support item assignment
```

COMP1021 Lists, Tuples and Strings

Page 19

Using Quotes " or '

- As we have mentioned before, you can use either
 "(double quotes) or '(single quotes)
 to enclose the content of a string
- For example:

```
'Hello!' is the same as "Hello!"
```

• However, you cannot mix them up like this:

```
>>> greeting = "Hello!'
SyntaxError: EOL while scanning string literal
```

• The error means Python does not understand the string, because it starts with a " and ends with a ' which confuses Python

What Works With Strings?

• Just like a tuple, with a string you can use

```
len(), count()
and index()

>>> mytext="Hello"
>>> len(mytext)
5
>>> mytext.count("l")
2
>>> mytext.index("o")
4
```

• Just like a tuple, with a string insert(), remove(), append(), sort(), reverse(), extend() all don't work because they try to change the string content