

Cucumber Report

01-Apr-2024, 3:17:53 pm

Start : Apr 01, 3:17:49.653 pm

End : Apr 01, 3:17:53.021 pm

Duration : 3.368 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 13




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	3.368 s	3	0	3	0	13	0	0	13

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@tag3	1	0	1	0	1	0	1	0
@tag1	3	0	3	0	1	0	1	0
@tag2	2	0	2	0	1	0	1	0
@UI	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login feature	3	0	3	0	3.368 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login feature	Logging in to the system scenrio three	5	0	0	5	3.235 s
2	Login feature	Logging in to the system scenrio two	4	0	0	4	3.351 s
3	Login feature	Logging in to the system scenrio one	4	0	0	4	3.255 s

Login feature

FAILED	DURATION - 3.368 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 13 Pass - 0 Fail - 0 Skip - 13	
/ 3:17:49.653 pm // 3:17:53.021 pm /					

Logging in to the system scenrio three

FAILED	DURATION - 3.235 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 3:17:49.661 pm // 3:17:52.896 pm /				
Login feature				
@tag3 @tag1 @tag2 @UI				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89)</p>	FAILED	3.186 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#!/login"	SKIPPED	0.002 s
2	Then user navigates to "https://youtube.com"	SKIPPED	0.000 s
3	Then fetch "% Gain" for company "ONGC"	SKIPPED	0.000 s
4	Then fetch "High" for company "Nestle"	SKIPPED	0.000 s
5	Then fetch "Low" for company "Nestle"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)	FAILED	0.004 s

Logging in to the system scenrio two

FAILED DURATION - 3.351 s / 3:17:49.670 pm // 3:17:53.021 pm / Login feature @tag1 @tag2 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)	FAILED	3.337 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22) </pre>		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.000 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://yahoo.com"	SKIPPED	0.000 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31) </pre>	FAILED	0.001 s

Logging in to the system scenrio one

FAILED DURATION - 3.255 s / 3:17:49.677 pm // 3:17:52.932 pm / Login feature @tag1 @UI		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
	BEFORE - com.app.Hooks.ApplicationHooks.Before_UI()	FAILED	3.246 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 123.0.6312.86 with binary path C:\Program </pre>		

#	Step / Hook Details	Status	Duration
	Files\Google\Chrome\Application\chrome.exe Host info: host: 'EPINHYDW03C3', ip: '192.168.1.5' Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at com.app.utils.Utilities.getDriver(Utilities.java:48) at com.app.Hooks.ApplicationHooks.Before_UI(ApplicationHooks.java:22)		
1	Given user is on app login page "https://www.way2automation.com/angularjs-protractor/banking/#/login"	SKIPPED	0.001 s
2	Then User logs into the system	SKIPPED	0.000 s
3	Then User logs out the system	SKIPPED	0.000 s
4	Then user navigates to "https://cucumber.io/"	SKIPPED	0.001 s
	AFTER - com.app.Hooks.ApplicationHooks.After_UI(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "screenshot" is null at com.app.utils.Utilities.ts(Utilities.java:93) at com.app.Hooks.ApplicationHooks.After_UI(ApplicationHooks.java:31)	FAILED	0.001 s