Final Column Description

Column Name	Description
Provider ID	
Hospital Name	
Summary star rating	
ZIP Code	
City	
State	
Hospital Type	
Hospital Ownership	
Emergency Services	
Meets criteria for meaningful use of EHRs	
Mortality national comparison	
Safety of care national comparison	
Readmission national comparison	
Timeliness of care national comparison	
Efficient use of medical imaging national comparison	
MORT_30_HF	Death rate for heart failure patients
MORT_30_CABG	Death rate for coronary artery bypass graft surgery patients
PSI_90_SAFETY	Serious complications
PSI_11_POST_RESP	Respiratory failure after surgery
PSI_14_POSTOP_DEHIS	A wound that splits open after surgery on the abdomen or pelvis
MORT_30_STK	Death rate for stroke patients
PSI_12_POSTOP_PULMEMB_DVT	Serious blood clots after surgery
PSI_9_POST_HEM	Bleeding or bruising during surgery
MORT_30_COPD	Death rate for chronic obstructive pulmonary disease patients
PSI_4_SURG_COMP	Deaths among patients with serious treatable complications after surgery
PSI_15_ACC_LAC	Accidental cuts ad tears from medical treatment
PSI_13_POST_SEPSIS	Blood stream infection after surgery
PSI_3_ULCER	Pressure sores
COMP_HIP_KNEE	Rate of complications for hip/knee replacement patients
MORT_30_PN	Death rate for pneumonia patients
PSI_10_POST_KIDNEY	Kidney and diabetic complications after surgery
PSI_8_POST_HIP	Broken hip from a fall after surgery
PSI_6_IAT_PTX	Collapsed lung due to medical treatment
HAI_6_SIR	Intestinal infections
HAI_4_SIR	Surgical site infection from abdominal hysterectomy
HAI_3_SIR	Surgical site infection from colon surgery
HAI_5_SIR	Blood stream infections
HAI_2_SIR	Catheter-associated urinary tract infections in ICUs and select wards
HAI_1_SIR	Central line-associated bloodstream infections in ICUs and select wards
READM_30_STK	Rate of readmission for stroke patients

READM_30_HOSP_WIDE	Rate of readmission after discharge from hospital
READM_30_AMI	Rate of readmission for heart attack patients
READM_30_PN	Rate of readmission for pneumonia patients
READM_30_COPD	Rate of readmission for chronic obstructive pulmonary disease patients
READM_30_HF	Rate of readmission for heart failure patients
EDAC_30_AMI	Hospital return days for heart attack patients
READM_30_HIP_KNEE	Rate of readmission for hip/knee surgery
READM_30_CABG	Rate of readmission for coronary artery bypass graft surgery patients
EDAC_30_HF	Hospital return days for heart failure patients
MSPB_1	Medicare spending per beneficiary
OP_13	Outpatients who got cardiac imaging stress tests before low-risk outpatient surgery
OP_10	Outpatient CT scans of the abdomen that were "combination" (double) scans
OP_14	Outpatients with brain CT scans who got a sinus CT scan at the same time (If a number is high, it may mean that too many patients are being given both a brain scan and sinus scan, when a single scan is all they need)
OP_11	Outpatient CT scans of the chest that were "combination" (double) scans
OP_8	Outpatients with low back pain who had an MRI without trying recommended treatments first, such as physical therapy
OP_9	Outpatients who had a follow-up mammogram, ultrasound, or MRI of the breast within 45 days after a screening mammogram
SM_PART_GEN_SURG	General Surgery Registry (Y/N)
OP_12	Able to receive lab results electronically (HIT measure) (Y/N)
OP_17	Able to track patients' lab results, tests, and referrals electronically between visits (HIT measure) (Y/N)
SM_PART_NURSE	Nursing care registry (Y/N)
SM_SS_CHECK	Safe surgery checklist use (inpatient) (Y/N)
OP_25	Uses outpatient safe surgery checklist (Y/N)
OP_5	Average (median) number of minutes before outpatients with chest pain or possible heart attack got an ECG
OP_4	Outpatients with chest pain or possible heart attack who received aspirin within 24 hours of arrival or before transferring from the emergency department
OP_20	Average (median) time patients spent in the emergency department before they were seen by a healthcare professional
OP_21	Average (median) time patients who came to the emergency department with broken bones had to wait before getting pain medication
OP_22	Percentage of patients who left the emergency department before being seen