Cheatsheet

Version 0.12 - © 2023,2024 by Frank Hofmann Essential Linux Commands Version 0.12 - © 2023,2024 by Frank Hormann version 0.12 - © 2023,2024 by Frank Hormann version 0.12 - © 2023,2024 by Frank Hormann CC-BY-SA 4.0 International License. Created with ETEX. https://github.com/hofmannedv/cheatsheets.







System information and administration

blkid List the block devices, and its ids cfdisk, fdisk Alter the partition table cpu-info, List detailed cpu information cpuid, lscpu df, dfc, duf Show available disk space du, duf Show disk space usage free List both available and used memory, and SWAP space halt, poweroff, shutdown journalctl Query the system journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use untime Display the time the system is already up and running		
cpu-info, cpuid, lscpu df, dfc, duf Show available disk space du, duf Show disk space usage free List both available and used memory, and SWAP space halt, poweroff, shutdown journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system Systemd-cat Connect a pipeline or program's output with the journal uname	blkid	List the block devices, and its ids
cpuid, lscpu df, dfc, duf Show available disk space du, duf Show disk space usage free List both available and used memory, and SWAP space halt, poweroff, Stop the system journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	cfdisk, fdisk	Alter the partition table
df, dfc, duf du, duf Show disk space usage free List both available and used memory, and SWAP space halt, poweroff, shutdown journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	cpu-info,	List detailed cpu information
du, duf free List both available and used memory, and SWAP space halt, poweroff, shutdown journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	cpuid, lscpu	
free List both available and used memory, and SWAP space Stop the system shutdown journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	df, dfc, duf	Show available disk space
halt, poweroff, shutdown journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	du, duf	Show disk space usage
shutdown journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	free	List both available and used memory, and SWAP space
journalctl Query the systemd journal lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	halt, poweroff,	Stop the system
lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	shutdown	•
lsblk Display information about the system's block devices lsdev, lshw Display information about installed hardware lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	journalctl	Query the systemd journal
lsof List open files lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	_	Display information about the system's block devices
lspci List all pci devices lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	lsdev, lshw	Display information about installed hardware
lsusb List all usb devices mailq Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	lsof	List open files
Listing of the contents of the mail queue on the standard output reboot Reboot the system systemctl Reboot the system connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	lspci	List all pci devices
dard output reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	lsusb	List all usb devices
reboot Reboot the system systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	mailq	Listing of the contents of the mail queue on the stan-
systemctl Reboot the system systemd-cat Connect a pipeline or program's output with the journal uname Display the Linux kernel that is in use	-	dard output
systemd-cat Connect a pipeline or program's output with the jour- nal uname Display the Linux kernel that is in use	reboot	Reboot the system
nal uname Display the Linux kernel that is in use	systemctl	Reboot the system
uname Display the Linux kernel that is in use	systemd-cat	Connect a pipeline or program's output with the jour-
· ·	-	
· ·	uname	Display the Linux kernel that is in use
apoimo Display the time the system is already up and running	uptime	Display the time the system is already up and running

Find files and directories

find	Find files, and directories by various criteria
locate	Find files, and directories by name based on the locate
	database
updatedb	Initialize, and update the locate database

3 File and directory operations

	Change to a directory
cd	· · · · · · · · · · · · · · · · · · ·
ср	Copy a file
file	Identify the file type
ln	Create a link
ls	List the contents of a directory
mkdir	Create a directory
mmv	Rename, or move multiple files, or directories
mv	Rename, or move a single file, or directory
pwd	Print the current working directory
rm	Remove one or more files, or directories
rmdir	Remove an empty directory
stat	Display details of a file, directory, or link
touch	Create an empty file, or update the timestamp of an existing file
umo alt	Set file mode creation mask
umask	Set lite mode creation mask

4 Package management (selection)

apt, apt-get, aptitude, synaptic	Install, update, and remove software packages 1
apt-cache	Manage, and query the package cache 1
dpkg	Install, update, and remove software packages 1
dpkg-reconfigur	Reconfigure package configuration 1
rpm, yum	Install, update, and remove software packages 2
Notes:	

- 1: Debian GNU/Linux, Ubuntu, and Linux Mint
- 2: RedHat Linux, Fedora, and OpenSuse

Essential Linux Commands Cheatsheet

Version 0.12 - © 2023,2024 by Frank Hofmann

info@efho.de. Published under Creative Commons
CC-BY-SA 4.0 International License. Created with 上下上、
https://github.com/hofmannedv/cheatsheets.







5 Using pagers

less, more	Display data page by page
most	Display data page by page, and in multiple windows

6 Network commands

dhclient	Request a dynamic IP address
dig, host	DNS lookup utility
hostname	Display the system's hostname
ifconfig,	Configure network interfaces, and display interface
iwconfig	configuration (deprecated)
ifup	Enable a network interface
ip	Configure network interfaces, and display interface configuration
ifdown	Disable a network interface
iwlist	List available wireless networks
nc, netcat	TCP/IP swiss army knife
netstat, ss	Display network statistics
nslookup	Lookup name service entries
ping, ping6	Send ICMP package to a host
route	Display routing table
tcpdump	Dump traffic on a network
traceroute,	Print the route packets trace to network host
traceroute6	
wget	Non-interactive data transfer

7 Secure data transfer

rsync, scp	Synchronize data locally, or remotely using a secure, encrypted channel
ssh	Connect to a remote system using a secure, encrypted channel
ssh-copy-id	Transfer an SSH public key to a remote system for password-less authentification
ssh-keygen	Generate an SSH key pair for password-less authen- tification

8 Users, groups, and access control

addgroup	A.I.I
addgroup	Add a new group 1
adduser	Add a new user 1
chage	Modify the duration a user account is valid
chgrp	Modify the group of a file, or directory
chmod	Modify the access rights of a file, or directory
chown	Modify the owner of a file, or directory
delgroup	Remove an existing group 1
deluser	Remove an existing user 1
getfacl	Display ACL permissions of a file, or directory
getent	Lookup user information in local databases
groupadd	Add a new group 2
groupdel	Remove an existing group 2
groupmod	Modify an existing group 2
groups	Display the groups a user belongs to
id	Display user information
last	Show last login time for a user
passwd,	Modify password for a user account
usermod	
pwgen	Generate a random password
setfacl	Set ACL permissions of a file, or directory
su	Switch to a different user account
sudo	Run command as administrative user
useradd	Add a new user 2
userdel	Remove an existing user 2
usermod	Modify an existing user 2
users, w, who	List logged-in users
wall	Write a message to all users currently logged in
whoami	Display current user name

1 High-level tool 2 Low-level tool

Essential Linux Commands Cheatsheet

Version 0.12 - © 2023,2024 by Frank Hofmann

info@efho.de. Published under Creative Commons
CC-BY-SA 4.0 International License. Created with 上下上、
https://github.com/hofmannedv/cheatsheets.







9 Getting help

apropos	Display a short help text explaining the given com- mand
info	Get help using the GNU Info system
man	Display an extended help text explaining the given command
manpath	Manage the path for manual pages
whatis	Looks up the index database for short help texts ex- plaining the given command

10 Processes and job control

bg	Send process to the background
fg	Bring a process into the foreground
htop, top	A process monitor
jobs	List running jobs
kill	Send a signal to a process
killall	Send a signal to a number of processes
nice, renice	Modify the nice level of a process
pgrep	Find a process by its name, or by Regular Expression
pkill	Look up or signal processes based on name and other attributes
ps	List running processes
pstree	Display processes as a tree structure
pwdx	Display the working directory of a process
sleep	Pause the execution of commands
watch	Execute a program periodically, showing output fullscreen

11 Text and data stream processing

awk	Alter, or extract data from text files preferably by col- umn
cat	Output a file from top to bottom
cmp, diff	Compare two files, and show the differences between them
colrm	Remove a column from a file
column	Display data column-wise
cut	Extract data from text files by column
egrep, fgrep, grep	Filter text files by pattern line-wise
head	Print a specified number of lines beginning at the top of a file
hexdump	Output data as hexadecimal characters
nl	Output a file, and add line numbers
paste	Combine single files into one
rev	Output text in reverse order
sed	Modify a file line-wise
sort	Sort a file
split	Split a file based on conditions
tac	Output a file from bottom to top
tail	Print a specified number of lines beginning at the bot- tom of a file
tee	Read from stdin, and print to both a file, and stdout
tr	Replace text in a file
uniq	Report, or remove duplicate lines
wc	Count lines, words, and characters of a file
·	

12 Dealing with log files

logger	A shell command interface to the syslog system log module
logrotate	Rotates, compresses, and mails system logs

Essential Linux Commands Cheatsheet

Version 0.12 - © 2023,2024 by Frank Hofmann

info@efho.de. Published under Creative Commons
CC-BY-SA 4.0 International License. Created with 上下上、
https://github.com/hofmannedv/cheatsheets.







13 Handling file systems

e2fsck, fsck	File system check	
findmnt	List, and search for mounted file systems	
mkfs	Create a file system	
mkswap	Prepare a partition for SWAP usage	
mount	Mount a file system	
swapoff	Disable a SWAP partition	
swapon	Ensable a SWAP partition	
tune2fs	Modify existing file system	
umount	Unmount a file system	

14 Working with terminals and shells, adjust the working environment

alias	List, or alter aliases for commmands		
clear	Clear the screen		
echo	Output text on the screen		
env	Display the environment variables		
exit, logout	Quit the current shell session		
fc	Modify the command history		
history	Display the previously used commands		
screen, tmux	A terminal multiplexer		
set	Enable, or change a run-time parameter		
time	Measure the execution time of a command		
type	Identify command type		
unalias	Remove an alias for a command		
unset	Remove, or disable a runtime parameter		
whatis	Lookup the index database for command descriptions		
whereis	Lookup the binary files, source code files, and manual		
	pages for a command		
which	Identify which command will be run by the shell		
xargs	Build and execute command lines from standard input		

15 Handling the Linux kernel

dmesg	Display, and control the kernel ring buffer		
0			
insmod	Insert (activate) a kernel module into the currently running Linux kernel		
lsmod	List the kernel modules from the currently running Linux kernel		
modinfo	Display information about a kernel module		
modprobe	Try to insert (activate) a kernel module into the currently running Linux kernel		
rmmod	Remove (deactivate) a kernel module from the currently running Linux kernel		
uname	Display information about the currently running Linux kernel		

16 Printing

lp, lpr	Print files, or change an existing printing job
lpc	Manage printers
lpq	Display the contents of the printer queue
lprm	Remove an existing job from the printer queue

17 System time, date, calendar, and locales

cal, ncal	Display a calendar
date	Display a date in various formats
hwclock	Manage both the hardware, and the system clock
locale	Display information about the current locale
ntpdate,	Retrieve the time information from an NTP server
ntpsec-ntpdate	
timedatectl	Control the system time and date

Cheatsheet

Version 0.12 - © 2023,2024 by Frank Hofmann **Essential Linux Commands**Version 0.12 - © 2023,2024 by Frank Hormann

version 0.12 - © 2023,2024 by Frank Hormann

info@efho.de. Published under Creative Commons CC-BY-SA 4.0 International License. Created with ETEX. https://github.com/hofmannedv/cheatsheets.







18 Archives and data compression

bunzip2	Unpack a compressed file (bzip2 format)		
bzcat	Output file content to stdout from a compressed file (bzip2 format)		
bzegrep, bzfgrep, bzgrep	Search in a bz-compressed file		
bzip2	Compress a file (bzip2 format)		
gunzip	Unpack a compressed file (gzip format)		
gzip	Compress a file (gzip format)		
tar	Create, and manage a tape archive (tar file)		
unzip	Unpack a compressed file (zip format)		
XZ	Compress a file (xz format)		
xzcat	Output file content to stdout from a compressed file (xz format)		
xzegrep, xzfgrep, xzgrep	Search in a xz-compressed file		
zip	Compress a file (zip format)		
zcat	Output file content to stdout from a compressed file (zip format)		
zegrep, zfgrep, zgrep	Search in a zip-compressed file		

19 System libraries

ldd	Print shared library dependencies
ldconfig	Configure dynamic linker run-time bindings

Notes