






MySQL


The image features the MySQL logo, which consists of the word "MySQL" in a bold, black, sans-serif font with a white outline. The logo is centered within a large, solid blue circle. This central circle is surrounded by several concentric, semi-transparent light blue rings. The background is white and decorated with various abstract geometric elements: a light blue curved band in the top-left corner containing a sunburst-like pattern of thin lines; a light blue curved band on the right side containing a small circle filled with a blue dot pattern; and several thin, light blue curved lines with small dots scattered across the page.








스파이크 프라임 앱 살펴보기





MySQL Installer

MySQL Server 8.0.35

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Server File Permissions

Apply Configuration

Type and Networking

Server Configuration Type

Choose the correct server configuration type for this MySQL Server installation. This setting will define how much system resources are assigned to the MySQL Server instance.

Config Type: Development Computer

Connectivity

Use the following controls to select how you would like to connect to this server.

☒ TCP/IP Port: 3306 X Protocol Port: 33060

☒ Open Windows Firewall ports for network access

☐ Named Pipe Pipe Name: MYSQL

☐ Shared Memory Memory Name: MYSQL


Advanced Configuration

Select the check box below to get additional configuration pages where you can set advanced and logging options for this server instance.

☐ Show Advanced and Logging Options


Next >

Cancel



MySQL User Account

Please specify the user name, password, and database role.

 User Name:

Host:

Role:

Authentication: ☒ MySQL

MySQL user credentials

Password:

Confirm Password:

Password strength: **Weak**

OK Cancel

MySQL Installer

MySQL Server 8.0.35

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Server File Permissions

Apply Configuration

Accounts and Roles

Root Account Password

Enter the password for the root account. Please remember to store this password in a secure place.

MySQL Root Password:

•••••


Repeat Password:

•••••

Password strength: **Weak**

MySQL User Accounts

Create MySQL user accounts for your users and applications. Assign a role to the user that consists of a set of privileges.

MySQL User Name	Host	User Role	
 MySQL User Name	%	DB Admin	<div><div>Add User</div><div>Edit User</div><div>Delete</div></div>

< Back

Next >

Cancel

MySQL Installer

MySQL Server 8.0.35

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Server File Permissions

Apply Configuration

Windows Service

☒ Configure MySQL Server as a Windows Service

Windows Service Details

Please specify a Windows Service name to be used for this MySQL Server instance. A unique name is required for each instance.

Windows Service Name:

☒ Start the MySQL Server at System Startup

Run Windows Service as ...

The MySQL Server needs to run under a given user account. Based on the security requirements of your system you need to pick one of the options below.

☒ Standard System Account

Recommended for most scenarios.

☐ Custom User

An existing user account can be selected for advanced scenarios.

< Back

Next >

Cancel

MySQL[®] Installer

MySQL Server 8.0.35

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Server File Permissions

Apply Configuration

Server File Permissions

MySQL Installer can secure the server's data directory by updating the permissions of files and folders located at:

C:\ProgramData\MySQL\MySQL Server 8.0\Data


Do you want MySQL Installer to update the server file permissions for you?

- ☒ Yes, grant full access to the user running the Windows Service (if applicable) and the administrators group only. Other users and groups will not have access.
- ☐ Yes, but let me review and configure the level of access.
- ☐ No, I will manage the permissions after the server configuration.

< Back

Next >

Cancel



MySQL. Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

Product	Status
MySQL Server 8.0.35	Configuration complete.
MySQL Router 8.0.35	Ready to configure
Samples and Examples 8.0.35	Ready to configure

Next >

Cancel

MySQL. Installer

MySQL Router 8.0.35

MySQL Router Configuration

MySQL Router Configuration

☐ Bootstrap MySQL Router for use with InnoDB Cluster

This wizard can bootstrap MySQL Router to direct traffic between MySQL applications and InnoDB Cluster. Applications that connect to the router will be automatically directed to an available read/write or read-only member of the cluster.

The bootstrapping process requires a connection to InnoDB Cluster. In order to register the MySQL Router for monitoring, use the current Read/Write instance of the cluster.

Hostname:

Port:

Management User:

Password:

Test Connection

MySQL Router requires specification of a base port (between 80 and 65532). The first port is used for classic read/write connections. The other ports are computed sequentially after the first port. If any port is indicated to be in use, please change the base port.

Classic MySQL protocol connections to InnoDB Cluster:

Read/Write:

Read Only:

X Protocol connections to InnoDB Cluster:

Read/Write:

Read Only:

Finish

Cancel

MySQL. Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

Product	Status
MySQL Server 8.0.35	Configuration complete.
MySQL Router 8.0.35	Configuration not needed.
Samples and Examples 8.0.35	Ready to configure

Next >

Cancel

MySQL Installer Samples and Examples

Connect To Server

Apply Configuration

Connect To Server

Select the MySQL server instances from the list to receive sample schemas and data.

	Server	Port	Arch...	Type	Status
<input checked="" type="checkbox"/>	MySQL Server 8.0.35	3306	X64	Stand-alone Server	Running

Provide the credentials that should be used (requires root privileges).
Click "Check" to ensure they work.

User name:

root

Credentials provided in Server configuration

Password:

•••••

Check

Next >

Cancel

MySQL Installer

MySQL[®] Installer
Samples and Examples

Connect To Server

Apply Configuration

Apply Configuration

Click [Execute] to apply the changes

Configuration Steps Log

- ☐ Checking if there are any features installed that need configuration.
- ☐ Running Scripts

< Back

Execute

Cancel

MySQL[®] Installer

Samples and Examples

Connect To Server

Apply Configuration

Apply Configuration

The configuration operation has completed.

Configuration Steps

Log

- ✓ Checking if there are any features installed that need configuration.
- ✓ Running Scripts

The configuration for Samples and Examples 8.0.35 was successful.
Click Finish to continue.

Finish

MySQL Installer Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete


Installation Complete

The installation procedure has been completed.

Copy Log to Clipboard

- ☒ Start MySQL Workbench after setup
- ☒ Start MySQL Shell after setup

The MySQL Shell is an advanced MySQL client application that can be used to work with single MySQL Server instances. Further, it can be used to create and manage InnoDB Cluster, an integrated solution for high availability and scalability of MySQL databases, without requiring advanced MySQL expertise.



Refer to the following links for documentation, tutorials and examples on MySQL Shell:


[MySQL Shell Documentation](#)

[Setting up a Real World Cluster Blog](#)

[The All New MySQL InnoDB ReplicaSet Blog](#)

[Changing Cluster Options Live Blog](#)

Finish



스파이크 프라임 앱 살펴보기

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration Schemas

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Local instance MySQL80

Users and Privileges

User Accounts

User	From Host
mysql.infoschema	localhost
mysql.session	localhost
mysql.sys	localhost
root	localhost
ssafy	%

Details for account ssafy@%

Login

Account Limits

Administrative Roles

Schema Privileges

Login Name:

You may create multiple accounts with different hostnames to connect from different hosts.

Authentication Type:

Standard

For the standard password authentication and/or host selection, select 'Standard'.

Limit to Hosts Matching:

%

% and _ wildcards may be used

Password:

Type a password to reset it.


Consider using a password with 8 or more characters with mixed case letters, numbers and punctuation marks.

Confirm Password:

Enter password again to confirm.

Expire Password

스파이크 프라임 앱 살펴보기



스파이크 프라임 앱 살펴보기

```
use world;show tables;
```

```
desc city;desc country;
```

```
desc countrylanguage;select * from country;
```

```
select code , name , continent from country;select code , name , continent from countrywhere  
code ='AFG';
```

```
select * from countrylanguage;select * from countrylanguage  
where countrycode ='AFG';
```

```
select * from countrylanguagewhere countrycode ='AFG' and isofficial='T';
```