



ANT
CENTER

Version 2.2

Center for Discovery of Aquatic Life on Mars

2021 Hitch Hiker's Guide to Space Travel

Dr. John Smith

Dr. Joe Shmoe

Introduction

Single Column

For 4-by-3 aspect ratio slides, specify `standard` as an option to the document class. Write your presentation like a normal \LaTeX file with a `\maketitle` command and `\chapter` and `\section` headings. The `\maketitle` contents are defined by the following macros:

<code>\pretitle</code>	<code>\author</code>
<code>\title</code>	<code>\subtitle</code>

The `\chapter` heading creates a slide with just the chapter name, and the `\section` heading sets the title of a new slide. However, if no text follows the section, no slide will be created. Text which does not fit on one slide will flow onto the next slide automatically.

Double Column

Use the `\twocolumn` and `\onecolumn` commands right after the section heading to control the number of columns. Text will flow from the left column to the right.

- Point one
- Point two
- Point three
- Point four
- Point five
- Point six

- Point seven
- Point eight
- Point nine
- Point ten
- Point eleven
- Point twelve

You can use `\pagebreak` to force text onto the next column.

Table of Stuff

You can create any variety of subdivisions on your slide by using the tabular environment.

Primary	Secondary	Tertiary
First	Second	Third
One	Two	Three
Alpha	Beta	Gamma
Green	Blue	Red
Cyan	Yellow	Magenta

The `\cellcolor` command sets the background color of a table cell.

Centering

Use the Center environment
to center horizontally *and* vertically.

Explicit Code

Python

Use the python environment for Python code.

```
1  def write_list(fid, x, level):
2      ind = ' '*level
3      xs = '0' if abs(x[0]) < 1e-3 else "%.3f"
4      txt = '\n%svalues="%s' % (ind, xs)
5      for n in range(1, len(x)):
6          xs = '0' if abs(x[n]) < 1e-3 else "%.3f"
7          if len(txt) + 3 + len(xs) >= 80:
8              fid.write(txt + ';\n')
9              txt = ind + ' ' + xs
10         else:
11             txt += ';' + xs
12     fid.write(txt + '\n')
```


Python

You can use the ``\HL`` command to highlight a line of code.

```
1  def write_list(fid, x, level):
2      ind = ' '*level
3      xs = '0' if abs(x[0]) < 1e-3 else "%.3f"
4      txt = '\n%svalues=\ "%s' % (ind, xs)
5      for n in range(1, len(x)):
6          xs = '0' if abs(x[n]) < 1e-3 else "%.3f"
7          if len(txt) + 3 + len(xs) >= 80:
8              fid.write(txt + ';\n')
9              txt = ind + ' ' + xs
10         else:
11             txt += ';' + xs
12     fid.write(txt + '\n')
```

MATLAB


Use the `matlab` environment for MATLAB code.

```
1  function savepdf(name, width, height)
2      % name is the file name including ".pdf".
3      % Both width and height are in (cm).
4      set(gcf, 'units', 'centimeters', ...
5             'position', [0, 0, width, height])
6      set(gca, 'FontSize', 9);
7      set(gca, 'FontName', 'Times New Roman');
8      exportgraphics(gcf, name, ...
9                  'ContentType', 'vector');
10 end
```

R Language

Use the rlang environment for R code.

```
1 factorial <- function(n) {  
2     if (n == 0 || n == 1) {  
3         return(1)  
4     } else {  
5         return(n * factorial(n - 1))  
6     }  
7 }
```



Blank pages with the
“`\blankpage`” command.

Arbitrary positioning with
the “`\pos`” command.

