## HW 1

## Joshua Ortiga

## September 24, 2022

**Problem 1.1.** Let  $x, y, z \in \mathbb{R}$ 

1. 
$$\forall x \exists y \ s.t. \ x+y=1$$

Negation: 
$$\neg(\forall x \exists y \ s.t. \ x+y=1) = \exists x \forall y \ s.t. \ x+y \neq 1$$

2. 
$$\exists x \forall y \ s.t. \ x+y=1$$

True

Negation: 
$$\neg(\exists x \forall y \ s.t. \ x+y=1) = \forall x \exists y \ s.t. \ x+y \neq 1$$

3. 
$$\exists x \exists y \forall z \ s.t. \ yz = x$$

Negation: 
$$\neg(\exists x \exists y \forall z \ s.t. \ yz = x) = \forall x \forall y \exists z \ s.t. \ yz \neq x$$

**Problem 1.2.** Show that if a condition P is both necessary  $(\overline{P} \Rightarrow \overline{Q})$  and sufficient  $(P \Rightarrow Q)$ , that this is logically equivalent to P = Q.

p	q	$p \Rightarrow q$	$\overline{p} \Rightarrow \overline{q}$	$(\overline{p} \Rightarrow \overline{q}) \land (p \Rightarrow q)$	p = q
1	1	1	1	1	1
1	0	0	1	0	0
0	1	1	0	0	0
0	0	1	1	1	1

Since  $(\overline{p} \Rightarrow \overline{q}) \land p \Rightarrow q$  shares the same truth table as p = q, they are logically equivalent.

**Problem 1.3.** Let c,d be two single digit numbers,  $0 \le c$ ,  $d \le 9$ . We will create functions  $f_1, f_2, f_3...$  that are as follows:

$$f_1(c,d) = cd$$
  
 $f_2(c,d) = cdcd$   
 $f_1(c,d) = cdcdcd$ 

 $f_3(c,d) = cdcdcd$ 

 $f_4(c,d) = cdcdcdcd$ 

For example,  $f_3(4,7) = 474747$ , as we are repeating the digits 4,7, 3 times.

Prove that  $\forall 0 \leq c, d \leq 9, 37 | f_9(c, d)$ . In other words, prove that for any possible input into  $f_9$ , the output is divisible by 37.

Proof by exhaustion:

Let k be some number in 37k=303030303030303030303  $k=\frac{3030303030303030303}{37}=819000819000819, \, k\in\mathbb{Z}$  .: 37|303030303030303030303

Let k be some number in 37k=4040404040404040404  $k=\frac{40404040404040404}{37}=1092001092001092,$   $k\in\mathbb{Z}$  .: 37|4040404040404040404

Let k be some number in 37k=7070707070707070707  $k=\frac{70707070707070707}{37}=1911001911001911,\ k\in\mathbb{Z}$   $\therefore$  37|707070707070707070707

Let k be some number in 37k = 10101010101010101010 $k = \frac{101010101010101010}{37} = 2730002730002730, k \in \mathbb{Z}$  $\therefore 37|10101010101010101010$ 

 $k = \frac{111111111111111111}{37} = 3003003003003003003, \, k \in \mathbb{Z}$  .: 37|111111111111111111

Let k be some number in 37k = 161616161616161616 $k = \frac{16161616161616161}{37} = 4368004368004368$ ,  $k \in \mathbb{Z}$  $\therefore 37|161616161616161616$ 

Let k be some number in 37k = 181818181818181818  $k = \frac{181818181818181818}{37} = 4914004914004914$ ,  $k \in \mathbb{Z}$   $\therefore 37|181818181818181818$ 

Let k be some number in 37k=1919191919191919  $k=\frac{1919191919191919}{37}=5187005187005187,\ k\in\mathbb{Z}$   $\therefore$  37|19191919191919191919

Let k be some number in 37k=20202020202020202020  $k=\frac{202020202020202020}{37}=5460005460005460,\ k\in\mathbb{Z}$   $\therefore$  37|20202020202020202020

: 37|2222222222222222

Let k be some number in 37k = 25252525252525252525  $k = \frac{252525252525252525}{37} = 6825006825006825$ ,  $k \in \mathbb{Z}$   $\therefore 37|25252525252525252525$ 

Let k be some number in 37k = 262626262626262626  $k = \frac{262626262626262626}{37} = 7098007098007098, k \in \mathbb{Z}$   $\therefore 37|262626262626262626$ 

Let k be some number in 37k=28282828282828282828  $k=\frac{282828282828282828}{37}=7644007644007644,\ k\in\mathbb{Z}$  .: 37|28282828282828282828

Let k be some number in 37k = 292929292929292929  $k = \frac{2929292929292929}{37} = 7917007917007917$ ,  $k \in \mathbb{Z}$   $\therefore 37|292929292929292929$ 

Let k be some number in 37k=32323232323232323232  $k=\frac{323232323232323232}{37}=8736008736008736,\ k\in\mathbb{Z}$   $\therefore$  37|32323232323232323232

Let k be some number in 37k=36363636363636363636  $k=\frac{363636363636363636}{37}=9828009828009828,\ k\in\mathbb{Z}$   $\therefore 37|36363636363636363636$ 

Let k be some number in 37k=37373737373737373737  $k=\frac{373737373737373737}{37}=1010101010101010100$ ,  $k\in\mathbb{Z}$   $\therefore 37|37373737373737373737$ 

Let k be some number in 37k = 4545454545454545454545  $k = \frac{45454545454545454545}{37} = 12285012285012284, \ k \in \mathbb{Z}$ 

 $\therefore 37 | 45454545454545454545$ 

Let k be some number in 37k=474747474747474747  $k=\frac{474747474747474747}{37}=12831012831012832, \, k\in\mathbb{Z}$  .: 37|4747474747474747474747

Let k be some number in 37k=51515151515151515151  $k=\frac{515151515151515151}{37}=13923013923013924,\ k\in\mathbb{Z}$   $\therefore$  37|51515151515151515151

Let k be some number in 37k = 5454545454545454545454  $k = \frac{5454545454545454545}{37} = 14742014742014742$ ,  $k \in \mathbb{Z}$   $\therefore 37|5454545454545454$ 

Let k be some number in 37k=56565656565656565656  $k=\frac{565656565656565656}{37}=15288015288015288, \, k\in\mathbb{Z}$   $\therefore 37|565656565656565656$ 

Let k be some number in 37k=595959595959595959  $k=\frac{595959595959595959}{37}=16107016107016108,\ k\in\mathbb{Z}$   $\therefore$  37|59595959595959595959

Let k be some number in 37k = 61616161616161616161 $k = \frac{616161616161616161}{37} = 16653016653016652, k \in \mathbb{Z}$  $\therefore 37|616161616161616161$ 

Let k be some number in 37k = 6262626262626262626262  $k = \frac{626262626262626262}{37} = 16926016926016926$ ,  $k \in \mathbb{Z}$   $\therefore 37|626262626262626262$ 

.: 37|6868686868686868

Let k be some number in 37k=707070707070707070  $k=\frac{707070707070707070}{37}=19110019110019112,\ k\in\mathbb{Z}$   $\therefore$  37|70707070707070707070

Let k be some number in 37k=747474747474747474  $k=\frac{747474747474747474}{37}=2020202020202020200,\ k\in\mathbb{Z}$  .: 37|747474747474747474

Let k be some number in 37k = 767676767676767676 $k = \frac{767676767676767676}{37} = 20748020748020748$ ,  $k \in \mathbb{Z}$  $\therefore 37|767676767676767676$ 

Let k be some number in 37k=787878787878787878  $k=\frac{787878787878787878}{37}=21294021294021296,\ k\in\mathbb{Z}$   $\therefore$  37|78787878787878787878

Let k be some number in 37k = 84848484848484848484  $k = \frac{8484848484848484}{37} = 22932022932022932$ ,  $k \in \mathbb{Z}$   $\therefore 37|8484848484848484$ 

Let k be some number in 37k=8787878787878787878787  $k=\frac{878787878787878787}{37}=23751023751023752, \, k\in\mathbb{Z}$   $\therefore 37|87878787878787878787$ 

Let k be some number in 37k=898989898989898989  $k=\frac{8989898989898989}{37}=24297024297024296,\ k\in\mathbb{Z}$  .: 37|898989898989898989

Let k be some number in 37k = 91919191919191919191  $k = \frac{919191919191919191}{37} = 24843024843024844, k \in \mathbb{Z}$ 

## $\therefore 37 | 919191919191919191$

Let k be some number in 37k=939393939393939393  $k=\frac{93939393939393939}{37}=25389025389025388,\ k\in\mathbb{Z}$   $\therefore$  37|93939393939393939393

Let k be some number in 37k=94949494949494949494  $k=\frac{94949494949494949}{37}=25662025662025664,\ k\in\mathbb{Z}$  .: 37|9494949494949494

Let k be some number in 37k = 969696969696969696 $k = \frac{9696969696969696}{37} = 26208026208026208$ ,  $k \in \mathbb{Z}$  $\therefore 37|969696969696969696$ 

 $\therefore \forall 0 \le c, d \le 9, 37 | f_9(c, d). \blacksquare$ 

References: https://math.stackexchange.com Negation Logical Equivalence