



## 0.7 — Compiling your first program

ALEX · SEPTEMBER 28, 2021

Before we can write our first program, we need to learn how to create new programs within our Integrated Development Environment (IDE). In this lesson, we'll cover how to do that, and you'll also compile and execute your first program!

### Projects

To write a C++ program inside an IDE, we typically start by creating a new project (we'll show you how to do this in a bit). A project is a container that holds all of your source code files, images, data files, etc... that are needed to produce an executable (or library, website, etc...) that you can run or use. The project also saves various IDE, compiler, and linker settings, as well as remembering where you left off, so that when you reopen the project later, the state of the IDE can be restored to wherever you left off. When you choose to compile your program, all of the .cpp files in the project will get compiled and linked.

Each project corresponds to one program. When you're ready to create a second program, you'll either need to create a new project, or overwrite the code in an existing project (if you don't want to keep it). Project files are generally IDE specific, so a project created for one IDE will need to be recreated in a different IDE.


#### Best practice

Create a new project for each new program you write.

### Console projects

When you create a new project, you'll generally be asked what type of project you want to create. All of the projects that we will create in this tutorial will be console projects. A console project means that we are going to create programs that can be run from the Windows, Linux, or Mac console.

Here's a screenshot of the Windows console:



```
Command Prompt
Microsoft Windows [Version 10.0.17134.1]
(c) 2018 Microsoft Corporation. All rights reserved.

V:\>
```

By default, console applications have no graphical user interface (GUI), they print text to the console, read input from the keyboard, and are compiled into stand-alone executable files. This is perfect for learning C++, because it keeps the complexity to a minimum, and ensures things work on a wide variety of systems.

Don't worry if you've never used a console before, or don't know how to access it. We'll compile and launch our programs through our IDEs (which will invoke the console when necessary).

## Workspaces / solutions

When you create a new project for your program, many IDEs will automatically add your project to a "workspace" or a "solution" (the term varies by IDE). A workspace or solution is a container that can hold one or more related projects. For example, if you were writing a game and wanted to have a separate executable for single player and multiplayer, you'd need to create two projects. It wouldn't make sense for both of these projects to be completely independent -- after all, they are part of the same game. Mostly likely, each would be configured as a separate project within a single workspace/solution.

Although you can add multiple projects to a single solution, we generally recommend creating a new workspace or solution for each program, especially while learning. It's simpler and there's less chance of something going wrong.


## Writing your first program

Traditionally, the first program programmers write in a new language is the infamous [hello world program](#), and we aren't going to deprive you of that experience! You'll thank us later. Maybe.

---


## Creating a project in Visual Studio 2019

When you run Visual Studio 2019, you should see a dialog that looks like this:



Select *Create a new project*.


You'll then see a dialog that looks like this:



If you've already opened a prior project, you can access this dialog via the *File menu > New > Project*

Select *Windows Desktop Wizard* and click *Next*. If you don't see this, then you probably forgot to choose to install the *Desktop development with C++ workload* when you installed Visual Studio. In that case, go back to [lesson 0.6 -- Installing an Integrated Development Environment \(IDE\)](#) and reinstall your Visual Studio as indicated (note: rather than doing a full reinstall, you can run the Visual Studio installer and modify your existing installation to add the C++ workload).

Next, you'll see a dialog that looks like this:




Replace the existing project name with `HelloWorld`.

It's recommended that you also check the *Place solution and project in the same directory* as this reduces the number of subdirectories that get created with each project.

Click *Create* to continue.

Finally, you'll see one last dialog:



Make sure the *Application type* is set as *Console Application (.exe)* and that the *Precompiled Header* option is unselected. Then click *OK*.

You've now created a project! Jump down to the [Visual Studio Solution Explorer](#) section below to continue.

#### Q: What are precompiled headers and why are we turning them off?

In large projects (those with many code files), precompiled headers can improve compilation speed by avoiding some redundant


compilation that tends to occur in larger projects.

However, precompiled headers require extra work to use, and for small projects (such as those you'll create in our tutorials) make little to no difference in compilation times.

For this reason, we recommend turning precompiled headers off initially, and only enabling them later if and when you find your compilation times suffering.

## Creating a project in Visual Studio 2017 or older

To create a new project in Visual Studio 2017 or older, go to the *File menu > New > Project* A dialog box will pop up that looks something like this:



First, make sure *Visual C++* is listed on the left side. If you don't see *Visual C++*, then you probably forgot to choose to install the *Desktop development with C++ workload* when you installed Visual Studio. In that case, go back to [lesson 0.6 -- Installing an Integrated Development Environment \(IDE\)](#) and reinstall your Visual Studio as indicated (note: rather doing a full reinstall, you can run the Visual Studio installer and modify your existing install to add the C++ workload).


If you're using Visual Studio 2017 v15.3 or newer, underneath *Visual C++*, select *Windows Desktop* and then select *Windows Desktop Wizard* in the main window.

If you don't see *Windows Desktop* as an option, you're probably using an older version of Visual Studio. That's fine. Instead, choose *Win32* and then *Win32 Console Application* in the main window.

Down below, in the *Name* field, enter the name of your program (replace the existing name with `HelloWorld`). In the Location field, you can optionally select a different location for your project to be placed into. The default is fine for now.

Click *OK*. If you're using an older version of Visual Studio, the Win32 Application Wizard will launch. Press *Next*.

At this point, you should see a wizard dialog that looks something like this (older versions of Visual Studio use a different style, but have most of the same options):




Make sure you uncheck *Precompiled Header*.

Then click *Ok* or *Finish*. Now your project is created!

---

## Visual Studio Solution Explorer

On the left or right side of the window, you should see a window titled *Solution Explorer*. Inside this window, Visual Studio has created a solution for you (*Solution 'HelloWorld'*). Within that, with the name in bold, is your new project (*HelloWorld*). Within the project, Visual Studio has created a number of files for you, including *HelloWorld.cpp* (underneath the *Source Files* tree item). You may also see some other *.cpp* or *.h* files, which you can ignore for now.



In the text editor, you will see that Visual Studio has already opened *HelloWorld.cpp* and created some code for you. Select and delete all of the code, and type/copy the following into your IDE:

```
1 #include <iostream>  
2  
3 int main()  
4 {  
5     std::cout << "Hello,  
6     world!";  
7     return 0;  
8 }
```

To compile your program, either press *F7* (if this doesn't work, try *Ctrl-Shift-B*) or go to the *Build menu > Build Solution*. If all goes well, you should see the following appear in the Output window:




```
1>----- Build started: Project: HelloWorld, Configuration: Debug Win32 -----
1>HelloWorld.cpp
1>HelloWorld.vcxproj -> c:\users\alex\documents\visual studio 2017\Projects\HelloWorld\Debug\HelloWorld.exe
===== Build: 1 succeeded, 0 failed, 0 up-to-date, 0 skipped =====
```

This means your compile was successful!

**Q: I got error C1010 ("fatal error C1010: unexpected end of file while looking for precompiled header. Did you forget to add '#include "stdafx.h"' to your source?"). What now?**

You forgot to turn off precompiled headers when you created your project. Recreate your project (as per the [instructions above](#)) and make sure to disable precompiled headers.


To run your compiled program, press *Ctrl-F5*, or go to the *Debug menu* and choose *Start Without Debugging*. You will see the following:

A screenshot of a Windows command prompt window. The title bar is blue and reads "C:\WINDOWS\system32\cmd.exe". The window has standard minimize, maximize, and close buttons. The command prompt shows the text "Hello world!" on the first line and "Press any key to continue . . ." on the second line. The rest of the window is black, indicating the program has paused for input.

That is the result of your program! Congratulations, you've compiled and run your first program!

## Creating a project in Code::Blocks


To create a new project, go to *File menu > New > Project* A dialog box will pop up that looks like this:



Select *Console application* and press the *Go (or Create)* button.

If you see a console application wizard dialog, press *Next*, make sure C++ is selected and press *Next* again.


Now you will be asked to name your project. Title the project `HelloWorld`. You can save it wherever you wish. On Windows, we recommend you to save it in a subdirectory of the C drive, such as `C:\CBProjects`.



You may see another dialog asking you which configurations you want enabled. The defaults should be fine here, so select *Finish*.

Now your new project has been created.

On the left side of the screen, you should see a *Management* window, with the *Projects* tab selected. Inside that window, you'll see a *Workspace* folder, with your *HelloWorld* project inside of it:



Inside the *HelloWorld* project, expand the *Sources* folder, and double click on “main.cpp”. You will see that a hello world program has already been written for you!

Replace that one with the following:


```
1 #include <iostream>
2 int main()
3 {
4     std::cout << "Hello,
5     world!";
6     return 0;
7 }
```

To build your project, press *Ctrl-F9*, or go to *Build menu > Build* If all goes well, you should see the following appear in the Build log window:

```
----- Build: Debug in HelloWorld (compiler: GNU GCC Compiler)-----
mingw32-g++.exe -Wall -fexceptions -g -std=c++14 -c C:\CBProjects\HelloWorld\main.cpp -o obj\Debug\main.o
mingw32-g++.exe -o bin\Debug\HelloWorld.exe obj\Debug\main.o
Output file is bin\Debug\HelloWorld.exe with size 1.51 MB
Process terminated with status 0 (0 minute(s), 0 second(s))
0 error(s), 0 warning(s) (0 minute(s), 0 second(s))
```

This means your compile was successful!

To run your compiled program, press *Ctrl-F10*, or go to *Build menu > Run* You will see something similar to the following:



That is the result of your program!

### For Linux users

Linux users may need to install the additional packages before Code::Blocks will compile. Please see the Code::Blocks installation instructions in lesson 0.6 -- [Installing an Integrated Development Environment \(IDE\)](#) for more info.

## If you're using g++ on the command line

In this case, you don't need to create a project. Simply paste the following into a text file named HelloWorld.cpp and save your file:

```
1 #include <iostream>
2
3 int main()
4 {
5     std::cout << "Hello,
6     world!";
7     return 0;
8 }
```

From the command line, type:

```
g++ -o HelloWorld HelloWorld.cpp
```

This will compile and link HelloWorld.cpp. To run it, type:

```
HelloWorld (or possibly ./HelloWorld ), and you will see the output of your program.
```

## If you're using other IDEs or a web-based compiler

You will have to figure out how to do the following on your own:

1. Create a console project (IDEs only)
2. Add a .cpp file to the project (IDEs only, if one isn't auto-created for you)
3. Paste the following code into the file:

```
1 #include <iostream>
2
3 int main()
4 {
5     std::cout << "Hello,
6     world!";
7     return 0;
8 }
```

4. Compile the project
5. Run the project

## If compiling fails

It's okay, take a deep breath. We can probably fix it. :)

First, look at the error message that the compiler gave you. Most often, it will contain a line number indicating which line was in error. Examine both that line and the lines around it, and make sure there are no typos or misspellings. Also make sure you're not including line numbers in your code (your editor should be providing those).

Second, look at the Q&A in [lesson 0.8 -- A few common C++ problems](#), as your issue may be covered there.

Third, read the comments below the lesson containing the example you're compiling -- someone may have encountered the same issue and provided a solution.

Finally, if all of the above fail, try searching for your error message on Google. It's likely someone else has encountered this issue before and figured out how to fix it.

## If your program runs but the console window flashes and closes immediately

When a console program is run, the console window will open and any output from the program will be written into the console window.

When the program has finished running, most modern IDEs will keep the console open (until you press a key) so you can inspect the results of the program before continuing. However, some older IDEs will automatically close the console window when the program finishes running. This is generally not what you want.

If your IDE closes the console window automatically, the following two steps can be used to ensure the console pauses at end of the program.

First, add or ensure the following lines are near the top of your program:

```
1 | #include
   | <iostream>
2 | #include
   | <limits>
```

Second, add the following code at the end of the main() function (just before the return statement):

```
1 | std::cin.clear(); // reset any error flags
2 | std::cin.ignore(std::numeric_limits<std::streamsize>::max(), '\n'); // ignore any characters in the
   | input buffer until we find a newline
   | std::cin.get(); // get one more char from the user (waits for user to press enter)
```

This will cause your program to wait for the user to press enter before continuing (you may have to press enter twice), which will give you time to examine your program's output before your IDE closes the console window.

Other solutions, such as the commonly suggested `system("pause")` solution may only work on certain operating systems and should be avoided.

If the console window doesn't open at all and your program doesn't appear to be running, your anti-virus or anti-malware may also be blocking execution of the program. If that's the case, try temporarily disabling your scanners and see if the problem resolves.

## Conclusion

Congratulations, you made it through the hardest part of this tutorial (installing the IDE and compiling your first program)!

Don't worry if you don't understand what the different lines in the Hello World program do. We'll examine and explain each line in detail at the start of the next chapter.



### Next lesson

**0.8** A few common C++ problems



**Back to table of contents**



### Previous lesson

**0.6** Installing an Integrated Development Environment (IDE)

Leave a comment... Put C++ code between triple-backticks (markdown style):````Your C++ code`



Name\*



Email\*



Avatars from <https://gravatar.com/> are connected to your provided email address.

Notify me about replies:



POST COMMENT

DP N N FOUT

Newest ▼

