

# Group Stats Plugin for Calculate The Objects


## Objectives:

- To be able to demonstrate how to install a plugin for calculate number of object in QGIS
- To be able to operate the Group Stats plugin for calculate number of OSM Object

The calculation of the quantity of data can be an indicator of the achievement of mapping projects that can be poured into a mapping report. The process of calculating the quantity of OSM data can be done by installing the plugin group stats in QGIS for free, this plugin can use to count the number of objects based on categories.


## I. Group Stats Installation

- If you haven't the QGIS application, you can download it in this link and install the QGIS.  
<http://download.osgeo.org/qgis/win64/QGIS-OSGeo4W-2.14.22-1-Setup-x86.exe> for Windows 32 bit and [http://download.osgeo.org/qgis/win64/QGIS-OSGeo4W-2.14.22-1-Setup-x86\\_64.exe](http://download.osgeo.org/qgis/win64/QGIS-OSGeo4W-2.14.22-1-Setup-x86_64.exe) for Windows 64 bit.
- Open QGIS and ensure the internet connection is working. Click on **Plugins Menu → Manage and Install Plugins**




Plugins Menu Interface

- Type **Group Stats** in the **Search** box and click on **Install Plugin**



Install the plugin

- If the installation has finished, the plugin will show up in **Vector Menu** → **GroupStats**



GroupStats Interface

## II. Calculate OSM Objects using Group Stats

We can overlay the administrative boundaries and the infrastructures to get the calculate of data quantity. The results of the calculation can be used to create a monthly report and monitor the mapping timeline. Before we starting to calculate the objects, we have to prepare the data in the shapefile format.


We can use the data form PDC InaWARE project in Semarang City in this chapter, getting the administrative boundary data in this link <https://openstreetmap.id/data-semarang/> and the infrastructures data in <https://export.hotosm.org/en/v3/exports> (follow this chapter **04.Using YAML** to the instructions). The list of the objects in the shapefile:

- **Public Facilities: Points and Polygons**
  1. All objects in amenity=\*
  2. Electrical Facility (power=\*)
  3. Park (leisure=\*)
  4. Government Office (office=\*)
  5. Supermarket (shop=supermarket)
- **highways: Lines**
  - highway=\*

The next step we will start to calculate the objects:


**a. Preparing the Data**

- Open the layer in QGIS with click on **Add Vector Layer → Browse** or click **Layer Menu → Add Layer → Add Vector Layer → Browse**.




Add Vector Layer

- Choose your directory that the objects file is saved → **Select All** → **Open** → **Open**




Open shapefile from directory

- The layers will appear on map canvas and **Layers Panel**



The Objects layer view on the map canvas


- Add the administrative boundary to QGIS with click on the **Add Vector Layer**



The layer view on the map canvas

#### b. Merge the Objects Layer and Administrative Boundary

- Merge the layer between the objects and administrative boundary so that the objects have a new column from the administrative boundary. Click **Menu Vector → Geoprocessing Tool → Intersect** to merge the layer. In section, **\*\* input vector layer\*\*** selects the object layer with the **Intersect layer** (administrative boundary layer). Choose **Browse** to save the file **output shapefile** in your directory, and click **OK**.

 Intersect ? X

Input vector layer

☐ Use only selected features

Intersect layer

☐ Use only selected features

Output shapefile

☒ Add result to canvas

0% OK Close

#### Intersect layer

- The results will appear in your map canvas as a new layer. We can get the details of the attribute data form “fasum\_point\_admin” layer with right-click on the layer and click on **Open Attribute Table**. We found at the column **name\_2** the name of a village in each object.

fasum\_points\_kel : Features total: 1006, filtered: 1006, selected: 0

	r_city	source	meta	rvt	evacuation	shelter_ty	water_sour	kitchen_fa	toilet_fac	toilet_ru	id	@id	admin_level	boundary	is_in_city	is_in_muni	is_in_prov	name_2	source_2
0	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6111...	relation/6111...	7	administrative	Semarang	Semarang Uk...	Jawa Tengah	Tanjungsari	HOT_IDAWAR...
1	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6297...	relation/6297...	7	administrative	Semarang	Pedurungan	Jawa Tengah	Tlogomulyo	HOT_IDAWAR...
2	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6280...	relation/6280...	7	administrative	Semarang	Pedurungan	Jawa Tengah	Penggeran Kul...	HOT_IDAWAR...
3	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
4	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6241...	relation/6241...	7	administrative	Semarang	Genuk	Jawa Tengah	Berangdowo	HOT_IDAWAR...
5	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6355...	relation/6355...	7	administrative	Semarang	Tembalang	Jawa Tengah	Rauvossari	HOT_IDAWAR...
6	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6286...	relation/6286...	7	administrative	Semarang	Pedurungan	Jawa Tengah	Penggeran Kul...	HOT_IDAWAR...
7	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6111...	relation/6111...	7	administrative	Semarang	Semarang Uk...	Jawa Tengah	Tanjungsari	HOT_IDAWAR...
8	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Wetan	HOT_IDAWAR...
9	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6278...	relation/6278...	7	administrative	Semarang	Genuk	Jawa Tengah	Berangdowo	HOT_IDAWAR...
10	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
11	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6182...	relation/6182...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
12	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Wetan	HOT_IDAWAR...
13	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6278...	relation/6278...	7	administrative	Semarang	Genuk	Jawa Tengah	Sembungharjo	HOT_IDAWAR...
14	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6111...	relation/6111...	7	administrative	Semarang	Semarang Uk...	Jawa Tengah	Tanjungsari	HOT_IDAWAR...
15	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6182...	relation/6182...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
16	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
17	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6241...	relation/6241...	7	administrative	Semarang	Genuk	Jawa Tengah	Berangdowo	HOT_IDAWAR...
18	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6355...	relation/6355...	7	administrative	Semarang	Tembalang	Jawa Tengah	Rauvossari	HOT_IDAWAR...
19	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6280...	relation/6280...	7	administrative	Semarang	Pedurungan	Jawa Tengah	Penggeran Kul...	HOT_IDAWAR...
20	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
21	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
22	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6111...	relation/6111...	7	administrative	Semarang	Semarang Uk...	Jawa Tengah	Tanjungsari	HOT_IDAWAR...
23	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6355...	relation/6355...	7	administrative	Semarang	Tembalang	Jawa Tengah	Rauvossari	HOT_IDAWAR...
24	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6182...	relation/6182...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
25	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6278...	relation/6278...	7	administrative	Semarang	Genuk	Jawa Tengah	Berangdowo	HOT_IDAWAR...
26	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6111...	relation/6111...	7	administrative	Semarang	Semarang Uk...	Jawa Tengah	Tanjungsari	HOT_IDAWAR...
27	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6182...	relation/6182...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
28	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6355...	relation/6355...	7	administrative	Semarang	Tembalang	Jawa Tengah	Rauvossari	HOT_IDAWAR...
29	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6181...	relation/6181...	7	administrative	Semarang	Genuk	Jawa Tengah	Terboyo Kulon	HOT_IDAWAR...
30	ing	HOT_IDAWAR...	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE	relation/6241...	relation/6241...	7	administrative	Semarang	Genuk	Jawa Tengah	Berangdowo	HOT_IDAWAR...

Show All Features

#### The attribute table of intersecting result

- We will repeat the process on the highways layer and the polygon public facilities layer. The intersecting results will be three-layer on the QGIS.

- Open the attribute table in each layer and check the column that it is a reference to calculate the OSM data. The list of the column in attribute table:


1. Point public facilities = amenity, power, office dan supermarket
2. Polygon public facilities = amenity, power, office, supermarket, dan leisure
3. highways = highway

### c. Calculate the Objects using Group Stats Plugin

The mapping results are points, lines, and polygons so that we can calculate with a different formula in Group Stats plugin based on the type of data. OSM data in points and polygons will be calculated with the formula “**count**” that calculating the number of an attribute in the column. Although, OSM data in lines will be calculated with the formula “**sum**”, that calculating the number of length segments.

#### 1. The Calculating Points and Polygons

- Open the plugin with **Menu Vector → Group Stats → GroupStats**



#### Group Stats

- Follow the instructions as below:
1. **Layers** (1)= show the layer will be calculated. **Fields** = an automatic show the column in attribute table that chooses
  2. **Filter** (2) = use to show objects only in specific administrative boundary
  3. **Columns** (3) = use to become column on the table, fill the column on the Fields, with a click and move the Columns box.
  4. **Rows** (4) = use to become a row in the table, fill the column on the Fields, with a click and move the Row box.
  5. **Value** (5)= use to select the formula
  6. Click on **Calculate** (6) to starting the calculation



Group Stats

Data Features Window Help

	1	2	3	4	5	6	7	8
name_2	Candi	Jatingaleh	Jomblang	Kaliwiru	Karanganyar	Gunung	Tegalsari	Wonotingal
amenity								
bank	1				1		1	4
clinic				3	1		1	1
fuel					1		1	1
kindergarten	3	1	1	2		2	1	2
place_of_worship				1				

Result Calculation

Control panel

Layers

fasum\_points\_kel

Fields

osm\_id  
power  
rating  
ref  
religion  
school\_typ  
shelter\_ty  
shop  
source

Filter

"is\_in\_muni" =  
'Candisari'

Columns

name\_2

Rows

amenity

Value ☐ use NULL values

count  
amenity

Use only selected features

Clear

Calculate

### Step by step the Group Stats

- We will use the filter function to select the objects only in specific sub-district. Click on "fasum\_point\_admin", so that the data only show for once sub-districts. Filter data on the "fasum\_point\_admin" layer, and click the **Filter in Group Stats**. The filter window will appear.

Query Builder

Set provider filter on fasum\_points\_kel

**Fields**

- ref
- evacuation
- shelter\_ty
- water\_sour
- kitchen\_fa
- toilet\_fac
- toilets\_nu
- id
- @id
- admin\_leve
- boundary
- is\_in\_city
- is\_in\_muni** 1
- is\_in\_prov
- name\_2
- source\_2

**Values**

- Banyumanik
- Candisari** 4
- Gajah Mungkur
- Gayamsari
- Genuk
- Gunung Pati
- Mijen
- Ngaliyan
- Pedurungan
- Semarang Barat
- Semarang Selatan
- Semarang Tengah
- Semarang Timur

Sample **All** 3

☐ Use unfiltered layer

**Operators** 2

**=** < > LIKE % IN NOT IN

<= >= != ILIKE AND OR NOT

**Provider specific filter expression**

**"is\_in\_muni" = 'Candisari'**

OK Test Clear Cancel Help

## Filter data

- We will move the result table in group stats to other spreadsheet applications such as Ms.Excel or Google Sheets. So we can change the visual data to become a graph and a diagram. To start the process click on **Data → Copy all to clipboard**.



Group Stats								
Data Features Window Help								
Copy all to clipboard Copy selected to clipboard Save all to CSV file Save selected to CSV file								
	3	4	5	6	7	8		
	galeh	Jomblang	Kaliwiru	Karanganyar Gunung	Tegalsari	Wonotingal		
3 bank	1		1	1		4		
4 clinic		3	1		1	1		
5 fuel			1	1	1			
6 kindergarten	3	1	1	2	2	1	2	
7 place_of_worship			1					

Copy and paste the attribute table


- Open the Microsoft Excel or Google Sheets to move the results table Group Stats.
- We can do the same instructions to calculate the other objects, see the example results from PDC Semarang City in this link <http://tinyurl.com/kuantitas-data>.

## 2. Calculate the Lines Object with Calculation Length Segments.

The Calculation a type of lines different with points and polygon. If we calculate the length segments of highways, the shapefile will be changed in Universal Transverse Mercator (UTM) coordinate system. The steps to calculate the length of the highways:

### Change the Coordinate System

- Right-click on highways layer → **Save as** → choose the **Format ESRI Shapefile** → **Save as in your directory** → **CRS** choose the reference system on your UTM area.




Save as with different CRS

- If you give the checkmark on the **Add saved the file to map**, the result will show up in the map canvas and **Layers Panel**.


**Create the New Column to Calculation Length of the highways**

- Then right-click on the Layers “Jalan\_Admin\_UTM” → **Open Attribute Table**. Click on the **Toggle editing mode** to activate the attribute toolbar.



Toolbar Toggle editing mode

- To add a new column, click on the **New Field** in the toolbar.



Toolbar New Field

- There are the filled form **Add field window**
1. **Name** = Title of the column (a maximum of 10 characters)
  2. **Type** = Type of data that you need in the fill of the table. Select the Decimal number (real) to view the length of the segments
  3. **Provider type double** = The length shows the maximum number of columns and precision shows the number of the decimal in behind comma.
  4. Click OK

Add field setting

**Calculation the Length (meter) with Field Calculator**

- To start the process click on **Open field calculator**
- The settings in the Open field calculator:

1. We can put the checkmark in **Update existing field** to update the existing column.
2. Choose the column that will be updated
3. We can type the **"length"** to calculate the length of the highway with the formula.
4. Double-click on **Geometry** → **\$ length** is a formula to calculate the length of segments. After we clicked the formula, **\$length** will appear in the Expression box in the right panel.
5. Click OK

The screenshot shows the 'Field calculator' dialog box in QGIS. The following elements are annotated with red boxes and numbers:

- 1**: The 'Update existing field' checkbox is checked.
- 2**: The 'Output field name' dropdown menu is set to 'Panjang\_Jl'.
- 3**: The 'length' text is entered into the 'Expression' field.
- 4**: The '\$length' function is selected from the 'Geometry' category in the function list.
- 5**: The 'OK' button is highlighted.

Other visible details include: 'Only update 0 selected features' (unchecked), 'Create a new field' (unchecked), 'Create virtual field' (unchecked), 'Output field type' set to 'Whole number (integer)', 'Output field length' set to 10, and 'Precision' set to 0. The 'Expression' tab is active, showing a toolbar with mathematical operators and a text area containing '\$length'. The 'Function Editor' panel on the right shows the '\$length' function description, syntax, and examples.

The setting of Field Calculator

- The results will be displayed in the last column.


jalan\_admin\_UTM - Features total: 34805, filtered: 34805, selected: 0

id	lanes	surface	smoothness	motorcycle	oneway	ref	source	z_index	id	@id	admin_level	boundary	is_in_city	is_in_muni	is_in_prov	name_2	source_2	Penjang_3
0	4	asphalt	intermediate	yes	yes	NUL	HOT_JAWAR...	7	relation/8087...	relation/8087...	7	administrative	Semarang	Semarang Sel...	Jawa Tengah	Pleburan	HOT_Jaw...	383.58870226...
1	4	asphalt	intermediate	yes	yes	NUL	HOT_JAWAR...	7	relation/8088...	relation/8088...	7	administrative	Semarang	Semarang Sel...	Jawa Tengah	Magassar	HOT_Jaw...	133.29542889...
2	4	asphalt	intermediate	yes	yes	NUL	HOT_JAWAR...	7	relation/8174...	relation/8174...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Pekunden	HOT_Jaw...	208.12958341...
3	2	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8055...	relation/8055...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Sariraja	HOT_Jaw...	4.724858364...
4	2	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8135...	relation/8135...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Mirado	HOT_Jaw...	518.38371595...
5	2	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8057...	relation/8057...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Brumbungan	HOT_Jaw...	732.65268241...
6	2	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8058...	relation/8058...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Jagalan	HOT_Jaw...	297.58041857...
7	2	concrete	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8103...	relation/8103...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Rejunulyo	HOT_Jaw...	118.89454624...
8	2	concrete	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8111...	relation/8111...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Tanjungmas	HOT_Jaw...	4.9245489827...
9	2	concrete	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8114...	relation/8114...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Kanjelen	HOT_Jaw...	951.87901107...
10	1	concrete	good	yes	no	NUL	HOT_JAWAR...	7	relation/8103...	relation/8103...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Rejunulyo	HOT_Jaw...	128.29741590...
11	1	concrete	good	yes	no	NUL	HOT_JAWAR...	7	relation/8094...	relation/8094...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Purwodiratan	HOT_Jaw...	64.333994052...
12	1	paving_stones	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8103...	relation/8103...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Rejunulyo	HOT_Jaw...	1.0493258367...
13	1	paving_stones	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8094...	relation/8094...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Purwodiratan	HOT_Jaw...	40.327214039...
14	1	paving_stones	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8111...	relation/8111...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Tanjungmas	HOT_Jaw...	0.9546165957...
15	1	paving_stones	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8094...	relation/8094...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Purwodiratan	HOT_Jaw...	185.98518137...
16	1	paving_stones	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8111...	relation/8111...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Tanjungmas	HOT_Jaw...	541.90721439...
17	1	paving_stones	good	yes	yes	NUL	HOT_JAWAR...	7	relation/8103...	relation/8103...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Rejunulyo	HOT_Jaw...	0.8458538729...
18	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	4	relation/8055...	relation/8055...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Sariraja	HOT_Jaw...	4.3242748116...
19	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	4	relation/8058...	relation/8058...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Jagalan	HOT_Jaw...	271.78147088...
20	1	asphalt	good	yes	no	NUL	HOT_JAWAR...	4	relation/8037...	relation/8037...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Brumbungan	HOT_Jaw...	5.1296622995...
21	1	asphalt	good	yes	no	NUL	HOT_JAWAR...	4	relation/8058...	relation/8058...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Jagalan	HOT_Jaw...	528.41291270...
22	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8174...	relation/8174...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Pekunden	HOT_Jaw...	48.740322442...
23	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8211...	relation/8211...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Karangkidul	HOT_Jaw...	7.443868866...
24	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8174...	relation/8174...	7	administrative	Semarang	Semarang Te...	Jawa Tengah	Pekunden	HOT_Jaw...	1202.3105623...
25	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8034...	relation/8034...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Karangburi	HOT_Jaw...	3.240763994...
26	1	asphalt	good	yes	yes	NUL	HOT_JAWAR...	6	relation/8211...	relation/8211...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Karangkidul	HOT_Jaw...	347.13606340...
27	2	asphalt	intermediate	yes	yes	NUL	HOT_JAWAR...	7	relation/8087...	relation/8087...	7	administrative	Semarang	Semarang Sel...	Jawa Tengah	Pekunden	HOT_Jaw...	6.7476827296...
28	2	asphalt	intermediate	yes	yes	NUL	HOT_JAWAR...	7	relation/8111...	relation/8111...	7	administrative	Semarang	Semarang TL...	Jawa Tengah	Pekunden	HOT_Jaw...	11.82623887...

Show All Features

The length of highways

- Save your edit with **Save Edits** in the toolbar. To finish the process click **Toggle Editing**.



Save edits

Calculation the length of highways based on the type of highways with Group Stats

- Open **Group Stats** click on the **Menu Vector** → **Group Stats** → **Group Stats**.
- We can use the **"sum"** and **Length** formula to calculate the number of length on the **Value box**

Group Stats

Data Features Window Help

	1	2	3	4	5	6	7	8
name_2	Candi	Jatingaleh	Jomblang	Kaliwiru	Karanganyar	Gunung	Tegalsari	Wonotingal
highway								
living_street	5973.71	2965.41	6561.5	561.991		4432.54	3374.79	2565.41
motorway		1126.45	280.444			181.662		
path		14.6127					599.215	26.2861
pedestrian							141.306	342.868
primary	783.997	532.923	356.633	834.858		327.099	1125.32	
residential	9131.5	12550.4	20747.7	6067.3		14608.5	16158.2	9767.19
secondary	1038.14	9.72571	863.676	1312.3		3.3838	1492.09	1528.76
service	494.216	3680.79	228.932	253.143		556.516	528.045	848.201
tertiary	3.0196	3043.11	1560.75	3.02748		2002.74	1.99649	921.379
trunk		1380.6		728.414				1057.4

Control panel

Layers

1 jalan\_admin\_UTM

Fields

layer  
motorcycle  
name  
name\_2  
oneway  
osm\_id  
Panjang\_Jl  
ref  
smoothness

Filter

Columns

2 name\_2

Rows

3 highway

Value ☐ use NULL values

4 Length sum

☐ Use only selected features Clear

5 Calculate

The setting of length segments

- If we want to calculate based on the administrative boundary, we can use the filter function in the Group Stats plugin. Click on Filter and follow the instructions.



Query Builder

Set provider filter on jalan\_admin\_UTM

**Fields**

- ref
- evacuation
- shelter\_ty
- water\_sour
- kitchen\_fa
- toilet\_fac
- toilets\_nu
- id
- @id
- admin\_leve
- boundary
- is\_in\_city
- is\_in\_muni** 1
- is\_in\_prov
- name\_2
- source\_2

**Values**

- Banyumanik
- Candisari** 4
- Gajah Mungkur
- Gayamsari
- Genuk
- Gunung Pati
- Mijen
- Ngaliyan
- Pedurungan
- Semarang Barat
- Semarang Selatan
- Semarang Tengah
- Semarang Timur

Sample 3 All

☐ Use unfiltered layer

**Operators** 2

**=** < > LIKE % IN NOT IN

<= >= != ILIKE AND OR NOT

**Provider specific filter expression**

**"is\_in\_muni" = 'Candisari'**

OK Test Clear Cancel Help

Filter based on subdistricts

- As explained before, we can move the table to another spreadsheet to create a graph. Click on the Data → Copy all to clipboard.

Group Stats								
Data Features Window Help								
Copy all to clipboard Copy selected to clipboard Save all to CSV file Save selected to CSV file			4	5	6	7	8	
			Jomblang	Kaliwiru	Karanganyar Gunung	Tegalsari	Wonotingal	
3	living_street	5973.71	2965.41	6561.5	561.991	4432.54	3374.79	2565.41
4	motorway		1126.45	280.444		181.662		
5	path		14.6127				599.215	26.2861
6	pedestrian						141.306	342.868
7	primary	783.997	532.923	356.633	834.858	327.099	1125.32	
8	residential	9131.5	12550.4	20747.7	6067.3	14608.5	16158.2	9767.19
9	secondary	1038.14	9.72571	863.676	1312.3	3.3838	1492.09	1528.76
10	service	494.216	3680.79	228.932	253.143	556.516	528.045	848.201
11	tertiary	3.0196	3043.11	1560.75	3.02748	2002.74	1.99649	921.379
12	trunk		1380.6		728.414			1057.4

Copy all the clipboard

- Open the spreadsheet and paste the table in there.

The example table of length the highways

Type of highway	Candi	Jatingaleh	Jomblang	Kaliwiru	Karang Gunung	Tegalsari	Wonotinggal
Motorway	-	1313.88	163.85	-	-	-	-
Trunk	-	1571.20	-	1602.19	-	-	-
Primary	-	1389.34	1264.54	-	206.96	-	-
Secondary	1065.13	-	24.17	2353.86	-	-	-
Tertiary	271.49	3920.71	1612.78	-	836.18	-	-
Service	500.24	2567.00	226.11	116.68	150.03	301.93	851.94
Residential	8486.45	14300.66	20972.41	5424.36	13322.03	15234.38	11635.03
Pedestrian	-	1313.88	163.85	-	-	141.93	344.38
Path	-	14.68	-	-	-	601.85	26.40
Living Street	5913.74	2841.22	6588.17	451.66	4401.59	3509.38	2576.71

- We can do the same instructions to calculate the other objects in lines, see the example results from PDC Semarang City in this link <http://tinyurl.com/kuantitas-data>.

## SUMMARY

We have learned about how to calculate the quantities of OSM data using the Group Stats plugin. We can use the statistic data in the report to analysis, mapping progress, and mapping achievement. If you want to create the timeline from the results based on an admin level, we can calculate the data in each village that the village survey has finished.