

$$\mathcal{S}_{mu}^\wedge$$

Imagine maps:

$$\mathrm{Map}_*^G(A,B)$$

where $A,B\in \mathrm{Top}_*^G$.

If $X\in \mathrm{Top}_*$ and $Y\in \mathrm{Top}$, we can form the spectra:

$$\Sigma^\infty X, \Sigma_+^\infty Y$$

Theorem 1 (Pythagoras). $a^2+b^2=c^2$.

Proof. Trivial □

Lemma 2 (Zorn’s Lemma). *An poset $P\in \mathbf{Poset}$ where all chains are bounded above has a maximal element.*

Proof. Axiom of choice. □

Proposition 3. $\sqrt[3]{2}$ is not a rational number.

Proof. Suppose it was. Then, there will be two integers $a,b\in \mathbb{Z}$ such that $a^3+a^3=b^3$. We will need the following:

Theorem 4 (Fermat’s Last Theorem, due to Andrew Wiles). *The equation $a^n+b^n=c^n$ has no integer solutions when $n\geq 3$.*

Proof. Trivial [Theorem 4] □

We see that $\sqrt[3]{2}$ being rational produces a contradiction to Fermat’s Last Theorem. Therefore, it must be irrational. [Proposition 3] □

Remark 5 (Jordan curve theorem). It happens

Proof. Duh □

<

$$\mathcal{S},\mathcal{MU},tmf,\mathcal{BP},\mathcal{T}(n),\mathcal{K}(n)$$