

Introduction to Computer Programming

Week 6.2: Importing files from different locations



In-class Demos

Try it yourself

Example 1a:

Create the file structure shown below within a new folder called `lecture_6`.

```
example_w6b/  
├── scripts/  
│   └── my_script.py  
├── fruit/  
│   ├── __init__.py  
│   └── strawberry.py  
├── functions.py  
└── __init__.py
```

Try it yourself**Example 1b:**

Add the content shown:

`functions.py`

```
def letters(word):  
    for w in word:  
        print(w)
```

`strawberry.py`

```
word = 'strawberry'
```

Example 1c:

Within `my_script.py`, use the function `letters` to print the letters of the word 'Python' on separate lines.

Solution: Example 1c

`my_script.py`

```
import sys  
sys.path.append('../')  
  
import functions  
  
functions.letters('Python')
```

Try it yourself**Example 1d:**

Within `my_script.py`, use the function `letters` to print the letters of the variable `word` imported from `strawberry.py`

Solution: Example 1c

Add directory one level up to path

my_script.py

```
import sys
sys.path.append('../')

import functions
import fruit.strawberry

functions.letters(fruit.strawberry.word)
```

Add directory one level up and different directory to path

my_script.py

```
import sys
sys.path.append('../')
sys.path.append('../fruit')

import functions
import strawberry

functions.letters(strawberry.word)
```

Renaming and importing individual objects

my_script.py

```
import sys
sys.path.append('../')
sys.path.append('../fruit')

import functions as f
from strawberry import word

f.letters(word)
```

In []:

1