# **HPLT Analytics report**



### **General overview**

Corpus	Date	Language	
hplt-v3-lmo_Latn	9/18/2025	Lombard (Imo)	

#### **Volumes**

Docs	Segments	Unique segments	Tokens	Characters	Size
116,732	1,607,907	1,249,957 (77.74 %)	62M	288,382,712	285.12 MB

### Top 10 domains

Docs	% of total	
59K	50.28%	
17K	14.69%	
3.7K	3.14%	
3.3K	2.79%	
1.5K	1.31%	
1.3K	1.14%	
1.2K	1.06%	
783	0.67%	
709	0.61%	
610	0.52%	
	59K 17K 3.7K 3.3K 1.5K 1.3K 1.2K 783	

### Top 10 TLDs


Domain	Docs	% of total
ch	76K	64.83%
org	22K	18.75%
it	8.9K	7.58%
com	2.9K	2.45%
bz.it	2.8K	2.44%
info	1.9K	1.62%
net	684	0.59%
tn.it	290	0.25%
eu	257	0.22%
is	169	0.14%

### Documents size (in segments) ①

≤ 25 segments 92.03% (107K documents)> 25 segments 7.97% (9.3K documents)

## Document collections


CC = 97.17% IA = 2.83%






### **Language Distribution**

### Number of segments in the Lombard (Imo) corpus




### Percentage of segments in Lombard (Imo) inside documents




# Distribution of documents by document score

score < 5 - **0**% (0 documents) score ≥ 5 - **100**% (117K documents)




## Segment length distribution by token

≤ 49 tokens = 1.2M segments | 321K duplicates > 50 tokens = 400K segments | 38K duplicates



## Segment noise distribution



## Frequent n-grams

SIZE	N-GRAMS	
1	[   1,214,669   ii   705,062   en   515,691   i   440,497   d   397,245	
2	en il   80,270	C
3	qe qe qe   18,653 modifitgar il code   11,891 il cussegl federal   7,663 en vigur dapi   5,801 ultra da quai   5,795	C
4	qe qe qe qe   18,643	C
5	qe qe qe qe qe qe   18,633	C

### **About HPLT Analytics**

#### **Volumes - Segments**

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

#### Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

#### Type-Token Ratio

Lexical variety computed as \*number or types (uniques)/number of tokens\*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

#### Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

#### Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

### Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

#### Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

#### Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

#### Segment length distribution by token

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$ 

#### Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

#### Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

#### Register labels

regioter labele					
Name	Abbr.	Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	HI	Description of a thing or person	dtp
Lyrical	LY	Recipe	re	FAQ	fi
Spoken	SP	Informational persuasion	IP	Legal terms & conditions	lt
Interview	it	Description with intent to sell	ds	Opinion	OP
Interactive discussion	ID	•		•	
Narrative	NA	News & opinion blog or editorial	ea	Review	rv
News report	ne	Informational description	IN	Opinion blog	ob
Sports report	sr	Enciclopedia article	en	Denominational religious blog or sermon	rs
Narrative blog	nb	Research article	ra	Advice	av