
Name	Period
ivanic	i ciioa

Storing Numbers


Your Tasks (Mark these off as you go)
☐ Define key vocabulary
☐ Explore place value limitations
☐ Explore the odometer widget
☐ Explore the virtual Flippy-Do 2
☐ Complete the Flippy-Do 2 challenges
☐ Complete the pie challenge
☐ Complete the candy shop challenge
☐ Receive credit for this lab guide
□ Define key vocabulary Overflow error
Rounding error

☐ Explore place value limitations

Imagine you work at a local store. In the register all you have are nine \$10 bills, nine \$1 bills, and nine dimes, as shown below.



1	1	1
1	1	1
1	1	1



Given the amounts above, discuss with your group the following pro	mpts,
What's the largest amount of change that you can give someone	2?
What's the smallest amount?	
 What would you do if someone needed .07 cents in change? What would you do if someone needed \$1.25 in change? 	
what would you do it someone needed \$1.23 in change:	
☐ Explore the odometer widget	
We will start exploring large place values to see what happens when	a big number gets too big.
Go to the Binary Odometer Widget https://studio.code.org/s/odome	ter/stage/1/puzzle/1
This is a widget that simulates a car odometer - a device that tracks he silometers). Explore the odometer to understand how it works.	ow far the car has driven (in miles or
Move the slider at the bottom to set the binary odometer to the high Then let it run!	hest number possible – as illustrated below.
What happens to the odometer reading? Does the odometer	
 How could you modify the odometer so that it still displayed 	a the confect distance.
How could you modify the odometer so that it still displayed	Start Pause Reset
How could you modify the odometer so that it still displayer	
How could you modify the odometer so that it still displayer	Start Pause Reset
How could you modify the odometer so that it still displayer	Start Pause Reset Slow Fast
How could you modify the odometer so that it still displayer	Start Pause Reset Slow Fast Binary: 1111111111
How could you modify the odometer so that it still displayer	Start Pause Reset Slow Fast Binary: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
How could you modify the odometer so that it still displayer	Start Pause Reset Slow Fast Binary: 1111111111 Octal: 1777 Decimal: 1023
How could you modify the odometer so that it still displayer	Start Pause Reset

☐ Explore the virtual Flippy-Do 2

2 ⁵	2 ⁴	2 ³	2 ²	2 ¹	2 ⁰	2-1	2 ⁻²
32	16	8	4	2	1	0.5	0.25
0	0	0	0	0	0	0	0

Now that you have started thinking about place value and overflow, we are going to work on a different problem. What happens when there aren't enough place values to represent a number? You will explore this with a new version of the Flippy Do, the Flippy Do 2! This is illustrated below,

Notice in this version of the Flippy Do we have included negative exponents. This allows us to represent fractions and represent numbers with more precision.

To play with the virtual Flippy-Do 2 follow the link below,


https://flippydo2.hpluska.repl.co/

If	f 2 ⁻¹ is .5 and 2 ⁻² is 0.25, what are the values of 2 ⁻³ , 2 ⁻⁴ , 2 ⁻⁵ ?

☐ Complete the Flippy-Do 2 challenges

Use the Flippy-Do 2 to complete the following challenges

Challenge 1



Challenge 2

Is it possible to represent the following amounts using the Flippy-Do 2. How could you modify the Flippy-Do 2 to represent the amount shown?



☐ Complete the pie challenge

Now you will determine how much pie is left at the end of dessert in binary. For each pie, you may need to make a decision how you want to round the number to fit on the Flippy-Do 2.

For each of the pie's shown estimate how much pie is left in decimal, then determine the value in binary. You may need to round up or down! The first 2 pies are done for you. Use these as an example to complete the rest.

Column 1	Column 2	Column 3	
Decimal Estimate of the pie remaining	Nearest binary value	Decimal equivalent	
Pumpkin 0.125		0.125	
0.375	0.011	0.375	
	Decimal Estimate of the pie remaining 0.125 0.375 How do these values compare? If they are different, how could you	Decimal Estimate of the pie remaining 0.125 0.001 0.375 0.011 How do these values compare? If they are different, how could you	

_							
	Comp		46.0				1
	Comp	IPTP	The	candy	/ snor	o chai	ienge
	COLLID				, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<i>-</i>	

You and your partner are opening a candy shop. Here are the prices of 4 of the candies you will be selling. You need to put a binary number into your shop's computer system to represent the price for each candy. Try to find a binary number to represent each decimal price - do this without the Flippy-Do 2

Candy	Decimal Price	Binary Price	Decimal equivalent
Gummy Bears	\$1.44/lb		
Chocolate	\$4.31/lb		
Licorice	\$7.09/lb		
Mints	\$0.51/lb		

For each of the values above, how does the precision of the binary representation compare with the decimal
representation? Explain.
What does the Flippy-Do 2 show about representing very small numbers in computers?

☐ Receive Credit for this lab guide

Submit this portion of the lab to Pluska to receive credit for the lab guide.