Local R Setup

1 System Requirements

The functionality of some of these packages requires Linux, Mac OSX, or a Unix-type system. This excludes Windows in some cases. The code was run on Linux and Mac OSX. Although we do not currently support it, Windows 10 has a Linux subsystem (https://msdn.microsoft.com/en-us/commandline/wsl/install_guide), which may allow for a working installation of all the dependencies of Neuroconductor.

Although still untested there is a good tutorial on running FSL on Windows (http://www.nemotos.net/? p=1481) as well as ANTsR on Windows (https://github.com/stnava/ANTsR/wiki/Installing-ANTsR-in-Windows-10-(along-with-FSL,-Rstudio,-Freesurfer,-etc)).

1.1 Install R

You can install the latest R from http://cran.r-project.org/ (http://cran.r-project.org/).

We also recommend installing the RStudio IDE (https://www.rstudio.com/products/rstudio/download/)

1.2 CMake and Git

These are required by the ANTSR suite of tools. To install these, see the relevant sections in the Installing ANTSR tutorial (http://johnmuschelli.com/neuroc/installing_ANTSR/index.html)

1.3 FSL

See the installation instructions for FSL from https://fsl.fmrib.ox.ac.uk/fsl/fslwiki/FslInstallation (https://fsl.fmrib.ox.ac.uk/fsl/fslwiki/FslInstallation).

1.3.1 Neurodebian

The following was done to make the Neurodebian installation look like that of Mac OSX:

```
# FST
sudo apt-get update \
   && sudo apt-get install -y fsl-complete
# Debian has a fixed FSLDIR
export FSLDIR=/usr/local/fsl
export FSLSHARE=/usr/share/data
# add the fsl binary path to the search path
export PATH=$PATH:${FSLDIR}/bin
# export PATH=$PATH:/usr/lib/fs1/5.0
# Possum is installed in the same directory
export POSSUMDIR=$FSLDIR
sudo mkdir -p ${FSLDIR}/bin
sudo cp /usr/lib/fsl/5.0/* ${FSLDIR}/bin/
sudo mkdir -p ${FSLDIR}/lib
sudo mv ${FSLDIR}/bin/lib* ${FSLDIR}/lib/
export FSLOUTPUTTYPE=NIFTI GZ
# export LD LIBRARY PATH=$LD LIBRARY PATH:/usr/lib/fs1/5.0
export LD LIBRARY PATH=${FSLDIR}/lib/:$LD LIBRARY PATH:
# sudo cp /usr/share/fsl/5.0/etc/fslconf/fsl.sh $F$LDIR/etc/fslconf/fsl.sh
export FSLOUTPUTTYPE=NIFTI GZ
# sudo rm $FSLDIR/etc/fslconf/fsl.sh
sudo mkdir -p $FSLDIR/etc/fslconf/
fname=${FSLDIR}/etc/fslconf/fsl.sh
echo "FSLDIR=/usr/local/fsl" > ${fname}
echo 'PATH=${PATH}:${FSLDIR}/bin' >> ${fname}
echo 'LD LIBRARY PATH=${FSLDIR}/lib:$LD LIBRARY PATH' >> ${fname}
echo "FSLOUTPUTTYPE=NIFTI GZ" >> ${fname}
###############################
# Setting global library
###############################
sudo echo "${FSLDIR}/lib" > /etc/ld.so.conf.d/fsl.conf
sudo ldconfig
```

```
sudo mkdir -p ${FSLDIR}/data/standard
sudo mkdir -p ${FSLDIR}/data/atlases
# Setting things up like other installers
# settring up standard
sudo cp -R ${FSLSHARE}/fsl-mni152-templates/* ${FSLDIR}/data/standard/
# setting up atlases
sudo cp -R ${FSLSHARE}/harvard-oxford-atlases/* ${FSLDIR}/data/atlases/
sudo cp -R ${FSLSHARE}/juelich-histological-atlas/* ${FSLDIR}/data/atlases/
sudo cp -R ${FSLSHARE}/bangor-cerebellar-atlas/* ${FSLDIR}/data/atlases/
sudo cp -R ${FSLSHARE}/jhu-dti-whitematter-atlas/* ${FSLDIR}/data/atlases/
sudo cp -R ${FSLSHARE}/forstmann-subthalamic-nucleus-atlas/* ${FSLDIR}/dat
a/atlases/
sudo cp -R ${FSLSHARE}/fsl-resting-connectivity-parcellation-atlases/* ${FS
LDIR}/data/atlases/
sudo cp -R ${FSLSHARE}/mni-structural-atlas/* ${FSLDIR}/data/atlases/
sudo cp -R ${FSLSHARE}/oxford-thalamic-connectivity-atlas/* ${FSLDIR}/data/
atlases/
sudo cp -R ${FSLSHARE}/talairach-daemon-atlas/* ${FSLDIR}/data/atlases/
```

2 R Packages

2.1 Devtools Package

The tutorial and breakdown for installing the <code>devtools</code> package is located at:

https://www.rstudio.com/products/rpackages/devtools/

(https://www.rstudio.com/products/rpackages/devtools/). Please read through it as most of the code below requires devtools.

2.2 Bioconductor

We need Bioconductor packages in some cases and we can install it with the code below:

```
# Installing Bioconductor
library(utils);
source("http://bioconductor.org/biocLite.R");
biocLite(pkgs = c("Biobase"), suppressUpdates = TRUE, suppressAutoUpdate =
TRUE, ask = FALSE)
```

2.3 RGL

2.4 Mac and Linux

The rgl package cand be installed using install.packages usually.

2.5 Linux

The install.packages command may have some problems on Linux machines. It can be installed in bash using:

```
sudo apt-get -y update && sudo apt-get build-dep -y r-cran-rgl
```

There may be an error that may be mitigated by the following command in bash:

```
sudo sed -i -- 's/#deb-src/deb-src/g' /etc/apt/sources.list && sudo sed -i
-- 's/# deb-src/deb-src/g' /etc/apt/sources.list
```

and re-running the code above.

2.6 Neuroimaging packages on Github

2.6.1 Standard Packages

```
source("https://neuroconductor.org/neurocLite.R")
# DICOM converter
neuro_install("dcm2niir")
library(dcm2niir); install_dcm2nii()
# HCP database connector
neuro_install("neurohcp")
# dcm2nii Rcpp implementation
neuro_install(c("RNifti", "divest", "oro.dicom", "oro.nifti",
"WhiteStripe"))
# data for whitestripe
library(WhiteStripe); download_img_data()

# neurobase package
neuro_install("neurobase")
neuro_install("fslr")
```

2.6.2 ANTsR

Please see the Installing ANTsR tutorial (http://johnmuschelli.com/neuroc/installing_ANTsR/index.html) if anything errors here:

2.6.3 Knitting using RStudio

```
install.packages(c("formatR", "caTools", "rprojroot", "rmarkdown"))
```

2.6.4 Imaging Packages and Data

The only package that isn't directly available is the ms.lesion package, which is due to restrictions on the data. This should be available from the tutorial

3 Conclusion

If all of these install correctly, restart $\,\mathbb{R}\,$ and test:

3.1 Working installation of FSL and fslr test

```
library(fslr)
have_fsl()
example("fsl_smooth")
```

3.2 Working installation of ANTsR and extrantsr

```
library(extrantsr)
example("smooth_image")
```