

# Learning Dynamics: Assignement 1

Hakim Boulahya  
hboulahy@ulb.ac.be

Université Libre de Bruxelles

November 3, 2017

## 1 Hawk-Dove game

## 2 Social Dilemma

	DDD	CCC	CCD	CDC	CDD	DCC	DCD	DDC
C	1/3	3	<b>8/3</b>	4/3	1	7/3	<b>2</b>	2/3
D	<b>2/3</b>	<b>4</b>	7/3	<b>11/3</b>	<b>2</b>	<b>8/3</b>	1	<b>7/3</b>

Figure 1: Expected payoff of player  $A$  for all possible combinations of player  $B$ 's types

	C	D	C	D	C	D
C	2	<b>5</b>	<b>5</b>	2	2	<b>5</b>
D	0	<b>1</b>	0	<b>1</b>	<b>1</b>	0

Figure 2: Best response of player  $B$  against player  $A$  in all games (in the following order): Prisoners, Stag-hunt, Snowdrift

## 3 Sequential truel

The diagram representing the subgames are drawn as trees in Figure 3, 4 and 5. When we will refer to  $T_1$ ,  $T_2$  and  $T_3$  it means that we are referring to, respectively, Figure 3, 4 and 5. In the subgames, the action  $t(i)$  where  $i \in \{A, B, C\}$ , means that the current player is targeting player  $i$ . The current player can of course not targeting himself.

The main game is represented by  $T_1$ . As mentioned in the assignment specifications, the subgames when  $A$  fails to hits in intended target are the same, it is  $T_2$ . When in subgame  $T_2$ , we also found that when  $B$  misses is intended target, the subgames are the same, it is  $T_3$ .




Figure 3:  $T_1$ , main subgame

### 3.1 Preferences

- Players prefer outcomes with fewer people
- Players prefer to stay alive

### 3.2 Subgame perfect equilibria

**C equilibrium in  $T_3$**  To find the SPE, we have to use the backward induction, so we need to find the SPE of  $T_3$  first. Player  $C$  always stay alive whatever target she is choosing. The SPE is  $t(A)$  if  $p_a > p_b$ , and  $t(B)$  if  $p_b > p_a$ .

**B equilibrium in  $T_2$**  Let's consider subgame  $T_2$ . Player  $B$  needs either to target  $A$  or target  $C$ . If  $B$  targets  $A$ , she has less chance to survive because, since next turn  $C$  will play and will still be alive whatever the result is of this shoot, so it  $B$  will always target  $C$  in  $T_3$ . Formally, if  $B$  misses her outcome will be the same, because it will have the SPE of subgame  $T_3$ , which is unique. If  $B$  targets  $A$  and hits her, she has a probability of  $1 - p_c$  to stay alive. If  $B$  targets  $C$  and hits her, she has a probability of 1 to stay alive. So  $B$  will always choose to target  $C$ .




Figure 4:  $T_2$ , subgame when  $A$  misses her intended target




Figure 5:  $T_3$ , subgame when  $A$  and  $B$  miss their intended targets

**A equilibrium in  $T_1$**  Let's consider the full game, subgame  $T_1$ . Intuitively, it is best for  $A$  to target the player with the biggest probability, because she will have more chance to stay alive if she manage to eliminate the strongest opponent. Formally, if  $A$  misses her intended target, the outcome will be the same since  $T_2$  has an unique SPE. If  $A$  targets  $B$  and hits her, she has a probability of  $1 - p_c$  to stay alive, because  $C$  is the remaining shooter and has a probability of  $1 - p_c$  to fail. If  $A$  targets  $C$  and hits her, she has a probability of  $1 - p_b$  to stay alive, because  $B$  is the remaining shooter and has a probability of  $1 - p_b$  to fail. So  $A$  targets  $B$  if  $(1 - p_c) > (1 - p_b)$ , which can be simplify as  $p_c < p_b$ , and  $A$  targets  $C$  if  $(1 - p_b) > (1 - p_c)$ , which can be simplify as  $p_b < p_c$ .

**Weakness is strength** In the previous paragraph, we explained that if  $p_c > p_b$   $A$  will target  $C$ . If  $C$  is the target, the her probability of survival is the probability that  $A$  misses and  $B$  misses, formally:

$$(1 - p_a)(1 - p_b) = 1 - p_b - p_a + p_a p_b = 1 - p_a - p_b(1 - p_a) \quad (1)$$

If  $p_b > p_c$   $A$  will target  $B$ , then  $C$  chance of survival is  $A$  hits her target and  $C$  will be the last player with a bullet or  $A$  misses her target and  $B$  misses also her target. Formally:

$$p_a + (1 - p_a)(1 - p_b) = p_a + 1 - p_b - p_a + p_a p_b = 1 - p_b(1 - p_a) \quad (2)$$

The difference between the probability (1) and (2), is that (1) is decreasing (2) with  $p_a$ , so (1) will always be smaller than (2). The probability of survival of  $C$  when  $p_c > p_b$  will always be smaller than the probability of survival of  $C$  when  $p_b > p_c$ .  $C$  is always better off when  $p_b > p_c$ .