

U6614: Subway Fare Evasion Arrests and Racial Bias

Sample Solution

2023-09-23

Please submit your knitted .pdf file along with the corresponding R markdown (.rmd) via Courseworks by 11:59pm on Friday, February 17th.

1 Load libraries

```
library(tidyverse)
library(weights)
library(lmtest)
library(sandwich)
library(knitr)
```

2 Aggregating to subway station-level arrest totals

2a) Load full set of cleaned arrest microdata (arrests.clean.rdata).

```
load("arrests.clean.RData")
```


2b) Create new data frame (st_arrests) that aggregates microdata to station-level observations including the following information:

- *st_id, loc2, total arrests*

```
st_arrests <- arrests.clean %>%
  group_by(st_id, loc2) %>%
  summarise(arrests_all = n() ) %>%
  arrange(desc(arrests_all))
```

2c) Plot histogram of arrests and briefly describe the distribution of arrests across stations.

```
ggplot(data = st_arrests, aes(x = arrests_all)) +
  geom_histogram()
```



This histogram shows that the majority of subway stations had a relatively small number of fare evasion arrests. The median station arrest total is 13 compared to a mean of 26.82, with 8 stations home to more than 100 arrests.

3 Joining subway ridership and neighborhood demographic data

3a) Read in poverty and ridership csv files with strings as factors (`station_povdataclean_2016.csv` and `Subway Ridership by Station - BK.csv`).

```
st_poverty <- read.csv("station_povdataclean_2016.csv",
                      stringsAsFactors = TRUE)

st_ridership <- read.csv("Subway Ridership by Station - BK.csv",
                       stringsAsFactors = TRUE)

#str(st_poverty)
#str(st_ridership)
```

3b) Join both data frames from 3a to `st_arrests` and inspect results (store new data frame as `st_joined`).

- Inspect results from joins, drop unnecessary columns from the ridership data, and group `st_joined` by `st_id` and `mta_name`.
- Only display ungrouped version of `st_joined` for compactness.

```
drop_vars <- c("swipes2011", "swipes2012", "swipes2013", "swipes2014", "swipes2015")

st_arrests <- st_arrests %>%
  mutate(st_id = as.integer(st_id))

st_joined <- st_arrests %>%
  inner_join(st_poverty, by = c("st_id")) %>%
  inner_join(st_ridership, by = c("st_id" = "st_id",
                                "mta_name" = "mta_name")) %>%
  select(-all_of(drop_vars)) %>%
  group_by(st_id, mta_name)

#display structure of ungrouped data frame to avoid lengthy output listing every group
st_joined %>% ungroup() %>% str()
```

```
## tibble [157 x 14] (S3: tbl_df/tbl/data.frame)
##  $ st_id      : int [1:157] 66 99 150 70 114 131 54 147 106 123 ...
##  $ loc2       : Factor w/ 157 levels "15 st prospect park f g line",...: 66 100 149 148 110 129 54
##  $ arrests_all : int [1:157] 223 198 143 142 141 141 133 102 90 86 ...
##  $ x          : num [1:157] -74 -74 -73.9 -73.9 -74 ...
##  $ y          : num [1:157] 40.6 40.7 40.7 40.7 40.7 ...
##  $ mta_name    : Factor w/ 157 levels "15 St-Prospect Park F subway G subway",...: 66 99 150 70 114
##  $ pop_black_2016: int [1:157] 36 1939 14825 13135 1542 10311 5624 11804 16176 2698 ...
##  $ pov_black_2016: int [1:157] 2 677 4592 3796 483 2437 900 6706 3832 306 ...
##  $ pop_all_2016  : int [1:157] 5186 12437 18556 17561 23711 15934 6753 15751 20610 13654 ...
##  $ pov_all_2016  : int [1:157] 1329 1939 6149 5565 9182 3511 1156 9104 4809 1221 ...
##  $ povrt_all_2016: num [1:157] 0.256 0.156 0.331 0.317 0.387 ...
##  $ shareblack    : num [1:157] 0.00694 0.15591 0.79893 0.74796 0.06503 ...
##  $ nblack        : int [1:157] 0 0 1 1 0 1 1 1 1 0 ...
##  $ swipes2016    : int [1:157] 5025598 13091255 5152649 9051970 4272443 5861658 3897784 1435112 2031
```

3c) Print the top 10 stations by total arrest counts

- Only display st_id, mta_name, arrests_all, shareblack, povrt_all_2016 (no other columns)

```
st_joined %>%
  arrange(desc(arrests_all)) %>%
  select(st_id, mta_name, arrests_all, shareblack, povrt_all_2016) %>%
  mutate(shareblack = round(shareblack, 2),
         povrt_all_2016 = round(povrt_all_2016, 2)) %>%
  head(n = 10) %>%
  kable()
```

st_id	mta_name	arrests_all	shareblack	povrt_all_2016
66	Coney Island-Stillwell Av D subway F subway N subway Q subway	223	0.01	0.26
99	Jay St-MetroTech A subway C subway F subway R subway	198	0.16	0.16
150	Utica Av A subway C subway	143	0.80	0.33
70	Crown Heights-Utica Av 3 subway 4 subway	142	0.75	0.32
114	Marcy Av J subway M subway Z subway	141	0.07	0.39
131	Nostrand Av A subway C subway	141	0.65	0.22
54	Canarsie-Rockaway Pkwy L subway	133	0.83	0.17
147	Sutter Av L subway	102	0.75	0.58
106	Kingston-Throop Aves C subway	90	0.78	0.23
123	Nevins St 2 subway 3 subway 4 subway 5 subway	86	0.20	0.09

4 Explore relationship between arrest intensity and poverty rates across subway station (areas)

4a) Compute arrest intensity and other explanatory variables for analysis.

- Drop the observation for the Coney Island station and very briefly explain your logic
- Create new column of data for the following:
 - fare evasion arrest intensity: `arrperswipe_2016` = arrests per 100,000 swipes
 - a dummy indicating if a station is high poverty: `highpov` = 1 if pov rate is > median pov rate across all Brooklyn station areas
 - a dummy for majority Black station areas: `nblack` = 1 if `shareblack` > 0.5
- Coerce new dummy variables into factors with category labels
- Assign results to new data frame called `stations`
- Display top 10 station areas by arrest intensity using `kable()` in the `knitr` package

```
stations <- st_joined %>%
  filter(st_id != 66) %>%
  mutate(arrperswipe = round(arrests_all / (swipes2016 / 100000), 2),
         highpov = as.numeric(povrt_all_2016 > median(st_joined$povrt_all_2016)),
         nblack = as.numeric(shareblack > .5),
         highpov = factor(highpov, levels = c(0,1),
                           labels = c("Not high poverty", "High poverty")),
         nblack = factor(nblack, levels = c(0,1),
                           labels = c("Majority non-Black", "Majority Black")),
         shareblack = round(shareblack, 2),
         povrt_all_2016 = round(povrt_all_2016, 2))

#display top 10 stations by arrest intensity (show st_id, mta_name, arrests_all and new variables)
stations_top10 <- stations %>%
  arrange(desc(arrperswipe)) %>%
  select(st_id, mta_name, arrperswipe, arrests_all, shareblack,
         povrt_all_2016, highpov, nblack) %>%
  head(n = 10)
kable(stations_top10)
```

st_id	mta_name	arrperswipe	arrests_all	shareblack	povrt_all_2016	highpov	nblack
101	Junius St 3 subway	11.00	75	0.78	0.48	High poverty	Majority Black
26	Atlantic Av L subway	8.48	37	0.66	0.51	High poverty	Majority Black
111	Livonia Av L subway	7.17	75	0.83	0.45	High poverty	Majority Black
147	Sutter Av L subway	7.11	102	0.75	0.58	High poverty	Majority Black
106	Kingston-Throop Aves C subway	4.43	90	0.78	0.23	High poverty	Majority Black
112	Lorimer St J subway	4.39	70	0.15	0.34	High poverty	Majority non-Black
140	Rockaway Av 3 subway	3.97	61	0.78	0.40	High poverty	Majority Black
54	Canarsie-Rockaway Pkwy L subway	3.41	133	0.83	0.17	Not high poverty	Majority Black


st_id	mta_name	arrperswipe	arrests_all	shareblack	povrt_all_2016	highpov	nblack
141	Rockaway Av C subway	3.41	61	0.80	0.22	Not high poverty	Majority Black
144	Shepherd Av C subway	3.40	36	0.61	0.30	High poverty	Majority Black

4b) Examine the relationship between arrest intensity and poverty rates

- Show a scatterplot of arrest intensity vs. poverty rates along with the regression line you think best fits this relationship.
- Which regression specification do you prefer: linear or quadratic? Be clear about your logic and if applicable cite statistical evidence to support your decision.
- Explain your logic about whether to weight observations or not.

```
#quadratic
ggplot(stations, #specify data frame to use
  aes(x = povrt_all_2016, y = arrperswipe)) + #specify columns to use
  geom_point() + #specify plot geometry
  ggtitle('Fare evasion arrest intensity vs. poverty rate') + #add title
  labs(x = 'poverty rate',
    y = 'arrests per 100,000 MetroCard swipes') + #change axis labels
  geom_smooth(method = 'lm', formula = y ~ x + I(x^2)) #add regression line
```

Fare evasion arrest intensity vs. poverty rate



```

#linear model (all stations)
ols1l <- lm(arrperswipe ~ povrt_all_2016, data = stations)
summary(ols1l)
coeftest(ols1l, vcov = vcovHC(ols1l, type="HC1")) #get robust SEs

#quadratic model(all stations)
ols1q <- lm(arrperswipe ~ povrt_all_2016 + I(povrt_all_2016^2),
            data = stations)
summary(ols1q)
coeftest(ols1q, vcov = vcovHC(ols1q, type="HC1"))

```

Based on visual inspection, both the linear and quadratic models appear to fit the relationship between fare evasion arrest intensity and poverty rates across all stations fairly well. We prefer the quadratic model because it explains more of the variation in arrest intensity than the linear model; the quadratic model has an adjusted R-squared of 0.36 compared to 0.23 for the linear model. Here we choose not to weight station observations by the number of MetroCard swipes, so that each station area is equally weighted in the regression analysis. When computing statistics for groups of stations in the next section, we do weight by swipes so that statistics are representative of ridership in each group.

If you prefer the linear specification because it is a bit simpler to interpret without changing the substantive conclusions, that is a reasonable justification.

4c) Estimate and test difference in mean arrest intensity between high/low poverty areas

- Report difference and assess statistical significance
- Weight observations by the number of MetroCard swipes

```

stations %>%
  ungroup() %>%
  group_by(highpov) %>%
  summarise(n = n(),
            mean_pov = weighted.mean(povrt_all_2016, swipes2016),
            mean_arrper = weighted.mean(arrperswipe, swipes2016))

```

```

## # A tibble: 2 x 4
##   highpov          n mean_pov mean_arrper
##   <fct>         <int>   <dbl>     <dbl>
## 1 Not high poverty    79    0.146     0.783
## 2 High poverty      77    0.319     1.42

```

```

#regress arrest intensity on highpov dummy to implement diff in means test
#weighted, robust SEs

ols_diff1 <- lm(formula = arrperswipe ~ highpov, data = stations,
                weights = swipes2016)
ols_diff1_robSE <- coeftest(ols_diff1, vcov = vcovHC(ols_diff1, type="HC1"))

```

The difference in average fare evasion arrest intensity between high- and low-poverty subway stations (weighted by MetroCard swipes) is 0.63 with a p-value of 0.0018. Thus we can conclude that this difference is statistically significant beyond the 1% level.

5 How does neighborhood racial composition mediate the relationship between poverty and arrest intensity?

- In this section, you will examine the relationship between arrest intensity & poverty by Black vs. non-Black station area (nblack).

5a) Present a table showing the difference in mean arrests per swipe for each group in a 2x2 table of highpov vs nblack.

- Remember to weight by the number of MetroCard swipes at each station
- Could the difference in arrest intensity be explained by differences in poverty rate?

```
t1_arrper_wtd <- with(stations,
  tapply(arrperswipe * swipes2016,
    list("High Poverty" = highpov,
        "Predominantly Black" = nblack),
    mean)/
  tapply(swipes2016,
    list("High Poverty" = highpov,
        "Predominantly Black" = nblack),
    mean))

t1_povrt_wtd <- with(stations,
  tapply(povrt_all_2016 * swipes2016,
    list("High Poverty" = highpov,
        "Predominantly Black" = nblack),
    mean) /
  tapply(swipes2016,
    list("High Poverty" = highpov,
        "Predominantly Black" = nblack),
    mean))

round(t1_arrper_wtd, 2)
```

```
##              Predominantly Black
## High Poverty  Majority non-Black Majority Black
## Not high poverty      0.66      1.19
## High poverty        0.82      2.49
```

```
round(t1_povrt_wtd, 2)
```

```
##              Predominantly Black
## High Poverty  Majority non-Black Majority Black
## Not high poverty      0.13      0.19
## High poverty        0.32      0.32
```


The above tables show that mean arrests per 100,000 MetroCard swipes are more than 3 times as high at subway stations in majority Black areas compared to non-Black areas. Poverty rates, on the other hand, are very similar between majority-Black and non-Black high-poverty subway station areas, suggesting this is not a likely explanation for the difference in fare evasion arrest intensity (but we can use regression analysis to explore how the relationship between poverty rates and fare evasion differs based on neighborhood racial composition).

5b) Show a scatterplot of arrest intensity vs. poverty rates (with separate aesthetics for Black and non-Black station areas) along with the regression line you think best fits this relationship.

- Which regression specification do you prefer: linear or quadratic? Be clear about your logic and if applicable cite statistical evidence to support your decision.
- Interpret your preferred regression specification (caerfully)!

```
#quadratic
ggplot(stations, aes(x = povrt_all_2016, y = arrperswipe, color = nblack)) +
  geom_point() +
  geom_smooth(method = 'lm', formula = y ~ x + I(x^2)) +
  ylab("arrests per 100,000 MetroCard swipes") + xlab("poverty rate") +
  ggtitle("Fare evasion arrest intensity vs poverty by race",
    subtitle = "Subway stations in Brooklyn (2016)") +
  scale_color_discrete(name = "Predominantly Black Station",
    labels=c("No", "Yes"),
    guide = guide_legend(reverse=TRUE)) +
  theme(legend.position = "bottom",
    legend.background = element_rect(color = "black", fill = "grey90",
      size = .2, linetype = "solid"),
    legend.direction = "horizontal",
    legend.text = element_text(size = 8),
    legend.title = element_text(size = 8))
```

Fare evasion arrest intensity vs poverty by race
Subway stations in Brooklyn (2016)



```
#get separate data frames by predominantly Black stations to estimate separate models
stations_black <- stations %>% filter(nblack == "Majority Black")
stations_nonblack <- stations %>% filter(nblack == "Majority non-Black")
```

```

#nblack == 1: linear model with station observations
ols_b_l <- lm(arrperswipe ~ povrt_all_2016,
              data = stations_black)

#nblack == 1: quadratic model with station observations
ols_b_q <- lm(arrperswipe ~ povrt_all_2016 + I(povrt_all_2016^2),
              data = stations_black)

#nblack == 0: linear model with station observations
ols_nb_l <- lm(arrperswipe ~ povrt_all_2016,
               data = stations_nonblack)

#nblack == 0: quadratic model with station observations
ols_nb_q <- lm(arrperswipe ~ povrt_all_2016 + I(povrt_all_2016^2),
               data = stations_nonblack)

```

Visual inspection of the fitted regression lines reveal a clear pattern for both the linear and quadratic specifications: fare evasion arrest intensity increases (at an increasing rate) along with poverty rates at subway stations in predominantly Black areas, but not at other stations. Said another way, the result suggest that a predominantly Black station area tends to experience significantly higher arrest intensity than a non-Black station with a similarly high poverty rate.

Note that the above interpretation is qualitative in nature: it's a bit more straightforward to provide a numerical interpretation of coefficient estimates with a linear model. Alternatively, it would be informative to compare predicted fare evasion arrest intensity for a predominantly Black station area with a specified poverty rate (say, 40%) compared to a non-Black station area with the same poverty rate. If you prefer the linear specification because it is a bit simpler to interpret without changing the substantive conclusions, that is a reasonable justification.

Quadratic results are shown here because it explains a greater share of the variation in fare evasion arrest intensity for predominantly Black station areas than the linear model (0.63 compared to 0.58), but the same substantive conclusion holds regardless of functional form.

For both quadratic and linear models, poverty rates explain very little of the variation in arrest intensity among non-Black station areas in Brooklyn (0.04 and 0.02, respectively).

Regardless of functional form, poverty is only a statistically significant determinant of fare evasion arrest intensity at subway stations in predominantly Black station areas.

5c) Next let's let's think about how measurement error might impact results from 5b. Do you think measurement error could bias your estimates of neighborhood racial gaps in the effect of poverty on enforcement intensity from 5b? Explain, carefully. Do you have any creative ideas to address any concerns you have about potential bias due to measurement error?

- One source of measurement error owes to the fact that we're using racial-ethnic composition and poverty rates for the neighborhood surrounding each station to proxy for characteristics of riders at each station. These variables are measured with *non-random* error; demographic measures for the surrounding neighborhood will tend to be a less accurate proxy for the demographics of riders at that station for busier stations that are destinations for commuters, tourists and others who may not live in very vicinity close to the station.
- Tip: this is a very tricky issue! In order to think through the measurement error problem and it's consequences you will probably want to consult your Quant II notes and/or my Quant II [video lecture 4](#) on the course website.
- Can you think of any other measurement error problems that might affect your results from 5b?

- Do you have any creative ideas for addressing any concerns you have about potential bias due to this source of measurement error, using this data or other data you think might exist?

We will discuss your answers and the issue of measurement error during class.

6 Examine the relationship between arrest intensity and crime

6a) Load the crime data (nypd_criminalcomplaints_2016.csv) and join to the existing stations data frame.


```
st_crime <- read.csv("nypd_criminalcomplaints_2016.csv")

stations_wcrime <- stations %>%
  inner_join(st_crime) %>%
  arrange(desc(crimes)) %>%
  filter(crimes < 2367) #exclude the stations with the 4 highest counts of criminal complaints
```

6b) Examine the overall relationship between arrest intensity and crime (without taking neighborhood racial composition or poverty into account) (comparable to Section 4b).

```
#linear
ggplot(stations_wcrime, aes(x = crimes, y = arrperswipe)) +
  geom_point() +
  geom_smooth(method = 'lm', formula = y ~ x) +
  ylab("arrests per 100,000 MetroCard swipes") + xlab("criminal complaints") +
  ggtitle("Fare evasion arrest intensity vs criminal complaints",
    subtitle = "subway stations in Brooklyn (2016)") +
  scale_color_discrete(name = "Predominantly Black Station",
    labels=c("No", "Yes"),
    guide = guide_legend(reverse=TRUE)) +
  theme(legend.position = "bottom",
    legend.background = element_rect(color = "black", fill = "grey90",
      size = .2, linetype = "solid"),
    legend.direction = "horizontal",
    legend.text = element_text(size = 8),
    legend.title = element_text(size = 8))
```


Fare evasion arrest intensity vs criminal complaints subway stations in Brooklyn (2016)



```
#quadratic
ggplot(stations_wcrime, aes(x = crimes, y = arrperswipe)) +
  geom_point() +
  geom_smooth(method = 'lm', formula = y ~ x + I(x^2)) +
  ylab("arrests per 100,000 MetroCard swipes") + xlab("criminal complaints") +
  ggtitle("Fare evasion arrest intensity vs criminal complaints",
    subtitle = "Subway stations in Brooklyn (2016)") +
  scale_color_discrete(name = "Predominantly Black Station",
    labels=c("No", "Yes"),
    guide = guide_legend(reverse=TRUE)) +
  theme(legend.position = "bottom",
    legend.background = element_rect(color = "black", fill = "grey90",
      size = .2, linetype = "solid"),
    legend.direction = "horizontal",
    legend.text = element_text(size = 8),
    legend.title = element_text(size = 8))
```

Fare evasion arrest intensity vs criminal complaints

Subway stations in Brooklyn (2016)



```
ols_c_l <- lm(arrperswipe ~ crimes, data = stations_wcrime)
ols_c_l_robSE <- coeftest(ols_c_l, vcov = vcovHC(ols_c_l, type="HC1")) #get robust SEs

ols_c_q <- lm(arrperswipe ~ crimes + I(crimes^2), data = stations_wcrime)
ols_c_q_robSE <- coeftest(ols_c_q, vcov = vcovHC(ols_c_q, type="HC1")) #get robust SEs
```

Regardless of the functional form, criminal complaints explain about 16% of the variation in fare evasion arrest intensity across subway stations in Brooklyn (0.166 and 0.156 for quadratic and linear models, respectively).

From the linear model, we can see that the effect of criminal complaints on arrest intensity (0.0015) is statistically significant beyond the 1% level (p-value = 0).

6c) Examine how neighborhood racial composition mediates the relationship between arrest intensity and crime (comparable to Section 5b).

```
#linear
ggplot(stations_wcrime, aes(x = crimes, y = arrperswipe, color = nblack)) +
  geom_point() +
  geom_smooth(method = 'lm', formula = y ~ x) +
  ylab("arrests per 100,000 MetroCard swipes") + xlab("criminal complaints") +
  ggtitle("Fare evasion arrest intensity vs criminal complaints",
          subtitle = "Subway stations in Brooklyn (2016)") +
  scale_color_discrete(name = "Predominantly Black Station",
                      labels=c("No", "Yes"),
                      guide = guide_legend(reverse=TRUE)) +
```


```

theme(legend.position = "bottom",
      legend.background = element_rect(color = "black", fill = "grey90",
                                       size = .2, linetype = "solid"),
      legend.direction = "horizontal",
      legend.text = element_text(size = 8),
      legend.title = element_text(size = 8))

```

Fare evasion arrest intensity vs criminal complaints

Subway stations in Brooklyn (2016)



```

# get separate data frames by predominantly Black stations to estimate separate models
stations_wcrime_black <- stations_wcrime %>%
  filter(nblack == "Majority Black")
stations_wcrime_nonblack <- stations_wcrime %>%
  filter(nblack == "Majority non-Black")

# nblack == 1: linear model with station observations
ols_c_b_l <- lm(arrperswipe ~ crimes, data = stations_wcrime_black)
ols_c_b_l_robSE <- coeftest(ols_c_b_l, vcov = vcovHC(ols_c_b_l, type="HC1"))

# nblack == 1: quadratic model with station observations
ols_c_b_q <- lm(arrperswipe ~ crimes + I(crimes^2),
               data = stations_wcrime_black)

# nblack == 0: linear model with station observations
ols_c_nb_l <- lm(arrperswipe ~ crimes, data = stations_wcrime_nonblack)
ols_c_nb_l_robSE <- coeftest(ols_c_nb_l, vcov = vcovHC(ols_c_nb_l, type="HC1"))

# nblack == 0: quadratic model with station observations

```

```
ols_c_nb_q <- lm(arrperswipe ~ crimes + I(crimes^2),  
  data = stations_wcrime_nonblack)
```

Estimating separate linear models for the relationship between criminal complaints and arrest intensity for predominantly Black and non-Black station areas reveals a similar pattern as with poverty rates, but less pronounced differences.

Focusing on the linear model for ease of interpretation: the linear relationship between criminal complaints and arrest intensity explains under 6% of the variation regardless of neighborhood racial composition, but the estimated positive effect is four times as large in predominantly Black station areas (0.002 compared to 0.001) and statistically significant at the 5% level (p-value = 0.0127).

7 Summarize and interpret your findings with respect to subway fare evasion enforcement bias based on race

- Is there any additional analysis you'd like to explore with the data at hand?
- Are there any key limitations to the data and/or analysis affecting your ability to assess enforcement bias based on race?
- Is there any additional data you'd like to see that would help strengthen your analysis and interpretation?
- For this question, try to be specific and avoid vaguely worded concerns.

The results presented here are consistent with race-based enforcement of fare evasion at subway stations in Brooklyn. As the poverty rate for a subway station area increases, fare evasion arrest intensity tends to increase in predominantly Black station areas (and the association is statistically significant) but not in non-Black station areas.

A similar pattern holds for criminal complaints and fare evasion arrest intensity, though the disparities based on neighborhood racial composition are far less pronounced.

One additional test worth doing is to confirm that the positive association between poverty rates and fare evasion arrest intensity in predominantly Black neighborhoods is still statistically significant when simultaneously controlling for criminal complaints (but not in non-Black neighborhoods). This test confirms that, regardless of where the NYPD enforcement of other crimes is more prevalent, higher poverty Black neighborhoods face considerably higher fare evasion arrests than similarly higher poverty neighborhoods that are not predominantly Black.

The results of this analysis are consistent with disproportionately enforcing fare evasion as a crime of poverty in Black communities; the totality of NYPD policing decisions result in heightened enforcement of fare evasion in higher-poverty, predominantly Black neighborhoods. This analysis does not, however, inform the relative importance of different mechanisms driving these patterns: do police deployment decision explain these disparities, implicit and/or explicit bias in who is stopped and what enforcement action is taken (arrest vs summons), or some combination of these mechanisms? There may also be other differences in subway rider characteristics and behavior that could explain the observed relationship between neighborhood racial composition and fare evasion enforcement intensity, but disparate impact by race is clear even if all of the underlying mechanisms are not.

Analyzing differences in fare evasion summonses compared to arrests would also be informative: are there significant differences in the demographics of individuals who are stopped for fare evasion, in addition to differences in the enforcement action taken once they are stopped?