
## Pronothek Video Downloader

Pronothek is a simple video downloader for various streaming/media platforms, such as YouTube. In the current version 1.0.0, only video downloads from xvideos.de are supported. More pages will be added gradually in subsequent versions.



# Nuget packages and associated licenses used for the app

- Newtonsoft.Json (<a href="https://licenses.nuget.org/MIT">https://licenses.nuget.org/MIT</a>)
- Esprima (https://licenses.nuget.org/BSD-3-Clause)
- ElectronNET.API (<a href="https://licenses.nuget.org/MIT">https://licenses.nuget.org/MIT</a>)
- FFmpeg.AutoGen (https://www.nuget.org/packages/FFmpeg.AutoGen/6.0.0/license)
- LiteDB (<a href="https://www.nuget.org/packages/LiteDB/5.0.16/license">https://www.nuget.org/packages/LiteDB/5.0.16/license</a>)
- SharpGrabber (<a href="https://www.nuget.org/packages/SharpGrabber/2.1.1/license">https://www.nuget.org/packages/SharpGrabber/2.1.1/license</a>)
- SharpGrabber.Adult (https://www.nuget.org/packages/SharpGrabber.Adult/1.0.2/license)
- SharpGrabber.Hls (https://www.nuget.org/packages/SharpGrabber.Hls/1.3.0/license)
- SharpGrabber.YouTube (https://www.nuget.org/packages/SharpGrabber.YouTube/1.5.0/license)

# External libraries (Automatic download available)

• FFmpeg 6.0 (https://ffmpeg.org/legal.html)

## Download and Install


The following variants of Pronothek are available for download on GitHub:

#### https://github.com/hswlab/dist-pronothek/releases

- 1. pronothek-portable.exe
- 2. pronothek-setup.exe


The portable version can be executed directly without installation. However, starting this app takes a little longer than with the installed version. The installation is started by clicking on the pronothek-setup.exe. The app is stored in the following directory.

"C:\Users\UserName\AppData\Local\Programs\pronothek"



#### Uninstall

As with all Windows programs, the uninstall can be done under "Apps and Features".




## **Updates**

For a new version, a button with the version name is displayed in the header of the app. The update can be started either in the app by clicking on the version button or by downloading the current version again on GitHub. The latter is recommended because the update process via the GitHub server takes a little longer.

# Multilanguage

Pronothek currently supports the languages German, English, Chinese and Japanese. Further translations can be added on request. The language can be changed in the header menu after starting the app. The help PDF is only available in German and English.




# Configuration of ffmpeg 6.0

Pronothek requires the ffmpeg 6.0 libraries to process downloaded video streams. The library is not included in the installation, but can be set up automatically in the settings. After starting, a corresponding message will be displayed.

The downloader requires ffmpeg to process streams. Please select the folder with ffmpeg version 6.0 in the settings or start the automatic download into the preselected ffmpeg folder.

If the message appears, click on the Settings button to switch to the Settings view. If ffmpeg 6.0 is already available on the PC, you can select the corresponding folder here with the "select folder" button. (Don't forget to save)




If ffmpeg 6.0 does not yet exist on the PC, the proposed folder can be kept for download. By clicking on "download ffmpeg" the missing libraries are automatically downloaded and unpacked. After a successful download, the ffmpeg input field should no longer be highlighted in red.



# Preferred download quality


Many video portals offer a selection of different resolutions of a video. The following setting can be used to configure the maximum quality that should always be downloaded automatically. If the selected video quality is not available, the next possible lower quality will be downloaded automatically.



## Configure storage paths

The temporary folder is used to store unfinished downloads and stream segments. This folder is automatically cleaned up when a download is finished. The path can be left unchanged or an alternate path can be configured. (Don't forget to save)

#### temp path



Unless otherwise configured, the downloaded files are stored in the default Windows download directory.

## download path

C:\Users\pixilab\Downloads	select folder
----------------------------	---------------

The save path can also be quickly changed via the folder icon on the home page.




If no subfolder is selected, the downloads are saved directly to the configured download folder. Clicking on the dropdown, to the right of the folder icon, opens a selection of subfolders. A new subfolder can also be quickly created or deleted here. Subfolders that already contain data will not be deleted.



## Download

To download a video, navigate to the view in your browser where the video can be played and copy the browser URL into the input field on the homepage of pronothek. Click on the download button to start the download.



An ongoing download is displayed by means of a tile with a progress bar. When the download is complete, the tile disappears.

