

On Thursday, February 16th at 6:00AM EST, UTC-5, we will be conducting a brief database maintenance. The event should last about 5 minutes.



Bookmarks

- ▶ [Welcome to the edX Platform](#)
- ▶ [Entrance Survey](#)
- ▶ [Download Python and Get Motivated!](#)
- ▶ [Week 1: Python Basics](#)
- ▶ [Week 2: Simple Programs](#)
- ▼ [Week 3: Structured Types](#)
- [5. Tuples and Lists](#)**
- [Finger Exercises](#)
- [6. Dictionaries](#)**
- [Finger Exercises](#)
- [Problem Set 3](#)**
- [Problem Set due Feb 9, 2017 15:30 PST](#)
- ▶ [Week 4: Good Programming](#)

Week 3: Structured Types > 5. Tuples and Lists > Exercise 2

Exercise 2

Bookmark this page

Exercise 2

16 points possible (graded)

ESTIMATED TIME TO COMPLETE: 5 minutes

Note that you will have to answer all questions before you can click the Check button.

For each of the expressions below, specify its type and value. If it generates an error, select type 'NoneType' and put the word 'error' in the box for the value.

Assume we've made the following assignment:

```
x = [1, 2, [3, 'John', 4], 'Hi']
```

Additionally, assume that the expressions are evaluated in the order shown - that is, each problem part is evaluated directly after the previous problem part(s).

- `x[0]`

- `x[2]`



Practices

- ▶ Midterm Exam
- ▶ Week 5: Object Oriented Programming
- ▶ Sandbox

- `x[-1]`

Select an option ▾

- `x[2][2]`

Select an option ▾

- `x[0:1]`

Select an option ▾

- `2 in x`

Select an option ▾

- `3 in x`

Select an option ▾

- `x[0] = 8`
`x`

Select an option ▾



[Submit](#)

Exercise 2

Topic: Lecture 5 / Exercise 2

[Show Discussion](#)

© All Rights Reserved



© 2012-2017 edX Inc. All rights reserved except where noted. EdX, Open edX and the edX and Open EdX logos are registered trademarks or trademarks of edX Inc.

POWERED BY
OPENedX®

