


```
class Chamber(private val client: HttpClient) {  
    fun echo(input: String) = client(  
        Request(POST, "http://server.com/echo").body(input)).bodyString()  
}
```

```
abstract class EchoChamberCdc {  
    abstract val client: HttpClient
```

```
    @Test  
    fun `echoes message`() {  
        assertThat(Chamber(client).echo("hello"), equalTo("hello"))  
    }  
}
```

```
class RealEchoChamberTest : EchoChamberCdc() {  
    override val client: HttpClient = OkHttpClient()  
}
```

```
class FakeEchoChamberTest : EchoChamberCdc() {  
    override val client: HttpClient = {  
        { r: Request -> Response(Status.OK).body(r.body) }  
    }
```

CDC example

```
class Chamber(private val client: HttpClient) {  
    fun echo(input: String) = client(  
        Request(POST, "http://server.com/echo").body(input)).bodyString()  
}
```

```
abstract class EchoChamberCdc {  
    abstract val client: HttpClient
```

```
    @Test  
    fun `echoes message`() {  
        assertThat(Chamber(client).echo("hello"), equalTo("hello"))  
    }  
}
```

```
class RealEchoChamberTest : EchoChamberCdc() {  
    override val client: HttpClient = OkHttpClient()  
}
```

```
class FakeEchoChamberTest : EchoChamberCdc() {  
    override val client: HttpClient =  
        { r: Request -> Response(Status.OK).body(r.body) }
```

Application Testing

- All internal and external applications and clients are **HttpHandlers**

