YOUR NAME:
YOUR RCS ID: @rpi.edu
Your RCS ID is the first part of your RPI e-mail address
Principles of Software Quiz 5
October 25, 2018
10 points total

Question 1. (8pts) Consider this Duration class similar to the one we saw in lecture:

```
private final int min;
        private final int sec;
        public Duration(int min, int sec) {
                this.min = min;
                this.sec = sec;
        }
        public boolean equals(Object o) {
                System.out.println("Duration.equals');
                if (! (o instanceof Duration) ) return false;
                Duration d = (Duration) o;
                return this.min == d.min && this.sec == d.sec;
class NanoDuration extends Duration {
        private final int nano;
        public NanoDuration(int min,
                        int sec,
                        int nano){
                super(min,sec);// initializes min&sec
                this.nano = nano;
        }
        public boolean equals(Object o) {
                System.out.println("NanoDuration.equals');
                if (! (o instanceof Duration) ) return false;
                if (! (o instanceof NanoDuration) ) return super.equals(o);
                NanoDuration nd = (NanoDuration) o;
                return super.equals(nd) && nd.nano == nano;
        }
}
public class TestDuration2 {
        public static void main(String[] args) {
                Duration d1 = new NanoDuration(5,10,15);
                Object d2 = new Duration(5,10);
                Object d3 = new NanoDuration(5,10,30);
                System.out.println(d1.equals(d2));
                System.out.println(d2.equals(d3));
                System.out.println(d1.equals(d3));
        }
What is printed by the code above?
```

Question 2. (2pts) Integer f(String) is a true function subtype of Number f(Object). Note: Integer is a subtype of Number.

- (a) true
- (b) false