## CSC3001: Discrete Mathematics Assignment 4

## **Instructions:**

- 1. Print out this question paper (**two-sided**) and write down your full working on the blank area.
- 2. You can have discussions with your classmates. However, make sure all the solutions you submit are your own work. Any plagirism will be given **ZERO** mark.
- 3. Submission of this assignment should **NOT** be later than **5:00pm on 20th of December**.
- 4. Before your submission, please **make a softcopy** of your work for further discussion in a tutorial.
- 5. After making your softcopy, submit your assignment to the dropbox located on the 4th floor in Chengdao Building.

Student Number:	Name:	

1. (20 points) In order to find an outstanding undergraduate teaching fellow for CSC3001, Grant gave 81 challenging questions to the candidate who eventually scored 77. Assume that the candidate scored integral points and at least 1 point on each question. Prove that the candidate scored exactly 18 points on some consecutive questions.

**2.** (20 points) Let a, b, c, r, s, t, n be non-negative integers such that

$$n \ge r + s, \qquad n \ge r + t, \qquad n \ge s + t.$$

Count the number of solutions for the following inequality:

$$a+b+c=n$$

where a < r, b < s, c < t. (Note: You do not need to simplify the expression.)

- **3.** (20 points)
  - (i) Given  $r \in \mathbb{Z}^+$  and  $n \in \mathbb{Z}$ . Define

$$\binom{n}{r} = \frac{n(n-1)\cdots(n-r+1)}{r!}$$

Show that for any  $n \in \mathbb{Z}^+$  we have

$$\binom{-n}{r} = (-1)^r \binom{n+r-1}{r}$$

(ii) For  $n \geq 2$ , establish the following by combinatorial argument

$$\sum_{k=1}^{n} \binom{n}{k} k^2 = 2^{n-2} n(n+1)$$

**4.** (20 points) The following data were given in a study of a group of 1000 subscribers to a certain magazine. In reference to job, marital status, and education, there were

312 professionals,

470 married persons,

525 college graduates,

42 professional college graduates,

147 married college graduates,

86 married professionals,

25 married professional college graduates.

- (i) Let a person be picked at random. Determine the probability that the person is married or professional or college graduate.
- (ii) Explain why the numbers reported in the study must be incorrect.

**5.** (20 points) In an election, candidate A receives n votes and candidate B receives m votes, where n > m. Assuming that all of the (n+m)!/n!m! orderings of the votes are equally likely, let  $P_{n,m}$  denote the probability that A is always ahead in the counting of the votes.

- (a) Find  $P_{n,1}, P_{n,2}$
- (b) Based on (a), conjecture the value of  $P_{n,m}$ .
- (c) Derive a recursion for  $P_{n,m}$  in terms of  $P_{n-1,m}$  and  $P_{n,m-1}$  by conditioning on who receives the last vote.
- (d) Use part (c) to verify your conjecture in part (b) by an inductive proof on n + m.

**6.** (10 points) [Bonus question] For  $k \in \mathbb{Z}^+$ , set  $S_k := \{x^2 \pmod k | x \in \mathbb{Z}\}$ . Prove that given  $m, n \in \mathbb{Z}^+$ , if  $\gcd(m, n) = 1$ , then  $|S_m| \cdot |S_n| = |S_{mn}|$ .