
# Seminar 5. Production Theory

Xiaoguang Ling xiaoguang.ling@econ.uio.no

October 22, 2020

The dual relation between product maximization problem and cost minimization problem is simpler than consumers' theory.

• Given y = f(x), profit function is only a function of x. That's why minimizing the cost will maximize the profit at the same time.



2

## 1 Jehle & Reny 3.35

Calculate the **cost function** and the **conditional input demands** for the linear production function,  $y = \sum_{i=1}^{n} \alpha_i x_i$ .

#### Production Function (Jehle & Reny pp.127)

We use a function y = f(x) to denote y units of a certain commodity is produced using input x, where  $x \in \mathbb{R}^n_+$ ,  $y \in \mathbb{R}^1_+$ 

**ASSUMPTION 3.1 Properties of the Production Function** (Jehle & Reny pp.127) The production function,  $f: \mathbb{R}^n_+ \to \mathbb{R}_+$ , is continuous, strictly increasing, and strictly quasiconcave on  $\mathbb{R}^n_+$ , and f(0) = 0.

#### **DEFINITION 3.5 The Cost Function** (Jehle & Reny pp.136)

The cost function, defined for all input prices  $w \gg 0$  and all output levels  $y \in f(\mathbb{R}^n_+)$  is the minimum-value function,

$$c(w, y) \equiv \min_{x \in \mathbb{R}^n_+} w \cdot x, \ s.t. \ f(x) \ge y.$$

The solution x(w, y) is referred to as the firms **conditional input demand**, because it is conditional on the level of output y.

• Conditional input demand is similar to Hicksian demands for consumers.

Here the linear production function  $y = \sum_{i=1}^{n} \alpha_i x_i$  is very similar to the "**perfect substitution**" preference in Seminar 4.

- The product can be produced by any input  $x_i$ , the only difference is that for each unit of input, different  $x_i$  produces different amount  $\alpha_i$  of the output.
- The Marginal Rate of Technical Substitution of input  $x_j$  for input  $x_i$  is constant:  $MRTS_{ij} = \frac{\partial f(x)/\partial x_i}{\partial f(x)/\partial x_i} = \frac{\alpha_i}{\alpha_i}$ .

An example: an apple jam factory has 2 types of input, "single apple  $(x_1)$ " and "2-apple pack  $(x_2)$ ".

- With a "single apple", the factory can produce a bottle of apple jam;
- with a "2-apple pack", 2 bottles.
- The production function is  $y = 1 \cdot x_1 + 2 \cdot x_2$

How will the factory choose? Similarly to consumers' preference substitution preference, the factory will spend all money on the "cheapest per unit (of output)" input.

Denote the price for  $x_1$  and  $x_2$  as  $w_1$ ,  $w_2$ 

- If  $\frac{w_1}{1} = \frac{w_2}{2}$ , the factory doesn't care which to use;
- If  $\frac{w_1}{1} < \frac{w_2}{2}$ , single apple is cheaper;
- If  $\frac{w_1}{1} > \frac{w_2}{2}$ , 2-apple pack is cheaper.

Denote the price for input  $x_i$  as  $w_i$ . Define  $\omega = min\{\frac{w_1}{\alpha_1}, \frac{w_2}{\alpha_2}, \dots, \frac{w_n}{\alpha_n}\}$ 

If  $\omega$  is the price of only one input  $x_j$ , the firm will only use input  $x_j$  to minimize its cost.

- Thus  $y = \alpha_j x_j$  can minimize the cost, and  $x_j = \frac{y}{\alpha_j}$  is the conditional input demands.
- The cost function  $c(w, y) = w_j \frac{y}{\alpha_j} = \omega y$ .

If  $\omega$  is the price of several inputs  $x_m, m = 1, 2, ..., M$ , the firm can freely combine  $x_m$  to minimize its cost, as long as  $\sum_{m=1}^{M} \alpha_m x_m = y$ .

For cost funtion, since  $\frac{w_1}{\alpha_1} = \frac{w_2}{\alpha_2} = \cdots = \frac{w_M}{\alpha_M} = \omega$ ,  $\omega$  is the price for 1 single apple (the input needed to produce 1 bottle of jam), for example. Again, to produce y bottles of jam, you need the same number (y) of single apples. The cost function is thus  $\omega y$ 

# 2 Another production & cost function example from exam 2019 Q1(b): HydroP

To produce electricity E, firm HydroP uses water W and a plant P as main inputs. It operates in a unique location, so that no further plants can be built. Without the plant the production is 0. With the plant, electricity can be produced according to the following production function:

$$E = \begin{cases} 0, & \text{if } W \leq \underline{W} \\ 4W, & \text{if } \underline{W} \leq W \leq \bar{W} \\ 3\bar{W}, & \text{if } \bar{W} < W \end{cases}$$
 (1)

#### 2.1 a) Function property

[5%] Is this production function: continuous? (strictly) increasing? (strictly) quasiconcave? increasing/decreasing/constant returns to scale?

When  $W = \underline{W}$ , the production function value is 0 and  $4\underline{W}$ . Therefore  $\underline{W} = 0$ . But the guideline online treated " $W \le \underline{W}$ " as " $W < \underline{W}$ ", which is incorrect.




Figure 1: HydroP's Production function

Obviously, the production function is:

- not continuous at  $(\bar{W}, 0)$
- not increasing in  $(-\infty,0)$  and  $(\bar{W},+\infty)$
- quasiconcave:  $f(x^t) \ge min[f(x^1), f(x^2)]$  for all t[0, 1].
- not strictly quasiconcave: sometimes  $f(x^t) = min[f(x^1), f(x^2)]$
- return to scale (pp.132 f(tx) ? tf(x)) uncertain, "jump" around (0,0) and  $(\bar{W},0)$

#### Answer:

The production function is:

- not continuous
- not increasing and therefore not strictly increasing
- quasiconcave but not strictly quasiconcave

- return to scale uncertain, sometimes increase, sometimes constant or decrease.
  - Draw sketch for unusual function!
  - · Don't be wordy, don't prove unnecessarily

#### 2.2 b) Cost function

[7%] Determine the cost function for this firm (let the price of water be and let K be the cost of the plant). Is the cost function continuous?

Cost function:  $c(w, y) \equiv \min_{x \in \mathbb{R}^n_{\perp}} w \cdot x$ , s.t.  $f(x) \ge y$ .

- · It is always the minimized value function
- It's a function of input price w and output amount y
- There can be fixed cost in the short run.

In this question, the only input is water, with a price of  $p_w$ . There is also a fixed cost K if you build the plant. The output is electricity E. We can write the cost function as  $c(p_w, K, E)$ 

Now let's find the miminum cost with different output amount *E* on our sketch.

**When** E = 0, you will not build the plant to minimize your cost,  $c(p_w, K, 0) = 0$ 

**When**  $E \in (0, 4\bar{W}]$ , you must build the plant with a fixed cost K. Besides, for any output E, you need  $\frac{E}{4}$  water, which costs  $p_w \frac{E}{4}$ .

- Can you produce more than  $4\bar{W}$ ? No, that's not allowed by your technology, the plant.
- Will you use water more than  $\bar{W}$ ? No, that's not cost minimized. You always choose the most "economical" way to minimize the cost. Don't forget you're looking for the **cost function**

The cost function is:

$$c(p_w, K, E) = \begin{cases} 0, & \text{if } E = 0\\ K + p_w \frac{E}{4}, & \text{if } 0 < E \le 4\bar{W} \end{cases}$$
 (2)

Again, note W = 0. Compare the result with the online guideline.

• Based on the guideline's understanding of the question, is it possible to produce  $E \in (0, 4W)$ 

Many students lost points because they didn't know what is the "variable" of a cost function c(w, y).

- A common mistake is:  $c = ..., if W \in (0,3\overline{W})$ . Note W is input (water) amount, not a variable of cost function.
- Ask yourself, what is the input price *w* here? What is the product amount *y* here?

#### 2.3 c) Integrability

[5%] Can one recover the original production function from the cost function? Why not?

Observe function 2, can you guess what is the production function f(x)?

**When** E = 0, there is no cost and no output, f(0) = 0

**When**  $E \in (0, 4\bar{W}]$ , we know K is fixed cost,  $p_w$  is the price of your input,  $\frac{E}{4}$  is the amount of water you used to generate electricity (output) E. Thus

$$f(\frac{E}{4}) = E \Rightarrow f(x) = 4x$$

- Can you know the production function is  $f(x) = 3\bar{W}$  when  $x > \bar{W}$ ? No, you can't imagine that from the cost function.
- Since cost function is always the minimized value function, the production function recovered from a cost function is only the "most efficient" part. Any non- cost -minimization technology can't be recovered.

No. Because when  $x > \overline{W}$ , the production is never cost minimizing, while cost function can only reflect the technology minimizing the cost.

# 3 **Jehle & Reny 3.46**

- Verify Theorem 3.7 for the profit function obtained in Example 3.5.
- Verify Theorem 3.8 for the associated output supply and input demand functions.

#### 3.1 Verify Theorem 3.7

**DEFINITION 3.7 The Profit Function** (Jehle & Reny pp.148)

$$\pi(p, w) \equiv \max_{(x,y) \ge 0} py - wx, \ s.t.y \le f(x)$$

**Note,**  $y \le f(x)$  means "you can only decide to produce what's possible to be

produced":

- Assume you want to set an optimal output *y*, forget input *x* for now;
- You can "waste", i.e., output y < f(x) is possible. Input is not efficiently used for technology f(x);
- You can't produce more than what your technology f(x) allows, i.e. y ≯ f(x).

It's not easy to solve the maximization problem directly because there are 2 variable, y and x (again, y is **NOT** necessarily to be f(x), but it can't exceed f(x)).

Since to waste will definitely reduce profit (you have some cost but don't produce anything), as a price reveiver, you will always avoid wasting by making fully use of your technology, i.e. y = f(x). Then the profit maximization problem is transformed into:

$$\pi(p, w) = \max_{x \ge 0} pf(x) - wx$$

No constraint anymore! The function has only one variable, input x. FOC will (usually) solve the problem.

In Example 3.5 (Jehle & Reny pp.151), the CES production function is:

$$y = (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}}$$

Where  $\beta$  < 1 and 0  $\neq$   $\rho$  < 1. To obtain the profit function, we need to solve the maximization problem:

$$\max_{(x,y)\geq 0} py - wx, \ s.t. \ y \leq (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}}$$

Again, we don't waste, i.e.  $y = (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}}$ , the problem above is then:

$$\max_{x>0} p(x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}} - w_1 x_1 - w_2 x_2$$

FOC are given in the textbook pp. 151 (E.1-E.2).

The  $y^*$  solved is the **output supply function**:

$$y^* = (p\beta)^{-\frac{\beta}{\beta-1}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$
 (3)

(You'll compare the output function with equation 9 derived from cost minimization.)

The  $x^*$  solved is the **input demand function**:

$$x_i^* = w_i^{\frac{1}{\rho - 1}} (p\beta)^{\frac{-1}{\beta - 1}} (w_1^r + w_2^r)^{\frac{\rho - \beta}{\rho(\beta - 1)}}$$
(4)

The profit function is thus:

$$\pi = py^* - wx^* = p^{-\frac{1}{\beta - 1}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta - 1)}} \beta^{-\frac{\beta}{\beta - 1}} (1 - \beta)$$
 (5)

(You'll compare the profit function with equation 10 derived from cost minimization.)

#### **THEOREM 3.7 Properties of the Profit Function** (Jehle & Reny pp.148)

If f satisfies Assumption 3.1, then for  $p \ge 0$  and  $w \ge 0$ , the profit function  $\pi(p, w)$ , where well-defined, is continuous and

- 1. Increasing in p,
- 2. Decreasing in w,
- 3. Homogeneous of degree one in (p, w),
- 4. Convex in (p, w),
- 5. Differentiable in (p, w).
- 6. Moreover, under the additional assumption that f is strictly concave (Hotelling's lemma),

$$y(p, w) = \frac{\partial \pi(p, w)}{\partial p}$$
, and  $x_i(p, w) = -\frac{\partial \pi(p, w)}{\partial w_i}$ .  $i = 1, 2, ..., n$ .

#### 1.Increasing in p

For 
$$\pi(p, w) = py^* - wx^* = p^{-\frac{1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}} \beta^{-\frac{\beta}{\beta-1}} (1-\beta),$$

$$\frac{\partial \pi(p, w)}{\partial p} = (-\frac{1}{\beta-1}) p^{-\frac{1}{\beta-1}-1} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}} \beta^{-\frac{\beta}{\beta-1}} (1-\beta)$$

$$= p^{\frac{\beta}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}} \beta^{-\frac{\beta}{\beta-1}}$$

$$= (p\beta)^{\frac{\beta}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

When  $0 < \beta < 1$ ,  $\frac{\partial \pi(p, w)}{\partial p} \ge 0$ 

#### **2.Decreasing in** w

$$\begin{split} \frac{\partial \pi(p,w)}{\partial w_i} &= p^{-\frac{1}{\beta-1}} [\frac{\beta}{r(\beta-1)}] (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}-1} r w_i^{r-1} \beta^{-\frac{\beta}{\beta-1}} (1-\beta) \\ &= p^{-\frac{1}{\beta-1}} [-\beta] (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}-1} w_i^{r-1} \beta^{-\frac{\beta}{\beta-1}} \\ &= p^{-\frac{1}{\beta-1}} [-1] (w_1^r + w_2^r)^{\frac{\beta}{\rho-1}(\beta-1)}^{\frac{\beta}{\rho-1}(\beta-1)} w_i^{\rho-1} \beta^{1-\frac{\beta}{\beta-1}} \\ &= -p^{-\frac{1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\beta}{\rho-1}(\beta-1)}^{\frac{\beta}{\rho-1}(\beta-1)} w_i^{\frac{1}{\rho-1}} \beta^{-\frac{1}{\beta-1}} \\ &= -(p\beta)^{-\frac{1}{\beta-1}} (w_1^r + w_2^r)^{\frac{(\rho-1)\beta}{\rho(\beta-1)}-1} w_i^{\frac{1}{\rho-1}} \\ &= -(p\beta)^{-\frac{1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}} w_i^{\frac{1}{\rho-1}} \end{split}$$

i = 1, 2. When  $0 < \beta < 1$ ,  $\frac{\partial \pi(p, w)}{\partial w_i} \le 0$ 

#### 3. Homogeneous of degree one in (p, w)

$$\begin{split} \pi(tp,tw) &= (tp)^{-\frac{1}{\beta-1}}[(tw_1)^r + (tw_2)^r]^{\frac{\beta}{r(\beta-1)}}\beta^{-\frac{\beta}{\beta-1}}(1-\beta) \\ &= t^{-\frac{1}{\beta-1}}p^{-\frac{1}{\beta-1}}t^{\frac{\beta}{(\beta-1)}}[(w_1)^r + (w_2)^r]^{\frac{\beta}{r(\beta-1)}}\beta^{-\frac{\beta}{\beta-1}}(1-\beta) \\ &= t^{-\frac{1}{\beta-1}+\frac{\beta}{(\beta-1)}}p^{-\frac{1}{\beta-1}}[(w_1)^r + (w_2)^r]^{\frac{\beta}{r(\beta-1)}}\beta^{-\frac{\beta}{\beta-1}}(1-\beta) \\ &= tp^{-\frac{1}{\beta-1}}[(w_1)^r + (w_2)^r]^{\frac{\beta}{r(\beta-1)}}\beta^{-\frac{\beta}{\beta-1}}(1-\beta) \\ &= t^1\pi(p,w) \end{split}$$

#### **4.Convex in** (p, w)

\* Higher-dimension proof not required in exam Convex functions (Jehle & Reny pp.542):  $f: D \to \mathbb{R}$  is a convex function if for all  $x^1, x^2 \in D$ ,

$$f(x^t) \le t f(x^1) + (1-t)f(x^2), \ \forall t \in [0,1].$$

Where  $x^t \equiv tx^1 + (1-t)x^2$ ,  $t \in [0,1]$ .




Figure 2: Convex function

For 1-dimension function f(x):

$$f(x)$$
 is convex  $\iff f''(x) \ge 0$ 

#### **5.Differentiable in** (p, w)

\* Higher-dimension proof not required in exam.

Recall one-dimension condition: derivative exists at  $x^0 \Rightarrow$  Differentiable at  $x^0$ .

#### 6.Hotelling's lemma

We already calculated the derivatives. Compare them with equation 3 and 4.

#### 3.2 Verify Theorem 3.8

# **THEOREM 3.8 Properties of Output Supply and Input Demand Functions** (Jehle & Reny pp.149)

Suppose that f is a strictly concave production function satisfying Assumption 3.1 and that its associated profit function,  $\pi(p,y)$ , is twice continuously differentiable. Then, for all p>0 and  $w\gg 0$  where it is well defined:

1. Homogeneity of degree zero:

$$y(tp, tw) = y(p, w), \forall t > 0,$$

$$x_i(tp, tw) = x_i(p, w), \forall t > 0 \ and \ i = 1, ..., n.$$

2. Own-price effects:

$$\frac{\partial y(p,w)}{\partial p} \ge 0,$$

$$\frac{\partial x_i(p,w)}{\partial w_i} \le 0, \ \forall i=1,\dots,n.$$

3. The substitution matrix is symmetric and positive semidefinite.

$$\begin{pmatrix}
\frac{\partial y(p,w)}{\partial p} & \frac{\partial y(p,w)}{\partial w_1} & \cdots & \frac{\partial y(p,w)}{\partial w_n} \\
-\frac{\partial x_1(p,w)}{\partial p} & -\frac{\partial x_1(p,w)}{\partial w_1} & \cdots & \frac{-\partial x_1(p,w)}{\partial w_n} \\
\vdots & \vdots & \ddots & \vdots \\
-\frac{\partial x_n(p,w)}{\partial p} & -\frac{\partial x_n(p,w)}{\partial w_1} & \cdots & \frac{-\partial x_n(p,w)}{\partial w_n}
\end{pmatrix} (6)$$

Copy from Equation 3 and Equation 4,

**Output supply function:** 

$$y(p, w) = (p\beta)^{-\frac{\beta}{\beta-1}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

Input demand function:

$$x_i(p, w) = w_i^{\frac{1}{\rho - 1}} (p\beta)^{\frac{-1}{\beta - 1}} (w_1^r + w_2^r)^{\frac{\rho - \beta}{\rho(\beta - 1)}}$$

#### 1. Homogeneity of degree zero

$$y(tp, tw) = (tp\beta)^{-\frac{\beta}{\beta-1}} [(tw_1)^r + (tw_2)^r]^{\frac{\beta}{r(\beta-1)}}$$

$$= t^{-\frac{\beta}{\beta-1}} (p\beta)^{-\frac{\beta}{\beta-1}} t^{\frac{\beta}{(\beta-1)}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= t^0 (p\beta)^{-\frac{\beta}{\beta-1}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= t^0 y(p, w)$$

$$\begin{split} x_i(tp,tw) &= (tw_i)^{\frac{1}{\rho-1}} (tp\beta)^{\frac{-1}{\beta-1}} [(tw_1)^r + (tw_2)^r]^{\frac{\rho-\beta}{\rho(\beta-1)}} \\ &= t^{\frac{1}{\rho-1}} w_i^{\frac{1}{\rho-1}} t^{\frac{-1}{\beta-1}} (p\beta)^{\frac{-1}{\beta-1}} t^{r\frac{\rho-\beta}{\rho(\beta-1)}} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}} \\ &= t^{\frac{1}{\rho-1} + \frac{-1}{\beta-1} + \frac{\rho}{\rho-1}} \frac{\rho-\beta}{\rho(\beta-1)}} w_i^{\frac{1}{\rho-1}} (p\beta)^{\frac{-1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}} \\ &= t^0 x_i(p, w) \end{split}$$

i = 1, 2.

#### 2.Own-price effects

$$\frac{\partial y(p,w)}{\partial p} = (-\frac{\beta}{\beta-1})p^{-\frac{\beta}{\beta-1}-1}(\beta)^{-\frac{\beta}{\beta-1}}(w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

When  $\beta \in (0,1)$ ,  $\frac{\partial y(p,w)}{\partial p} \ge 0$ .

$$\begin{split} \frac{\partial x_i(p,w)}{\partial w_1} &= \frac{1}{\rho-1} w_1^{\frac{1}{\rho-1}-1} (p\beta)^{\frac{-1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}} + w_1^{\frac{1}{\rho-1}} (p\beta)^{\frac{-1}{\beta-1}} \frac{\rho-\beta}{\rho(\beta-1)} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1} r w_1^{r-1} \\ &= \frac{1}{\rho-1} w_1^{\frac{1}{\rho-1}-1} (p\beta)^{\frac{-1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}} + w_1^{\frac{1}{\rho-1}+r-1} (p\beta)^{\frac{-1}{\beta-1}} \frac{\rho-\beta}{\rho(\beta-1)} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1} \frac{\rho}{\rho-1} \\ &= \frac{1}{\rho-1} w_1^{\frac{1}{\rho-1}-1} (p\beta)^{\frac{-1}{\beta-1}} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}} + w_1^{\frac{1}{\rho-1}+r-1} (p\beta)^{\frac{-1}{\beta-1}} \frac{\rho-\beta}{(\rho-1)(\beta-1)} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1} \\ &= [\frac{1}{\rho-1} (w_1^r + w_2^r) + w_1^r \frac{\rho-\beta}{(\rho-1)(\beta-1)}] w_1^{\frac{1}{\rho-1}-1} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1} (p\beta)^{\frac{-1}{\beta-1}} \\ &= [(\frac{\beta-1}{(\rho-1)(\beta-1)} + \frac{\rho-\beta}{(\rho-1)(\beta-1)}) w_1^r + \frac{1}{\rho-1} w_2^r] w_1^{\frac{1}{\rho-1}-1} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1} (p\beta)^{\frac{-1}{\beta-1}} \\ &= [\frac{1}{\beta-1} w_1^r + \frac{1}{\rho-1} w_2^r] w_1^{\frac{1}{\rho-1}-1} (w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1} (p\beta)^{\frac{-1}{\beta-1}} \end{split}$$

Similarly, we have

$$\frac{\partial x_i(p,w)}{\partial w_2} = \left[\frac{1}{\beta-1}w_1^r + \frac{1}{\rho-1}w_2^r\right]w_2^{\frac{1}{\rho-1}-1}(w_1^r + w_2^r)^{\frac{\rho-\beta}{\rho(\beta-1)}-1}(p\beta)^{\frac{-1}{\beta-1}}$$

When  $\beta \in (0,1), \rho < 1, \frac{\partial y(p,w)}{\partial w_i} \leq 0$ , i=1,2.

- 1. Assign some value to the parameters and variables to verify your calculation:
  - Let, for example,  $p=2, \rho=-1, \beta=0.5, w_1=w_2=2$ , then  $r=\frac{\rho}{\rho-1}=0.5, \frac{\rho-\beta}{\rho(\beta-1)}=-3$
  - Calculate the first line of  $\frac{\partial x_i(p,w)}{\partial w_1}$  and the simplified result in the last line, they should be the same  $(-\frac{5}{256})$
- 2. In exam, leave it to the last if the calculation is very heavy and you find the result seems to be wrong.
- 3. We will NOT repeatedly punish you for wrong results, i.e., if the wrong results in step 1 lead to mistakes in the rest steps, as long as your method is correct, you will get the point for the rest part.

For example, a question asks you to calculate Elasticity of Substitution and what substitution relationship the result implies. The correct answer is " $ES = +\infty$ , perfect substitution".

- If you calculated it wrongly and have "*ES* = 0, no substitution", you will get points from "no substitution", the "correct" conclusion based on your wrong *ES*
- If you calculated it wrongly and have "ES = 0", but argue "ES = 0" implies

"perfect substitution", then it's totally wrong and you get no point, even though the conclusion "perfect substitution" is the same as the solution.

#### 3. Substitution matrix

Proof not really required in exam. But it may be helpful to understand it.

According to Hotelling's lemma,

$$y(p, w) = \frac{\partial \pi(p, w)}{\partial p}$$
, and  $x_i(p, w) = -\frac{\partial \pi(p, w)}{\partial w_i}$ .  $i = 1, 2, ..., n$ .

We can rewrite:

$$\frac{\partial y(p, w)}{\partial p} = \frac{\partial^2 \pi(p, w)}{\partial p^2}$$
$$\frac{\partial y(p, w)}{\partial w_i} = \frac{\partial^2 \pi(p, w)}{\partial p \partial w_i}$$
$$-\frac{\partial x_i(p, w)}{\partial p} = \frac{\partial^2 \pi(p, w)}{\partial w_i \partial p}$$
$$-\frac{\partial x_i(p, w)}{\partial w_i} = \frac{\partial^2 \pi(p, w)}{\partial w_i \partial w_i}$$

The Substitution matrix is therefore the Hessian Matrix (check seminar 2) of the Profit Function  $\pi(p,w)$ :

$$\begin{pmatrix}
\frac{\partial^{2} \pi(p,w)}{\partial p^{2}} & \frac{\partial^{2} \pi(p,w)}{\partial p \partial w_{1}} & \cdots & \frac{\partial^{2} \pi(p,w)}{\partial p \partial w_{n}} \\
\frac{\partial^{2} \pi(p,w)}{\partial w_{1} \partial p} & \frac{\partial^{2} \pi(p,w)}{\partial w_{1}^{2}} & \cdots & \frac{\partial^{2} \pi(p,w)}{\partial w_{1} \partial w_{n}} \\
\vdots & \vdots & \ddots & \vdots \\
\frac{\partial^{2} \pi(p,w)}{\partial w_{n} \partial p} & \frac{\partial^{2} \pi(p,w)}{\partial w_{n} \partial w_{1}} & \cdots & \frac{\partial^{2} \pi(p,w)}{\partial w_{n}^{2}}
\end{pmatrix}$$
(7)

According to Young's theorem (Jehle & Reny pp.557),  $\frac{\partial^2 \pi(p,w)}{\partial p \partial w_i} = \frac{\partial^2 \pi(p,w)}{\partial w_i \partial p}$ , the matrix must be symmetric.

As a convex function, Profit Function  $\pi(p,w)$  must have a positive semidefinite Hessian Matrix.

To prove the matrix is positive semidenite is not required in exam, but you need to know the definition:

**Positive semidefinite**(Jehle & Reny pp.559): a  $n \times n$  metrix A is positive semidefinite if for all vectors  $z \in R^n$ ,  $z^T A z \ge 0$ 

Assume matrix *S* is a Substitution matrix,

• Let 
$$z = (1, 0, ..., 0)^T$$
, 
$$z^T S z = \frac{\partial y(p, w)}{\partial p} \ge 0$$

• Let 
$$z = (0, 1, ..., 0)^T$$
, 
$$z^T S z = \frac{-\partial x_1(p, w)}{\partial w_1} \ge 0$$

• ..

You can find the diagonal elements of a positive semidenite matrix is always non-negative.

The conclusion above is the same as the so-called "Own-price effects" we have proved.

## 4 Jehle & Reny 3.49

- 1. Derive the **cost function** for the production function in Example 3.5.
- 2. Solve  $\max_{y} py c(w, y)$
- 3. Compare its solution, y(p, w), to the solution in (E.5). Check that  $\pi(p, w) = py(p, w) c(w, y(p, w))$ .
- 4. Supposing that  $\beta > 1$ , confirm our conclusion that profits are minimised when the first-order conditions are satisfied by showing that marginal cost is decreasing at the solution.
- 5. Sketch your results.

#### 4.1 Cost function

CES production function in Example 3.5 :  $y = (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}}$ ,  $\beta < 1$  and  $0 \neq \rho < 1$  Cost function:  $c(w, y) \equiv \min_{x \in \mathbb{R}^n} w \cdot x$ , s.t.  $f(x) \ge y$ .

$$c(w, y) = \min_{x \in \mathbb{R}^n_+} w_1 x_1 + w_2 x_2, \quad s.t. \quad (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}} \ge y$$

No corner solution.

- Obviously  $x_1, x_2$  can't both be 0 to produce y > 0.
- $\frac{\partial f(x)}{\partial x_i} = \beta(x_1^{\rho} + x_2^{\rho})^{(\frac{\beta}{\rho})-1} x_i^{\rho-1}$ . If  $\rho \in (0,1), \beta > 0$ ,  $\lim_{x_i \to 0} \frac{\partial f(x)}{\partial x_i} = +\infty$ .
  - If  $\rho \in (0,1)$ ,  $\beta < 0$ , the production function doesn't make sense since  $\lim_{x\to(0,0)} f(x) = +\infty$
  - If  $\rho$  < 0, the production function is not defined at  $x_i$  = 0
- f(x) = y is binding: f(x) is increasing in x, to reduce cost, we shouldn't produce more than required (y).

$$L = w_1 x_1 + w_2 x_2 + \lambda \left[ y - (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}} \right]$$

FOC:

$$\begin{cases} \frac{\partial L}{\partial x_1} = w_1 - \lambda \beta (x_1^{\rho} + x_2^{\rho})^{(\frac{\beta}{\rho}) - 1} x_1^{\rho - 1} = 0\\ \frac{\partial L}{\partial x_2} = w_2 - \lambda \beta (x_1^{\rho} + x_2^{\rho})^{(\frac{\beta}{\rho}) - 1} x_2^{\rho - 1} = 0\\ y - (x_1^{\rho} + x_2^{\rho})^{\frac{\beta}{\rho}} = 0 \end{cases}$$

Simplify:

$$\begin{cases} w_{1} = \lambda \beta (x_{1}^{\rho} + x_{2}^{\rho})^{(\frac{\beta}{\rho}) - 1} x_{1}^{\rho - 1} \\ w_{2} = \lambda \beta (x_{1}^{\rho} + x_{2}^{\rho})^{(\frac{\beta}{\rho}) - 1} x_{2}^{\rho - 1} \\ (x_{1}^{\rho} + x_{2}^{\rho})^{\frac{\beta}{\rho}} = y \end{cases}$$
(8)

Taking the ratio between the first two gives:

$$\frac{w_1}{w_2} = (\frac{x_1}{x_2})^{\rho - 1} \Rightarrow x_1 = (\frac{w_1}{w_2})^{\frac{1}{\rho - 1}} x_2$$

Substituting in the third gives:

$$\begin{split} \{[(\frac{w_{1}}{w_{2}})^{\frac{1}{\rho-1}}x_{2}]^{\rho} + x_{2}^{\rho}\}^{\frac{\beta}{\rho}} &= y \\ [(\frac{w_{1}}{w_{2}})^{\frac{\rho}{\rho-1}}x_{2}^{\rho} + x_{2}^{\rho}]^{\frac{\beta}{\rho}} &= y \\ [(\frac{w_{1}}{w_{2}})^{\frac{\rho}{\rho-1}} + 1]^{\frac{\beta}{\rho}}x_{2}^{\beta} &= y \\ x_{2} &= (\frac{y}{[(\frac{w_{1}}{w_{2}})^{\frac{\rho}{\rho-1}} + 1]^{\frac{\beta}{\rho}}})^{\frac{1}{\beta}} \\ &= y^{\frac{1}{\beta}}[\frac{1}{(\frac{w_{1}}{w_{2}})^{\frac{\rho}{\rho-1}} + 1}]^{\frac{1}{\rho}} \\ &= y^{\frac{1}{\beta}}[\frac{1}{(\frac{w_{1}}{w_{2}})^{\frac{\rho}{\rho-1}} + 1}]^{\frac{1}{\rho}} \\ &= y^{\frac{1}{\beta}}(\frac{w_{2}^{\frac{\rho}{\rho-1}}}{w_{1}^{\frac{\rho}{\rho-1}} + w_{2}^{\frac{\rho}{\rho-1}}})^{\frac{1}{\rho}} \\ &\Rightarrow x_{1} &= (\frac{w_{1}}{w_{2}})^{\frac{1}{\rho-1}}x_{2} \\ &= y^{\frac{1}{\beta}}(\frac{w_{1}^{\frac{\rho}{\rho-1}}}{w_{2}^{\frac{\rho}{\rho-1}}} + w_{2}^{\frac{\rho}{\rho-1}})^{\frac{1}{\rho}} \\ &= y^{\frac{1}{\beta}}(\frac{w_{1}^{\frac{\rho}{\rho-1}}}{w_{1}^{\frac{\rho}{\rho-1}} + w_{2}^{\frac{\rho}{\rho-1}}})^{\frac{1}{\rho}} \end{split}$$

Cost function:

$$\begin{split} c(w,y) &= w_1 x_1 + w_2 x_2 = w_1 y^{\frac{1}{\beta}} (\frac{w_1^{\frac{\rho}{\rho-1}}}{w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}})^{\frac{1}{\rho}} + w_2 y^{\frac{1}{\beta}} (\frac{w_2^{\frac{\rho}{\rho-1}}}{w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}})^{\frac{1}{\rho}} \\ &= w_1 y^{\frac{1}{\beta}} \frac{w_1^{\frac{1}{\rho-1}}}{(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}})^{\frac{1}{\rho}}} + w_2 y^{\frac{1}{\beta}} \frac{w_2^{\frac{1}{\rho-1}}}{(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}})^{\frac{1}{\rho}}} \\ &= y^{\frac{1}{\beta}} [\frac{w_1^{(\frac{1}{\rho-1}+1)}}{(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}})^{\frac{1}{\rho}}} + \frac{w_2^{(\frac{1}{\rho-1}+1)}}{(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}})^{\frac{1}{\rho}}}] \\ &= y^{\frac{1}{\beta}} \frac{w_1^r + w_1^r}{(w_1^r + w_2^r)^{\frac{1}{\rho}}} \\ &= y^{\frac{1}{\beta}} (w_1^r + w_2^r)^{\frac{1}{\rho}} \\ &= y^{\frac{1}{\beta}} (w_1^r + w_2^r)^{\frac{1}{\rho}} \end{split}$$

Where  $r = \frac{\rho}{\rho - 1}$ 

### **4.2 Solve** $\max_{v} py - c(w, y)$

We already know the cost function given output *y*:

$$c(w, y) = y^{\frac{1}{\beta}} (w_1^r + w_2^r)^{\frac{1}{r}}$$

Forget that we already know **Profit maximization**  $\Rightarrow$  **Cost minimization** for now.

To maximize our profit, we want instead the difference between py and c(w, y) (the least cost for every given y) to be as big as possible,i.e.:

$$\max_{y} py - c(w, y)$$

As a price receiver (competitive firm), how should we change *y* to achieve this? If you're sure there is only one solution, and the question asks you to find the maximum point, then FOC is enough:

$$\frac{d(py - c(w, y))}{dy} = p - \frac{dc(w, y)}{dy} = 0$$

$$py - c(w, y) = py - y^{\frac{1}{\beta}} (w_1^r + w_2^r)^{\frac{1}{r}}$$

FOC:

$$\frac{d(py - y^{\frac{1}{\beta}}(w_1^r + w_2^r)^{\frac{1}{r}})}{dy} = p - \frac{1}{\beta}y^{\frac{1}{\beta}-1}(w_1^r + w_2^r)^{\frac{1}{r}} = 0$$

$$\therefore y^{\frac{1-\beta}{\beta}} = p\beta(w_1^r + w_2^r)^{-\frac{1}{r}} \Rightarrow y = (p\beta)^{\frac{\beta}{1-\beta}}(w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$
(9)

#### 4.3 Compare with profit maximization problem

#### 1.Output function

Compare the output function 9 with function 3, the results are the same.

#### 1.Profit function

$$py(p, w) - c(w, y(p, w)) = p[(p\beta)^{\frac{\beta}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}]$$

$$- [(p\beta)^{\frac{\beta}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}]^{\frac{1}{\beta}} (w_1^r + w_2^r)^{\frac{1}{r}}$$

$$= p^{\frac{1}{1-\beta}} \beta^{\frac{\beta}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$- (p\beta)^{\frac{1}{1-\beta}} (w_1^r + w_2^r)^{\frac{1}{r(\beta-1)}} (w_1^r + w_2^r)^{\frac{1}{r}}$$

$$= p^{\frac{1}{1-\beta}} \beta^{\frac{\beta}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}} - (p\beta)^{\frac{1}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= [p^{\frac{1}{1-\beta}} \beta^{\frac{\beta}{1-\beta}} - (p\beta)^{\frac{1}{1-\beta}}] (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= [p^{\frac{1}{1-\beta}} \beta^{\frac{\beta}{1-\beta}} - p^{\frac{1}{1-\beta}} \beta^{\frac{1}{1-\beta}}] (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= [\beta^{\frac{\beta}{1-\beta}} - \beta^{\frac{1}{1-\beta}}] p^{\frac{1}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= [1 - \beta^1] \beta^{\frac{\beta}{1-\beta}} p^{\frac{1}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}}$$

$$= p^{\frac{1}{1-\beta}} (w_1^r + w_2^r)^{\frac{\beta}{r(\beta-1)}} \beta^{\frac{\beta}{1-\beta}} (1 - \beta^1)$$

Compare the result 10 with the profit function 5 obtained from profit maximization problem.

**Profit maximization** ← Cost minimization(+one more step)

#### 4.4 Marginal Cost and output

FOC may be not enough:

- FOC is not sufficient for maximum/minimum point (sometimes it is Inflection Point).
- When FOC has more than 2 solutions, FOC is not enough to determine which is the local maximum/minimum point.

Figure 3 is a very nice plot showing why FOC is not enough for "maximum poit":




Figure 3: Second order condition

(The Figure is from Intuiting the condition by example)

We therefore need to check SOC:

$$\frac{d^2(py-c(w,y))}{dy^2} = -\frac{d^2c(w,y)}{dy^2} \leq 0 \Rightarrow \frac{d^2c(w,y)}{dy^2} \geq 0$$

To sum up:

(1) By FOC, we choose the level  $y^*$  of output such that

$$\frac{dc(w,y)}{dy} = p$$

(Marginal cost = price). And,

(2) By SOC, we also require

$$\frac{d^2c(w,y)}{dy^2} = \frac{dMC}{dy} \ge 0$$

(Marginal cost increasing in scale)




Figure 4: Marginal cost and price

Given 
$$c(w, y) = y^{\frac{1}{\beta}} (w_1^r + w_2^r)^{\frac{1}{r}}$$
,

$$MC = \frac{dc(w, y)}{dy} = \frac{1}{\beta} y^{\frac{1}{\beta} - 1} (w_1^r + w_2^r)^{\frac{1}{r}}$$

$$\frac{dMC}{dy} = \frac{1}{\beta} (\frac{1}{\beta} - 1) y^{\frac{1}{\beta} - 2} (w_1^r + w_2^r)^{\frac{1}{r}}$$

If  $\beta > 1$ ,  $\frac{dMC}{dy} < 0$ . The solution is therefore minimized profit, instead of maximized profit.

Intuitively,  $MC = \frac{1}{\beta}y^{\frac{1}{\beta}-1}(w_1^r + w_2^r)^{\frac{1}{r}}$  is decreasing in y when  $\beta > 1$ , the more you produce, the less cost you need to pay for 1 more unit output. You will therefore continue to produce  $+\infty$ .

# 4.5 Sketch




Figure 5: Decreasing MC and p

If you stop at  $y^*$ , you lose the most!