

# The Pillar Super Book Archetype

The Pillar team

May 26, 2019

Copyright 2017 by The Pillar team.

The contents of this book are protected under the Creative Commons Attribution-ShareAlike 3.0 Unported license.

You are **free**:

- to **Share**: to copy, distribute and transmit the work,
- to **Remix**: to adapt the work,

Under the following conditions:

**Attribution.** You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

**Share Alike.** If you alter, transform, or build upon this work, you may distribute the resulting work only under the same, similar or a compatible license.

For any reuse or distribution, you must make clear to others the license terms of this work. The best way to do this is with a link to this web page:  
<http://creativecommons.org/licenses/by-sa/3.0/>

Any of the above conditions can be waived if you get permission from the copyright holder. Nothing in this license impairs or restricts the author's moral rights.



Your fair dealing and other rights are in no way affected by the above. This is a human-readable summary of the Legal Code (the full license):  
<http://creativecommons.org/licenses/by-sa/3.0/legalcode>

# Contents

<b>Illustrations</b>	<b>ii</b>
<b>1 Lesson 14 – Firmata implementation for the Pharo Programming Language.</b>	<b>1</b>
1.1 What do we need? . . . . .	1
1.2 Installation . . . . .	1
<b>Bibliography</b>	<b>5</b>

# Illustrations

1-1 Arduino. . . . . 2

# Lesson 14 – Firmata implementation for the Pharo Programming Language.

Firmata is a generic protocol for communicating with microcontrollers from software on a host computer. It is intended to work with any host computer software package. Right now there is a matching object in a number of languages. It is easy to add objects for other software to use this protocol. Basically, this firmware establishes a protocol for talking to the Arduino from the host software. The aim is to allow people to completely control the Arduino from software on the host computer.

## 1.1 What do we need?

In this lesson, we will use a setup with Pharo and Firmata.


## 1.2 Installation

### Arduino: Installing Standard Firmata

- Your first step should be to download the Arduino application from **Arduino Website**.<sup>1</sup>

---

<sup>1</sup><https://www.arduino.cc/en/Main/Software>



**Figure 1-1** Arduino.

- Be sure to choose the latest version and also the correct download for your computer and operating system.
  - Once the software has downloaded, you can install the application using the method appropriate for your system.
- For Mac OS X you will be downloading a ZIP file. Double-clicking on the ZIP should produce a single "Arduino" application file which you can then copy into your Applications folder.
  - For Windows, you should download the .EXE containing a full Windows installer. Double clicking on the .EXE should start the installation.
  - For Linux you will download a compressed TAR file. You can use the "tar" command to uncompress and unpack the application.
- Plug in Your Arduino Board as shown in Figure 1-1. **Note:** Disconnect any wires that may be attached to your Arduino and plug the board into the computer.
  - You'll need to select the entry in the Tools > Board menu that corresponds to your Arduino board.
    - Here we are using Arduino UNO board and my port is /dev/tty.usbmodem14201 ( You may have a different port name depend on your operating system ).
  - Upload the Standard Firmata Sketch
    - StandardFirmata is included with the Arduino IDE. To compile and upload StandardFirmata to your Arduino, open the IDE and select File/Examples/Firmata/StandardFirmata.

- Now at the top of the text editor window, click the "Upload" button on the IDE.
- At the bottom of the text editor window, you should see a small status window. This will report the progress as the code is compiled and then uploaded to the Arduino.
- While the code is being uploaded, you should see some very small LED lights (the Transmit (TX) and Receive (RX) lights) on your Arduino board blinking as the data is transferred.

### Pharo with Firmata

To load latest version of Firmata you can evaluate the following expression in playground:

```
Metacello new
baseline: 'Firmata';
repository: 'github://pharo-iot/Firmata';
load
```

<https://www.instructables.com/id/Arduino-Installing-Standard-Firmata/>





# Bibliography

