```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Counter App</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <div class="counter-container">
    <h1>Counter App</h1>
    <div class="counter-display" id="counter">
      0
    </div>
    <div class="buttons">
      <button onclick="increment()">Increment</button>
      <button onclick="decrement()">Decrement</button>
      <button onclick="reset()">Reset</button>
    </div>
  </div>
  <script src="index.js"></script>
</body>
</html>
/* General Styles */
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  display: flex;
  justify-content: center;
```

```
align-items: center;
  height: 100vh;
  margin: 0;
}
.counter-container {
  text-align: center;
  padding: 20px;
  border: 2px solid #ccc;
  border-radius: 10px;
  background-color: #fff;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}
.counter-display {
  font-size: 2rem;
  margin: 20px 0;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
  width: 100px;
  margin-left: auto;
  margin-right: auto;
}
.buttons {
  margin-top: 20px;
}
button {
  padding: 10px 20px;
```

```
margin: 5px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  background-color: #007bff;
  color: white;
  font-size: 1rem;
}
button:hover {
  background-color: #0056b3;
}
JS
// Get the counter display element
let counter = 0;
const counterDisplay = document.getElementById('counter');
// Function to increment the counter
function increment() {
  counter++;
  counterDisplay.textContent = counter;
}
// Function to decrement the counter
function decrement() {
  counter--;
  counterDisplay.textContent = counter;
}
// Function to reset the counter
```

```
function reset() {
  counter = 0;
  counterDisplay.textContent = counter;
}
```