# WILKINSON POWER DIVIDER SIMULATION

Hanan Ronaldo Quispe Condori, CIRCAE Student Member

Resumen—MicroMouse es un dispositivo en el que se aplica principios de ciencias de la computación, principios ópticos, mecánicos, electrónicos y la integración de tecnologías de software y hardware. Lo que se pretende cubrir es la solución de un laberinto usando algoritmos de reconocimiento, almacenamiento, solución y retroalimentación con condiciones iniciales constantes en el tiempo.

Términos Clave— Introducimos nuestros términos clave en orden alfabetico, separado por comas. Para una lista de sugerencias de palabras o términos clave visitar http://www.ieee.org/organizations/pubs/ani\_prod/keywrd98.txt

#### I. PROBLEMA

If your paper is intended for a conference, please contact your conference editor concerning acceptable word processor formats for your particular conference.

IEEE will do the final formatting of your paper. If your paper is intended for a conference, please observe the conference page limits.

## I-A. Concepto Principal

El problema abarcará lo que se pretende resolver o se resolvió con el informe, se tiene que ser claro y conciso.

### I-B. Abbreviations and Acronyms

Define abbreviations and acronyms the first time they are used in the text, even after they have already been defined in the abstract. Abbreviations such as IEEE, SI, ac, and dc do not have to be defined. Abbreviations that incorporate periods should not have spaces: write "C.N.R.S.," not "C. N. R. S." Do not use abbreviations in the title unless they are unavoidable (for example, "IEEE" in the title of this article).

# II. OBJETIVOS


Use either SI (MKS) or CGS as primary units. (SI units are strongly encouraged.) English units may be used as secondary units (in parentheses). This applies to papers in data storage.

Este primer párrafo puede contener auspiciadores u organizaciones que colaboraron con la realización de esta parte del proyecto y mencionar de manera expecífica que papel puntual tuvieron en el proceso... "This work was supported in part by the U.S. Department of Commerce under Grant R\$123.66"

Los siguientes párrafos pueden contebner datos específicos de los autores del proyecto, por ejemplo "F. A. Author is with the National Institute of Standards and Technology, Boulder, CO 80305 USA (e-mail: author boulder.nist.gov)"

NombreAl ApellidoAl ApellidoA2, was with Rice University, Houston, TX 77005 USA. He is now with the Department of Physics, Colorado State University, Fort Collins, CO 80523 USA (e-mail: author lamar.colostate.edu).

NombreB1 ApellidoB1 ApellidoB2 is with the Electrical Engineering Department, University of Colorado, Boulder, CO 80309 USA, on leave from the National Research Institute for Metals, Tsukuba, Japan (e-mail: author nrim.go.jp).



1

Figura 1. A gull

For example, write "15 Gb/cm² (100 Gb/in²)." An exception is when English units are used as identifiers in trade, such as "3 disk drive." Avoid combining SI and CGS units, such as current in amperes and magnetic field in oersteds. This often leads to confusion because equations do not balance dimensionally. If you must use mixed units, clearly state the units for each quantity in an equation.

The SI unit for magnetic field strength H is A/m. However, if you wish to use units of T, either refer to magnetic flux density B or magnetic field strength symbolized as  $\mu_0 H$ . Use the center dot to separate compound units, e.g., "A·m<sup>2</sup>."

#### II-A. Idea Principal

Se plantea de manera general lo que se hará o se hizo para solucionar el problema.

$$B' = -\partial \times E,$$
  
 $E' = \partial \times B - 4\pi j,$  Maxwell's equations (1)

The word "data" is plural, not singular. The subscript for the permeability of vacuum  $\mu_0$  is zero, not a lowercase letter "o." The term for residual magnetization is "remanence"; the adjective is "remanent"; do not write "remnance" or "remnant." Use the word "micrometer" instead of "micron." A graph within a graph is an "inset," not an "insert." The word "alternatively" is preferred to the word "alternately" (unless you really mean something that alternates). Use the word "whereas" instead of "while" (unless you are referring to simultaneous events). Do not use the word "essentially" to mean "approximately" or "effectively." Do not use the word "issue" as a euphemism for "problem." When compositions are not specified, separate chemical symbols by en-dashes;

INFORME CIRCAE 2019-08-05-G1-P3-005

16

17

18

19

20

21

26

27

28

29

30 31

32

33

34

35




Figura 2. A gull




Figura 3. A gull

for example, "NiMn" indicates the intermetallic compound  $Ni_{0,5}Mn_{0,5}$  whereas "Ni-Mn" indicates an alloy of some composition  $Ni_xMn_{1-x}$ .

## III. PLANTEAMIENTO/PROCEDIMIENTO

## III-A. Types of Graphics

The following list outlines the different types of graphics published in IEEE journals. They are categorized based on their construction, and use of color/shades of gray:

*III-A1. Color/Grayscale figures:* Figures that are meant to appear in color, or shades of black/gray. Such figures may include photographs, illustrations, multicolor graphs, and flowcharts.

*III-A2. Line Art figures:* Figures that are composed of only black lines and shapes. These figures should have no shades or half-tones of gray, only black and white.

*III-A3.* Author photos: Head and shoulders shots of authors that appear at the end of our papers.

## III-B. Lineas de código

```
import numpy as np class NeuralNetwork:
```

```
def __init__(self,
    no_of_in_nodes,
    no_of_out_nodes,
    no_of_hidden_nodes,
    learning_rate):
  self.no_of_in_nodes = no_of_in_nodes
  self.no_of_out_nodes = no_of_out_nodes
  self.no_of_hidden_nodes =
      no_of_hidden_nodes
  self.learning_rate = learning_rate
  self.create_weight_matrices()
def create_weight_matrices(self):
  rad = 1 / np.sqrt(self.no_of_in_nodes)
  X = truncated_normal(mean=0, sd=1, low=-
     rad, upp=rad)
  self.weights_in_hidden = X.rvs((self.
     no_of_hidden_nodes,
       self.no_of_in_nodes))
  rad = 1 / np.sqrt(self.no_of_hidden_nodes)
  X = truncated_normal(mean=0, sd=1, low=-
     rad, upp=rad)
  self.weights_hidden_out = X.rvs((self.
      no_of_out_nodes,
       self.no_of_hidden_nodes))
def train(self):
  pass
def run(self):
  pass
 __name__ == "__main__":
simple_network = NeuralNetwork(
   no\_of\_in\_nodes = 3,
                 no_of_out_nodes = 2,
                 no_of_hidden_nodes = 4,
                 learning_rate = 0.1)
print(simple_network.weights_in_hidden)
print(simple_network.weights_hidden_out)
```

Ahora compila usando gcc:

#### \$ gcc -o hello hello.c

*III-B1. Tables:* Data charts which are typically black and white, but sometimes include color.

## III-C. Multipart figures

Figures compiled of more than one sub-figure presented side-by-side, or stacked. If a multipart figure is made up of multiple figure types (one part is lineart, and another is grayscale or color) the figure should meet the stricter guidelines.

#### III-D. File Formats For Graphics

Format and save your graphics using a suitable graphics processing program that will allow you to create the images as PostScript (PS), Encapsulated PostScript (.EPS), Tagged Image File Format (.TIFF), Portable Document Format (.PDF), Portable Network Graphics (.PNG), or Metapost (.MPS), sizes them, and adjusts the resolution settings. When submitting

INFORME CIRCAE 2019-08-05-G1-P3-005 3

Cuadro I Units for Magnetic Properties

Symbol	Quantity	Conversion from Gaussian and
	Ç	CGS EMU to SI a
Φ	magnetic flux	$1 \text{ Mx} \rightarrow 10^{-8} \text{ Wb} = 10^{-8} \text{ V} \cdot \text{s}$
B	magnetic flux density,	$1 \text{ G} \rightarrow 10^{-4} \text{ T} = 10^{-4} \text{ Wb/m}^2$
	magnetic induction	
H	magnetic field strength	1 Oe $\to 10^3/(4\pi)$ A/m
m	magnetic moment	1  erg/G = 1  emu
		$\rightarrow 10^{-3} \text{ A} \cdot \text{m}^2 = 10^{-3} \text{ J/T}$
M	magnetization	$1 \operatorname{erg/(G \cdot cm^3)} = 1 \operatorname{emu/cm^3}$
		$ ightarrow 10^3 \text{ A/m}$
$4\pi M$	magnetization	$1 \text{ G} \to 10^3/(4\pi) \text{ A/m}$
$\sigma$	specific magnetization	$1 \operatorname{erg}/(G \cdot g) = 1 \operatorname{emu/g} \rightarrow 1$
		A·m <sup>2</sup> /kg
j	magnetic dipole	1  erg/G = 1  emu
	moment	$\rightarrow 4\pi \times 10^{-10} \text{ Wb·m}$
J	magnetic polarization	$1 \operatorname{erg/(G \cdot cm^3)} = 1 \operatorname{emu/cm^3}$
		$\rightarrow 4\pi \times 10^{-4} \text{ T}$
$\chi, \kappa$	susceptibility	$1 \to 4\pi$
$\chi_{ ho}$	mass susceptibility	$1 \text{ cm}^3/\text{g} \to 4\pi \times 10^{-3} \text{ m}^3/\text{kg}$
$\mu$	permeability	$1 \rightarrow 4\pi \times 10^{-7} \text{ H/m}$
	, in the second	$=4\pi \times 10^{-7} \text{ Wb/(A·m)}$
$\mu_r$	relative permeability	$\mu  ightarrow \mu_r$
w, W	energy density	$1 \text{ erg/cm}^3 \rightarrow 10^{-1} \text{ J/m}^3$
N, D	demagnetizing factor	$1 \rightarrow 1/(4\pi)$

Vertical lines are optional in tables. Statements that serve as captions for the entire table do not need footnote letters.

your final paper, your graphics should all be submitted individually in one of these formats along with the manuscript.

$$\frac{\partial u}{\partial t} = h^2 \left( \frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2} \right) \tag{2}$$

## IV. CONCLUSIONES

A conclusion section is not required. Although a conclusion may review the main points of the paper, do not replicate the abstract as the conclusion. A conclusion might elaborate on the importance of the work or suggest applications and extensions.

### REFERENCIAS

 $<sup>^{\</sup>rm a}\text{Gaussian}$  units are the same as cg emu for magnetostatics; Mx = maxwell, G = gauss, Oe = oersted; Wb = weber, V = volt, s = second, T = tesla, m = meter, A = ampere, J = joule, kg = kilogram, H = henry.