

OXFORD CAMBRIDGE AND RSA EXAMINATIONS

Advanced Subsidiary General Certificate of Education Advanced General Certificate of Education

MATHEMATICS 4721

Core Mathematics 1

Monday 16 JANUARY 2006

Morning

1 hour 30 minutes

Additional materials: 8 page answer booklet Graph paper List of Formulae (MF1)

TIME 1 hour 30 minutes

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the spaces provided on the answer booklet.
- Answer all the questions.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are not permitted to use a calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 72.
- Questions carrying smaller numbers of marks are printed earlier in the paper, and questions carrying larger numbers of marks later in the paper.
- You are reminded of the need for clear presentation in your answers.



WARNING

You are not allowed to use a calculator in this paper.

1 Solve the equations

(i)
$$x^{\frac{1}{3}} = 2$$
, [1]

(ii)
$$10^t = 1$$
, [1]

(iii)
$$(y^{-2})^2 = \frac{1}{81}$$
. [2]

2 (i) Simplify
$$(3x+1)^2 - 2(2x-3)^2$$
. [3]

(ii) Find the coefficient of x^3 in the expansion of

$$(2x^3 - 3x^2 + 4x - 3)(x^2 - 2x + 1).$$
 [2]

3 Given that $y = 3x^5 - \sqrt{x} + 15$, find

(i)
$$\frac{dy}{dx}$$
, [3]

(ii)
$$\frac{d^2y}{dx^2}$$
. [2]

4 (i) Sketch the curve
$$y = \frac{1}{x^2}$$
. [2]

(ii) Hence sketch the curve
$$y = \frac{1}{(x-3)^2}$$
. [2]

(iii) Describe fully a transformation that transforms the curve
$$y = \frac{1}{x^2}$$
 to the curve $y = \frac{2}{x^2}$. [3]

5 (i) Express
$$x^2 + 3x$$
 in the form $(x + a)^2 + b$. [2]

(ii) Express
$$y^2 - 4y - \frac{11}{4}$$
 in the form $(y+p)^2 + q$. [2]

A circle has equation $x^2 + y^2 + 3x - 4y - \frac{11}{4} = 0$.

6 (i) Find the coordinates of the stationary points on the curve
$$y = x^3 - 3x^2 + 4$$
. [6]

(iii) For what values of x does
$$x^3 - 3x^2 + 4$$
 increase as x increases? [2]

- 7 (i) Solve the equation $x^2 8x + 11 = 0$, giving your answers in simplified surd form. [4]
 - (ii) Hence sketch the curve $y = x^2 8x + 11$, labelling the points where the curve crosses the axes.
 - (iii) Solve the equation $y 8y^{\frac{1}{2}} + 11 = 0$, giving your answers in the form $p \pm q\sqrt{5}$. [4]
- 8 (i) Given that $y = x^2 5x + 15$ and 5x y = 10, show that $x^2 10x + 25 = 0$. [2]
 - (ii) Find the discriminant of $x^2 10x + 25$. [1]
 - (iii) What can you deduce from the answer to part (ii) about the line 5x y = 10 and the curve $y = x^2 5x + 15$?
 - (iv) Solve the simultaneous equations

$$y = x^2 - 5x + 15$$
 and $5x - y = 10$. [3]

- (v) Hence, or otherwise, find the equation of the normal to the curve $y = x^2 5x + 15$ at the point (5, 15), giving your answer in the form ax + by = c, where a, b and c are integers. [4]
- 9 The points A, B and C have coordinates (5, 1), (p, 7) and (8, 2) respectively.
 - (i) Given that the distance between points A and B is twice the distance between points A and C, calculate the possible values of p. [7]
 - (ii) Given also that the line passing through A and B has equation y = 3x 14, find the coordinates of the mid-point of AB. [4]